



# **File Exchange Advanced Template Instructions**

## **Copyright Statement**

Copyright 2001 - 2012 eBay Inc. All rights reserved. The information contained in this document is CONFIDENTIAL and PROPRIETARY in nature, and subject to the rights and ownership of eBay Inc. Any and all unauthorized copying or use of the contents hereof is prohibited.

The eBay logo and experience are trademarks of eBay Inc. All other brand or product names are or may be trademarks or registered trademarks of their respective owners.

## **Document Information**

Version: 3.0

Date: October 2012

## **Company Information**

eBay Inc. 2145 Hamilton Ave. San Jose, CA 95125 USA

phone: 408.558.7400; fax: 408.558.7401

# Contents

<b>What's New in File Exchange?</b> .....	<b>9</b>
New features.....	9
<b>Introduction</b> .....	<b>10</b>
How to use this guide.....	10
How to interpret text styles.....	10
<b>Using and managing template files</b> .....	<b>11</b>
Understanding template structure.....	11
Understanding file size and content rules.....	12
Understanding the Action field values.....	12
Using Action values.....	12
Understanding Action-specific required fields.....	16
Required template fields for each Action value.....	16
Using smart headers and quotation marks.....	17
Using smart headers.....	17
Using quotation marks as text qualifiers.....	18
Using multiple actions and excess fields.....	18
Including multiple Actions in one file.....	18
Including excess fields for a given Action.....	18
<b>Performing simple template tasks</b> .....	<b>19</b>
Adding a new field to a default template.....	19
Deleting a field from a default template.....	20
Deleting multiple field values.....	20
<b>Inserting new listings</b> .....	<b>21</b>
Enter data in the template fields.....	21
Using product identifiers.....	22
Using relationship fields for parts compatibility .....	24
Using eBay Product Identification numbers to list parts.....	26
Modifying compatibility information.....	26
Using relationship fields for variation .....	27
Modifying the RelationshipDetails and PicURL of a variation.....	30
Modifying the Quantity and StartPrice of a variation.....	30
Modifying the Relationship and CustomLabel of a variation.....	31
Using a custom item specific field.....	31
Using the ConditionID field.....	32
Using the StoreCategory fields.....	33
Using store category numbers in a template.....	33
Looking up store category numbers.....	33
Using the auto-accept and auto-decline fields.....	33
Using international site visibility fields.....	34
Using buyer requirements.....	35
Setting up buyer requirements.....	35
Applying buyer requirements to listings.....	35
<b>Specifying payments, shipping, and returns</b> .....	<b>37</b>
Using the payments fields.....	37

Using shipping discount fields.....	37
Combining payments to offer shipping discounts.....	37
Adding shipping discount values to a template.....	38
Using return policy fields.....	38
Using shipment tracking number fields.....	39
Using package weight and dimension fields.....	40
Adding package weight information fields.....	40
Adding package dimension information fields.....	41
Using shipping rate tables.....	41
Creating a domestic shipping rate table.....	41
Applying a shipping rate table to listings.....	43
<b>Updating your listings .....</b>	<b>44</b>
Using revision files.....	44
Adding product identifiers to Active listings.....	45
Revising your Active listings.....	45
<b>Using advanced functions.....</b>	<b>46</b>
Using programmatic instructions.....	46
Requesting an eBay token.....	46
Uploading files programmatically.....	46
Downloading files programmatically.....	46
Sample HTTP Post Request.....	47
HTTP Post Request Components.....	47
Using metadata information.....	48
Metadata cell information.....	48
Overriding metadata values.....	48
<b>Site and template information.....</b>	<b>50</b>
eBay site-specific information.....	50
Site-specific template information.....	50
Default template metadata information.....	52
Metadata values.....	52
Region names and country codes.....	54
<b>Template field definitions.....</b>	<b>59</b>
Design and display fields.....	59
*Action.....	59
BoldTitle.....	59
BuyerRequirements:LinkedPayPalAccount.....	59
BuyerRequirements:MaximumItemCount.....	60
BuyerRequirements:MaxItemMinFeedback.....	60
BuyerRequirements:MaxUnpaidItemsCount.....	60
BuyerRequirements:MaxUnpaidItemsPeriod.....	61
BuyerRequirements:MaxViolationCount.....	61
BuyerRequirements:MaxViolationPeriod.....	61
BuyerRequirements:MinimumFeedbackScore.....	61
BuyerRequirements:ShiptoRegCountry.....	62
BuyerUserID.....	62
*Category.....	62
Category2.....	62
*ConditionID.....	63
Country.....	63

CrossBorderTrade.....	63
C:<item specific name>.....	63
CustomLabel.....	64
DeleteFields.....	64
*Description.....	65
*Duration.....	65
EndCode.....	65
Feedback.....	66
FeedbackType.....	66
FE:ListByDate.....	66
*Format.....	66
GalleryDuration.....	67
GalleryType.....	67
HitCounter.....	67
ItemID.....	67
*Location.....	68
LotSize.....	68
PhotoDisplay.....	68
PicURL.....	69
PostalCode.....	69
PrivateAuction.....	69
*Quantity.....	69
Relationship.....	70
RelationshipDetails.....	70
ScheduleTime.....	71
StoreCategory.....	71
StoreCategory2.....	71
Subtitle.....	72
*Title.....	72
TransactionID.....	72
Packaging and handling fields.....	72
*DispatchTimeMax.....	73
InternationalPackagingHandlingCosts.....	73
PackageDepth.....	73
PackageLength.....	73
PackageType.....	74
PackageWidth.....	74
ShipFromZipCode.....	74
ShipmentTrackingNumber.....	74
ShippedTime.....	75
ShippingCarrierUsed.....	75
ShippingIrregular.....	75
ShippingStatus.....	76
*ShippingType.....	76
ShipToLocations.....	76
WeightMajor.....	77
WeightMinor.....	77
WeightUnit.....	77
Payment and return fields.....	78

AdditionalDetails.....	78
AmEx.....	78
Discover.....	78
ImmediatePayRequired.....	78
IntegratedMerchantCreditCard.....	79
MOCashiers.....	79
PaymentInstructions.....	79
PaymentSeeDescription.....	79
PaymentStatus.....	79
PayPalAccepted.....	80
PayPalEmailAddress.....	80
PayUponPickup.....	80
PersonalCheck.....	80
RefundOption.....	81
RestockingFeeValueOption.....	81
*ReturnsAcceptedOption.....	81
ReturnsWithinOption.....	81
ShippingCostPaidBy.....	82
VisaMastercard.....	82
Pricing and cost fields.....	82
BestOfferAutoAcceptPrice.....	82
BestOfferEnabled.....	82
BuyItNowPrice.....	83
Currency.....	83
InternationalPackagingHandlingCosts.....	83
InternationalPromotionalShippingDiscount.....	83
InternationalShippingDiscountProfileID.....	84
MinimumBestOfferMessage.....	84
MinimumBestOfferPrice.....	85
PackagingHandlingCosts.....	85
PromotionalShippingDiscount.....	85
ReservePrice.....	85
SalesTaxPercent.....	86
SalesTaxState.....	86
ShippingDiscountProfileID.....	86
ShippingInTax.....	87
*StartPrice.....	87
UseTaxTable.....	87
Product code and details fields.....	88
Product:Brand.....	88
Product:EAN.....	88
Product:EPID.....	88
Product:ISBN.....	89
Product:MPN.....	89
Product:IncludePrefilledItemInformation.....	89
Product:IncludeStockPhotoURL.....	89
Product:ReturnSearchResultsOnDuplicates.....	90
Product:UPC.....	90
Product:UseStockPhotoURLAsGallery.....	90

Shipping services fields.....	90
DomesticRateTable.....	91
GlobalShipping.....	91
IntlShippingService-1:AdditionalCost.....	91
IntlShippingService-1:Cost.....	92
IntlShippingService-1:Locations.....	92
IntlShippingService-1:Option.....	92
IntlShippingService-1:Priority.....	93
IntlShippingService-2:AdditionalCost.....	93
IntlShippingService-2:Cost.....	93
IntlShippingService-2:Locations.....	94
IntlShippingService-2:Option.....	94
IntlShippingService-2:Priority.....	94
IntlShippingService-3:AdditionalCost.....	95
IntlShippingService-3:Cost.....	95
IntlShippingService-3:Locations.....	95
IntlShippingService-3:Option.....	96
IntlShippingService-3:Priority.....	96
ShippingService-1:AdditionalCost.....	96
ShippingService-1:Cost.....	97
ShippingService-1:FreeShipping.....	97
ShippingService-1:Option.....	97
ShippingService-1:Priority.....	98
ShippingService-1:ShippingSurcharge.....	98
ShippingService-2:AdditionalCost.....	98
ShippingService-2:Cost.....	99
ShippingService-2:Option.....	99
ShippingService-2:Priority.....	99
ShippingService-2:ShippingSurcharge.....	100
ShippingService-3:AdditionalCost.....	100
ShippingService-3:Cost.....	100
ShippingService-3:Option.....	101
ShippingService-3:Priority.....	101
ShippingService-3:ShippingSurcharge.....	101
Shipping services field values.....	102
Australia services options.....	102
Austria services options.....	103
Belgium (French) services options.....	103
Belgium (Dutch) services options.....	104
Canada services options.....	104
Canada (French) services options.....	105
China services options.....	105
France services options.....	106
Germany services options.....	106
Hong Kong services options.....	107
Ireland services options.....	108
India services options.....	108
Italy services options.....	108
Malaysia services options.....	109

Netherlands services options.....	109
Philippines services options.....	109
Poland services options.....	110
Singapore services options.....	110
Spain services options.....	110
Switzerland services options.....	111
Taiwan services options.....	111
United Kingdom services options.....	112
United States services options.....	112
Result and reports fields.....	113
Active Listings report.....	117
Awaiting Payment report.....	118
Load Response Results report.....	120
Global Trade Item Number report.....	122
Paid and Awaiting Shipment report.....	123
Paid and Shipped Items report.....	124
Product Inventory report.....	126
Sold Listings report.....	126
Unsold Items report.....	128
Report fields matrix.....	129



# What's New in File Exchange?

Release date: July, 2012

## New features

- **RestockingFeeValue:** When you opt in to the eBay return center, you can apply a restocking fee to items. For more information, see [Using return policy fields](#) on page 38.
- **Motorcycle fitment:** Parts compatibility now applies to motorcycles.
- **ePID Numbers in Parts Compatibility:** You can now look up – and use – ePID numbers to list parts on eBay Motors. For more information, see [Using eBay Product Identification numbers to list parts](#) on page 26.

# Introduction

This section describes this document's purpose and explains where to find the File Exchange listing templates.

## How to use this guide

This guide explains how to use the File Exchange listing tool to post product listings to the eBay web site. This guide was designed to be used with one of the standard templates available on the File Exchange [Select Template](#) web page.

## How to interpret text styles

The text in this document use these text styles in sentences to imply specific meanings:

- **Bold** signifies objects clicked to perform a function, such as menu commands, buttons, and keyboard keys. **Bold** is also used to highlight a term or phrase before its explanation.
- *Italic* denotes names of pertinent objects, such as application windows, field names, hyperlinks, and introductory terms.
- `Monospace` signifies programming objects, such as code examples, field values, and URLs.
- PlainCapitalLetters signify a general reference, such as "For Action, use the VerifyAdd value," and "ReturnsAcceptedOption supports the ReturnsAccepted and ReturnsNotAccepted values."

# Using and managing template files

This section explains the best practices for template use and management, and also offers tips and techniques for using the File Exchange templates.

## Understanding template structure

This section explains the field requirements and file format structure.

Product information can be manually entered into the appropriate template item by item or, if you already have your product information documented in a database or spreadsheet file, you can map your data directly into the template file. Whichever method you select, enter the data in the structure specified, paying particular attention to the following:

- **Required Field:** You must provide data for each of the required fields specified in the tables. Each required field name is preceded by an asterisk (\*).



**Note:** New sellers are required to use a safe payment method, which means you accept PayPal or a credit card such as American Express, Visa, or MasterCard. To choose a safe payment option, see [Payment and return fields](#) on page 78.

- **Character type, character limit, and values:** The data must conform to the character types and limits provided in the template data field definitions.



**Important:** File Exchange does not support newlines, line feeds, or carriage returns in field values. These characters must be removed or an error will occur while attempting to process the file. If separate lines are desired in the Description (or any) field, HTML text is required.

- **Header field names are not case-sensitive:** It does not matter whether you capitalize the letters in the field names or not. For example, File Exchange will recognize both `paypalaccepted` and `PayPalAccepted` as the same field. However, we recommend that you use the header (field) names as they are provided in this manual.
- **Field Relationships:** Some fields are coupled with correlated fields. For example, if you enter a value in the `ShippingService-1:Option` field for a specific item, then you must also enter a value in the `ShippingService-1:Cost` field. In some instances, a field may be optional, technically speaking, but it requires also using a related field because of their relationship. Improperly used fields can cause inconsistent shipping and payment error messages in the results file.
- **Using multiple values in one field:** Some fields support having multiple values. Multiple values must be separated by the pipe ( | ) character.
- **Template variations across eBay sites:** Not all default templates are supported on each eBay site. For example, the Catalog template is not supported on certain sites.



**Tip:** For more information about site-specific support, refer to the [Site-specific template information](#) on page 50.

- **Smart Headers automatically apply values:** If you create an item listing file for specific types of items, such as books, all have the same value, you can enter the value in the header once instead of entering the value for each listing multiple times.

The Action data field header includes metadata information like SiteID, Country, Currency, and other data that are specific to the site from which the template is downloaded. These values should not be

changed unless you are an advanced user who would like to list items on a different eBay site and have the necessary permissions from [Customer Support](#).

## Understanding file size and content rules

This section explains the file and format requirements for using the File Exchange templates.

Follow these rules to minimize processing errors when using the File Exchange templates.

- Files must be in one of these formats: comma-separated (.csv), semicolon-delimited (.csv) or tab-delimited (.txt).
- A single file cannot be larger than 15 MB or the upload will fail. Up to 5000 Actions can be uploaded in a 24-hour period.
- Files must contain data for each required field. Each required data field is denoted with an asterisk (\*) before its name. All other fields are optional (although some contain dependencies, so that if you include one, you may be required to include another; refer to [Template field definitions](#) on page 59 for more information).
- The Action field must always be the first cell and row in a file; it doesn't matter what order the rest of the data fields are in. Refer to [Using Action values](#) on page 12 for more information.
- Do not include headers in a row of data.
- If a field value has leading zeros (like 00856748589), change the cell format to Text. Cells using the Number or General format will lose the leading zeros when the file is saved in CSV format.
- File Exchange does not support multi-line field values. Do not use blank lines, newline characters, or carriage returns in field values. However, you can use HTML text with the <BR> and <P> tags to create line breaks in the text.

## Understanding the Action field values

This section explains how to use the Action field values in the File Exchange templates.

### Using Action values

The following sections explain the purpose of the Action field values. Action values differ from Action metadata; Action values determine how a listing is processed when uploaded; whereas, metadata identifies site ID, country, and currency information.

Refer to the [eBay Help Center](#) for more information about eBay policies and instructions.

Action values include:

- [Using the Add action](#) on page 13
- [Using the VerifyAdd action](#) on page 13
- [Using the Revise action](#) on page 13
- [Using the Relist action](#) on page 14
- [Using the AddToItemDescription action](#) on page 14
- [Using the End action](#) on page 14
- [Using the Status action](#) on page 15

Refer to [Understanding Action-specific required fields](#) on page 16 for the list of attributes that must accompany each action in a template file.

The following sections explain the purpose for each Action.

### Using the Add action

This action adds new listings to eBay, and returns a results file containing any associated fee data, error warnings, etc. It also generates an Item ID for each new listing. The ItemID value is used when you revise, relist, and end items.

### Using the VerifyAdd action

This action tests your file format and listing information before you actually upload them to eBay File Exchange. In other words, this action is exactly like an Add, but it doesn't result in an added listing. If the listing has any errors, the errors will appear in the Upload Results file.

VerifyAdd verifies each record on the add file and returns a results file containing any associated fee data, error warnings, etc. (If your VerifyAdd is successful, eBay File Exchange will return all the fee amounts for each listing but no ItemIDs because nothing was actually added to the site.) When you're ready, you can use the Add action using the same values as those in your VerifyAdd file, confident that they are correct and that your items will be listed on eBay without any errors.

### Using the Revise action

Revising your listings means making a change to the listing in some way; for example, changing the BuyItNow price.

To avoid errors when you revise, include only the required fields, which are:

- Action=Revise
- ItemID=<eBay-generated ItemID for the listing, retrieved from the Load Results Report>
- <Modified fields>=<New values>
- <Revision dependent fields>=<Existing values>

An active listings report is available for download and contains a list of all active listings, including a flag indicating that you can revise an item.

### Revision dependent fields



**Important:** Certain fields have revision dependencies, meaning if you change one field, other similar fields, even if unchanged, need to be included in the revised listing. Custom item specific fields (C:<value name>), shipping fields, and payment fields have this dependency.

**Shipping fields:** If you revise a shipping field, you must include the other shipping fields if you wish to retain them. For example, if you change the ShippingType field, you must include all other shipping fields you want to use. If not, they will be dropped from the listing.

- ShippingService-n fields – any ShippingService-n fields not included (such as [ShippingService-1:Cost](#) on page 97) will be dropped from the listing
- IntlShippingService-n fields – any IntlShippingService-n fields not included (such as [IntlShippingService-1:Option](#) on page 92) will be dropped from the listing
- \*ShippingType on page 76
- ShippingDiscountProfileID on page 86
- PromotionalShippingDiscount on page 85

- [InternationalShippingDiscountProfileID](#) on page 84
- [InternationalPromotionalShippingDiscount](#) on page 83
- [PaymentInstructions](#) on page 79
- [SalesTaxPercent](#) on page 86
- [SalesTaxState](#) on page 86
- [ShippingInTax](#) on page 87

**Payment fields:** If you revise a payment method field, you must include the other payment methods you wish to retain. For example, if you change [PersonalCheck](#) on page 80 to 1, you must include the other payment methods you want to use (such as [PayPalAccepted](#) on page 80) ; if not, they will be dropped from the listing.

- [AmEx](#) on page 78
- [Discover](#) on page 78
- [IntegratedMerchantCreditCard](#) on page 79
- [MOCashiers](#) on page 79
- [PaymentSeeDescription](#) on page 79
- [PayPalAccepted](#) on page 80
- [PersonalCheck](#) on page 80
- [VisaMastercard](#) on page 82

### Using the Relist action

Relisting your ended items means listing an item for sale again after it did not sell the first time (You cannot relist an item until either it ends, or you end the listing yourself.) If you sell a relisted item, eBay automatically refunds one of the two relisting fees (some restrictions apply).

To avoid errors when you relist, include only the required fields, which are:

- Action=Relist
- ItemID=<eBay-generated ItemID for the listing, retrieved from the Load Results Report>

### Using the AddToItemDescription action

Adding item description information to your listings means making a change to the listing description only.

The AddToItemDescription action allows you to revise only the item description, whereas the Revise action allows changing multiple details about your item. If you sell a relisted item, eBay automatically refunds one of the two relisting fees (some restrictions apply).

To avoid errors when using this action, include only the required fields, which are:

- Action=AddToItemDescription
- ItemID=<eBay-generated ItemID for the listing, retrieved from the Load Results Report>. For example, enter: 3500001016281.
- Description=<Additional information added to the listing description>. For example, enter: This product is available in sizes small (S), medium (M), and large (L) only.

### Using the End action

Use this action to remove your listings from eBay. To avoid errors when you end your listing, include only the required fields, which are.

- Action=End
- ItemID=<eBay-generated ItemID for the listing, retrieved from the Load Results Report>
- EndCode=Valid values include: LostorBroken, NotAvailable, Incorrect, or OtherListingError.

### Using the Status action

Using the Status action, you can mark items Paid and Shipped and also Leave Feedback for buyers in bulk. In fact, you can do all three with just one Status action in one row of your file.

You can only use Status for items that have sold; you cannot use this action on unsold or active listings. For details on these fields, refer to the [Load Response Results report](#) on page 120.

### Payment status

To mark an item paid, include the following fields in your upload file:

- Action=Status
- ItemID=<eBay-generated ItemID for the listing, retrieved from the Load Results Report>
- PaymentStatus=1

### Shipping status

To mark an item shipped, include the following fields in your upload file:

- Action=Status
- ItemID=<eBay-generated ItemID for the listing, retrieved from the Load Results Report>
- ShippingStatus=1

### Leave Feedback status

To leave feedback for buyers, include the following fields in your upload file:

- Action=Status
- ItemID=<eBay-generated ItemID for the listing, retrieved from the Load Results Report>
- BuyerUserID=<Buyer's eBay member ID>
- TransactionID=<TransactionID from the Sold report>
- FeedbackType= Positive
- Feedback=<Textual description>

### Using Info in the Action field

If you use "Info" in the first column of a row-which is always an Action field-this denotes that this row is not requesting any action, but rather is an informational (or comment) row. You can use the Info row to "comment out" notes about the flat file, without risking any processing errors. An example file with Info rows is shown below.




Figure 1: Info in the Action field

## Understanding Action-specific required fields

This section explains the required field requirements for a given action in the File Exchange templates.

### Required template fields for each Action value

Uploaded files must contain required fields. An asterisk (\*) precedes each required field name in the default catalog or a non-catalog (Basic or Item Specific) templates. All other fields are optional. Some fields have dependencies. In other words, if you enter a value for an optional field, you may need to also enter a value in another field.



**Note:** New sellers must specify a safe payment method such as PayPal or a merchant credit card including American Express, Discover, MasterCard, or Visa.

Different File Exchange actions require different fields, as shown in the table below:

Required Fields	Action Values						
	Add or VerifyAdd (Catalog)	Add or VerifyAdd (non-Catalog)	AddToItem Description	Revise	Relist	End	Status
*Category on page 62		X					
*Description on page 65		X	X				
*Duration on page 65	X	X					
EndCode on page 65						X	
*Format on page 66	X	X					
ItemID on page 67			X	X	X	X	X
*Location on page 68	X	X					
*Quantity on page 69	X	X					
*StartPrice on page 87	X	X					
*Title on page 72		X					



Required Fields	Action Values						
	Add or VerifyAdd (Catalog)	Add or VerifyAdd (non-Catalog)	AddToItem Description	Revise	Relist	End	Status
<a href="#">*ReturnsAcceptedOption</a> on page 81dOption	X	X					
<a href="#">*DispatchTimeMax</a> on page 73 (Handling time)	X	X					
<a href="#">*ShippingType</a> on page 76	X	X					
<a href="#">Shipping services field values</a> on page 102	X	X					
<a href="#">Payment and return fields</a> on page 78	X	X					

## Using smart headers and quotation marks

This section explains how to use special techniques for maximizing code efficiency in the File Exchange templates.

### Using smart headers

In eBay File Exchange, you can use smart headers, which set a global file-level default preference per column within each file, using the “=” sign within the header to designate a default value for that entire column.

For example, you can convert the *PayPalEmailAddress* header to `PayPalEmailAddress=userid@mydomain.com`, to make the value of every subsequent row in this column be `userid@mydomain.com`.

If you use smart headers, follow these guidelines:

- Do not use spaces between the header name and the header value you provide. For example, category 552 should be entered as `Category=552`.
- Follow the rules for the data field when entering a value. For example, the valid values for “*BoldTitle*=” are 1 (true) or 0 (false), the valid value for *Description*=” is any text up to 500,000 characters, and so on.
- You cannot set a Smart Header for the Action field; you must explicitly list this value for every item or row.
- If you include an “=” sign after the field header, but do NOT provide a value, eBay File Exchange will treat this as a valid field header that has no default or global value associated with it and will look for a value in each row for this field/column.
- Even if you set a Smart Header value, you can still override it on a row-by-row basis.
- If you provide an override value that is invalid for that field, the listing will fail and you will receive a warning in the results file for that row.
- You can also override a Smart Header with a minus symbol “-” in individual cells. eBay File Exchange will treat these cells as having no data at all.

## Using quotation marks as text qualifiers

When you use certain punctuation in CSV or .txt files in text fields, you must put quotation marks around the text, as described in the table below.

Use plain quotation marks (""); do not use smart quotes (""). If you save an Excel file in .CSV or .TXT format, Excel automatically adds the required text qualifiers.

Punctuation	Where to put the Quotes	For Example
Comma or semicolon.	Surround the text with quotation marks.	"Brand new, with manufacturer warranty"
Quotation marks in a text field; for example, to denote a nickname or descriptive modifier.	Include the text field in quotation marks and then surround the entire expression with quotation marks.	"Clarence ""Lumpy"" Rutherford"

## Using multiple actions and excess fields

Explains how to use the Action field values in the File Exchange templates.

### Including multiple Actions in one file

Your uploaded flat files can contain any combination of actions. For example, you can upload a file that only adds listings; you can also upload a file that contains added listings and revised listings. However, you can only perform one action per row. Do not attempt to submit a file that contains multiple actions for the same item as this may cause errors.

### Including excess fields for a given Action

If you submit a file that contains unsupported fields for a given action, then File Exchange will ignore those unsupported fields and process the action if all other required and eligible fields are valid. For example, if you try to remove a listing using the End action, but supply unnecessary fields like *Description*, then File Exchange will ignore those fields and end the listing.

# Performing simple template tasks

This section teaches you how to add new and optional fields to File Exchange templates. The instructions are based on Microsoft® Excel®; for different spreadsheet applications, use similar functions.

## Adding a new field to a default template

This section explains how to add new fields to a default File Exchange template.

The default File Exchange templates only contain a subset of all the supported fields; fields need to be added for most of the optional fields, as well as for new features. This section explains how to add a new field in one of the default templates, or in one of your working product listing files.

The File Exchange templates contain required and optional fields. Do not change or delete any of the required field headers. The asterisk (\*) is used to designate a required field name (\*Action).

An optional field can be deleted, or renamed to serve as a new field that is not in the default templates. For example, you may not want to use the [Subtitle](#) on page 72 field, but would like to offer free shipping for this item, you can replace it with [ShippingService-1:FreeShipping](#) on page 97, and use it for that purpose.

Another option for adding new fields is to add blank columns in the template, and then add the new field names in the column header.



**Tip:** If you want to add multiple new fields that have similar field names, such as [Product:MPN](#) on page 89 for [Product:EPID](#) on page 88, use this method:

1. Create a field with the new field name, like `Product:MPN`.
2. Copy and paste this whole column as many times as needed for your new fields.
3. Revise the appropriate portion of the replicated field names (MPN for EPID).

You do not have to remove unused fields, but doing so after creating and successfully uploading a new listing file makes it easier to customize and manage different types of product listing files.

Field names must follow the format requirements explained in [Template field definitions](#) on page 59. These instructions describe using Microsoft® Excel®; if you are using a different spreadsheet application, use similar functions in that application to complete this procedure.

1. Open a default template or one of your working product listing files.
 

The default templates are available on the File Exchange [Select Template](#) page.
2. Add the following new header field names using one of these methods:
  - Click on a field in the first row (except for Action) and select **Insert > Column** on the menu bar. Enter a field name in the new column, such as `Border`, and then press **Enter**.
  - Click on an optional field in the first row that you do not intend to use, such as `Highlight`. Enter a new field name in its place, such as [BoldTitle](#) on page 59, and then press **Enter**.
3. Enter values (in the second row, below the field header) for the new fields, and then save the file.

## Deleting a field from a default template

This section explains how to remove fields from a default File Exchange template.

The File Exchange templates contain both required and optional fields. Unused optional fields can be deleted to streamline your template files. Do not change or delete any of the required field headers. Required fields are in **bold type** or have an asterisk (\*) beside the field name.



**Tip:** Instead of deleting an unused optional field, it can be renamed to serve as a new field that is not in the default templates. For example, you may not want to use the [BoldTitle](#) on page 59 field, but would like to offer free shipping for this item, you can replace it with [ShippingService-1:FreeShipping](#) on page 97, and use it for that purpose.

To delete an unused optional field, select the column and select **Edit > Delete**.



**Tip:** If you want to delete multiple new fields, hold down the *Ctrl* button while clicking on columns you want to delete, and then select **Edit > Delete**.

## Deleting multiple field values

This section explains how to remove more than one field value from existing listings.

You can use the *DeleteFields* field to remove multiple fields, instead of deleting the values in each field. For example, you want to remove the second category and subtitle from several listings. Instead of deleting these values in multiple fields, you can delete the fields by entering the field names in the *DeleteFields* field.

Not all fields can be deleted; refer to [DeleteFields](#) on page 64 for more information.

To delete multiple fields:

1. Open the listing file from which you want to delete certain fields.
2. Add a new blank column to the listing file, and then enter `DeleteFields` as the field (column) name.
3. Enter the names of the fields you want to delete in a listing. For example, enter `Category2|Subtitle` as the *DeleteFields* values for one or more listings.



**Note:** To delete multiple field values, you must separate the field names with the pipe character "|".

4. Save the file in CSV format, and then upload it to eBay.

# Inserting new listings

This section explains how to add items to a template.

## Enter data in the template fields

The default templates can be modified using any software program that reads comma-separated value (CSV) format, such as a spreadsheet program or a text editor. We recommend using a spreadsheet program, which structures the information in a table layout.

1. Use the fields below to enter data for your listings (asterisks (\*) denote required fields):

Header Field Name	Purpose	Accepted Values	Example
<a href="#">*Action</a> on page 59	Specifies the purpose of the row.	Add, Revise, Relist, End, Status, VerifyAdd, AddToItemDescription	Revise
<a href="#">*Title</a> on page 72	Specifies which terms are found when buyers search for products. Use multiple terms so it's easy for buyers to search for this product.	Open; user-defined 80 characters (including blank spaces)	Organic Body Lotion
<a href="#">Product:Brand</a> on page 88	Specifies the product brand.	Open; user-defined	Apple
<a href="#">Product:MPN</a> on page 89	Specifies the manufacturer part number.	Open; user-defined	iPHONE3G8GBBLKATTREF
<a href="#">Product:UPC</a> on page 90	Specifies the product code number or key used by the manufacturer to identify the product.	Open; user-defined	426351144531
<a href="#">Product:EAN</a> on page 88	Specifies the product code number or key used by the manufacturer to identify the product.	Open; user-defined	6351144531942
<a href="#">*Description</a> on page 65	Specifies product details and general information. To use multiple line descriptions, enter HTML text here, and use the   and <P> tags to separate the lines.	Open; user-defined 500,000 characters (including blank spaces)	5 -in-1 Printer, Fax, Scanner, Copier, and Card Reader
<a href="#">*Quantity</a> on page 69	Specifies the number of this type of item for sale. Commas between integers are not required for large numbers.	Open; user-defined	10
<a href="#">*Duration</a> on page 65	Specifies how long the listing will be posted on eBay. Choose 1, 3, 5, 7, or 10 for all formats except StoresFixedPrice. Use 30 or Good 'Til Cancelled for StoresFixedPrice listings.	Only certain values are allowed, and the choice of values depends on the listing format. Valid Auction and Fixed Price durations include: 1, 3, 5, 7, and 10 (days). If you are a qualified seller, you can also	10

Header Field Name	Purpose	Accepted Values	Example
		use (30) days, and GTC (for the Good Til Cancelled) for FixedPrice.	
<a href="#">ImmediatePayRequired</a> on page 78	Specifies whether immediate payment is required. This is a boolean value, meaning 1= true, or "yes." WorldofGood.com listings require immediate payment, so enter 1.	Indicates that immediate payment is required from the buyer. For more information, see <a href="#">Requiring immediate payment</a> .	1
* <a href="#">Location</a> on page 68	Indicates to the buyer the location from where the item will be shipped. Postal zip codes are supported, or include city, state (two-letter abbreviation), and country (three-letter abbreviation).	Open; user-defined 45 characters (including blank spaces)	95124
* <a href="#">ShippingType</a> on page 76	Determines whether you use a standard (flat) or calculated rate for shipping. Only <i>Flat</i> or <i>Calculated</i> are valid entries. If <i>Calculated</i> is used, no entry for <a href="#">ShippingService-1:Cost</a> on page 97 is needed.	Open; user-defined	Flat
<a href="#">ShippingService-1:Option</a> on page 97	Identifies the shipping service carrier. For valid shipping service entries, refer to <a href="#">Shipping services fields</a> on page 90. Must accompany an entry for <a href="#">ShippingService-1:Cost</a> on page 97.	Open; user-defined	UPSGround



**Note:** Field values are sometimes required for only certain categories. For example, the *Service Provider* field value is required for phones, but not video games. The *Platform* field value is required for video games, but not phones. The upload response file denotes whether required values are missing.

- When you are done, save the file in CSV format to a location on your computer.

## Using product identifiers

This section explains how to use the new product fields in one of the default templates, or in one of your current listing files.

There are new Product fields you can use to enter product information into a listing. These new fields enable you to leverage existing catalog information for your listings, and have replaced the

*ProductIDType* and *ProductIDValue* fields. To learn more about the new product fields, refer to [Product code and details fields](#) on page 88.

There are two types of product fields: Product:<code> and Product:<details>. The Product:<code> fields define the type of product identifier; the Product:<details> fields define which product information that you want to include in the listing.

For example, the *Product:ISBN* field will identify the product in our catalog, and add the title, description, and stock photo when available. The *Product:IncludePreFilledItemInformation* field will add the publisher, edition, author, and other product details in our eBay catalog.

The Product:<code> fields are:

- [Product:Brand](#) on page 88—Enter the Brand name in this field. The brand name is typically the primary name you see on the product.
- [Product:ISBN](#) on page 89—Enter the International Standard Book Number (ISBN) in this field. To find the number, look below the ISBN bar code on the book cover, or on the back of the title page in the book.
- [Product:MPN](#) on page 89—Enter the Manufacturer Part Number (MPN) in this field. To find the number, look on the outside of the product. The product Owner's Manual will tell you where the part number is located.
- [Product:EPID](#) on page 88—Enter the eBay ePID in this field.
- [Product:UPC](#) on page 90—Enter the Universal Product Code (UPC) in this field. To find the number, look below the UPC bar code on the outside of the product.



**Note:** The Brand and MPN fields must both be used for an item, but the other Product:<code> fields must be used individually. For example, ISBN and UPC cannot both be used for the same item.

The Product:<details> fields are:

- [Product:IncludePrefilledItemInformation](#) on page 89 – Enter a 1 in this field to use the industry-standard information in our catalog.
- [Product:IncludeStockPhotoURL](#) on page 89 – Enter a 1 in this field to use the stock photo in our catalog (when available).



**Note:** Some categories, like Coins and Paper Money, do not allow the use of stock photos.

- [Product:UseStockPhotoURLAsGallery](#) on page 90 – Enter a 1 in this field to use the stock photo in our catalog (when available) as your Gallery picture.



**Note:** To use your own self-hosted photo as the Gallery picture, enter a 0 in this field, and use the PicURL field to specify the picture to be used as your Gallery picture.

- [Product:ReturnSearchResultsOnDuplicates](#) on page 90 – Enter a 1 in this field to get definitive information about the product when multiple matches are found in the catalog. You will need to download a Load Response report in order to get the ePID that best matches your item.

To add product codes and details, follow these steps:

1. Open a new Catalog template file from the File Exchange [Select Template](#) page. If you are using one of your existing Catalog templates, you will need to add the new product fields manually.
2. In the *Product:UPC* field, enter the UPC number for the item.

3. In the *Product:IncludePreFilledItemInformation* field, enter 1. This will add the item information in our catalog to your listing.
4. In the *Product:IncludeStockPhotoURL* field, enter 1. This will add the standard photo in our catalog to your listing.

## Using relationship fields for parts compatibility

This section explains how to use the new relationship fields in a generated listing template to add compatibility information to a listing.

Use the relationship fields ([Relationship](#) on page 70 and [RelationshipDetails](#) on page 70) to add automotive parts compatibility information to a listing on eBay Motors. These new fields enable you to define the Make, Model, and Year of the vehicles that use the automotive parts you are selling. You can match up to 300 vehicles per listing. Notes can be used to enter any additional information or restriction, (e.g., "Only for automatic transmission") to a specific vehicle.

You can also list motorcycle parts. You can define the Make, Model, Year, and Submodel of the motorcycles that use the parts you have to sell. You can match up to 1000 motorcycles per listing.

Unlike regular listings, the relationship fields use an item-variation hierarchical structure. The first (item) row contains the typical listing information, like Action, Title, Quantity, and Price, while subsequent (variation) rows use the *Relationship* and *RelationshipDetails* fields to contain the compatibility information:

- Make: Toyota
- Model: Corolla
- Year: 2000

Action	Category	Relationship	RelationshipDetails	Title	Quantity
Add	170583			Halogen Headlights	10
		Compatibility	Make=Toyota Model=Corolla Year=2000		
		Compatibility	Make=Toyota Model=Camry Year=2000		
		Compatibility	Make=Honda Model=Pilot Year=2001		

To use compatibility information, you first need to download an Item Specifics template file:

1. Go to the File Exchange [Select Template](#) page.
2. Under *Item Specifics Category template*, click **Select a Category**.
3. On the *Select Template: Item Specifics* page, under *Browse Categories*, select the desired category. For example, **eBay Motors > Parts and Accessories**.
4. Select the Parts category that best describes the part you are selling:
  - For vehicles, select **Car & Truck Parts**
  - For motorcycles, select **Motorcycle Parts**
5. Continue to select category options until the category number is displayed in the Category field. For example:
  - For a *vehicle* headlight, if you select **Lighting & Lamps > Headlight**, the Category field displays 44294



- For a *motorcycle* saddlebag, if you select **British & European > Luggage & Saddlebags**, the **Category** field displays 84148
6. Click **Generate Template**. A listing template is generated for you to download.
  7. On the *Generate Template* page, click the **Item Specifics Category Template** link, and save the file on your computer. You will use this file in the next procedure.
  8. For vehicle listings only (not motorcycle listings), download the eBay Master Vehicle List (MVL) compatibility information file that contains vehicle details such as make, model, year, trim and engine information. To obtain the file and save it on your computer, go to the [Parts Compatibility Listings](#) page.

To add compatibility information to a listing:

1. Open the new Item Specifics Category template that you downloaded in step 6 above.
2. In the first available listing row, enter `Add` in the *Action* field. Enter other listing information for the item, like Title, Description, StartPrice, and Quantity (for starters).
3. In the next row, enter `Compatibility` in the *Relationship* field.
4. For vehicles only (not motorcycles), open the eBay MVL file you downloaded in step 7 above. Search for the make, model, and year of the vehicle that the part fits. For example, `Toyota Tundra 2002`. (To organize the vehicle listings, you can sort each column in ascending or descending order.) Multiple vehicle matches may occur that differ in certain ways, such as Trim, Engine, and Drive Type. Identify the row(s) that contain the vehicle information associated with the part you are selling.



**Tip:** Depending on the part, such as a headlight, you may be able to use more than one of the vehicle matches found. Other parts, like a door handle, may only apply to vehicles with a particular trim type (Trim differentiates model versions).

5. Once you've identified the rows that apply to your part, copy the text from the matching field(s). Switch to the listing template file, and enter the information in the *RelationshipDetails* field. The text should look like this:

Action	Category	Title	Relationship	RelationshipDetails
Add	44294	Halogen Headlights		
			Compatibility	Toyota Tundra 2002 Base
			Compatibility	Toyota Tundra 2002 Limited
			Compatibility	Toyota Tundra 2002 SR5

6. Copy `Compatibility` into the *Relationship* field for all the rows that contain *RelationshipDetails* information and then modify the text in the *RelationshipDetails* field to use the proper syntax. For vehicles, the `eBay_Master_Vehicle_List_US.csv` file contains the names (in the column headers) that need to be coupled with the values you just pasted (like Make and Model). The following table uses bold to indicate the text you need to add. Values for Make, Model, Year, and Trim are mandatory, while values for DriveType, Engine, Body, and Notes are optional. Use the pipe character ( `|` ) to separate the name=value pairs.



**Note:** Be aware that when just using Make, Model, Year, and Trim, all the related vehicles (all different Type, Engine, etc. combinations) that are in the MVL will be added automatically to the compatibility table. The same thing happens when you add the Notes information. The Notes will be added to each single vehicle.

Relationship	RelationshipDetails
Compatibility	Make=Toyota Model=Tundra Year=2002 Trim=Base Notes=Only for Automatic
Compatibility	Make=Toyota Model=Tundra Year=2002 Trim=Limited Notes=Only for Automatic
Compatibility	Make=Toyota Model=Tundra Year=2002 Trim=SR5 Notes=Only for Automatic

- To add compatibility information for all the other vehicles that the part fits, repeat steps 3-6 above.
- To create other part listings, repeat steps 2-6 above to enter data in the next available blank rows.
- Enter any required or desired field values for each item in the appropriate fields (like shipping and payment information).
- Save the file in the comma-separated value (CSV) format.

## Using eBay Product Identification numbers to list parts

You can use an eBay Product Identification (ePID) number to list a part. When you use an eBay ePID number to list a part, you need not use the Relationship or RelationshipDetails fields. Instead, use the Product:EPID field. For more information about ePID numbers, see [Using product identifiers](#) on page 22. For example:

Action	Category	Title	Product:EPID
Add	66471	ACDelco high beam halogen	EPID76904638

To find an ePID number:

- On the [ePID Search Tool](#) page, describe the part you want to find. Be as specific as possible. When a description results in more than 10,000 hits, only the first 10,000 results are returned. Should this occur, refine your criteria and repeat the search.
- From the Search Catalog drop-down list, select US - Parts & Accessories, US - Rims, or US - Tires.
- Do one of the following:
  - To list parts with the matching ePID numbers, click **Search**.
  - To copy the search results to a spreadsheet file, click **Export to Excel**.
- To use the ePID number to list a part with the Product:EPID field, see the table above.

## Modifying compatibility information

To change compatibility information, insert *Revise* in the *Action* field in the listing row, and insert *Delete* in the *Action* field to remove the values you want to change. To replace the values you're deleting, add values in the subsequent rows. For example, the rows with *Delete* in the *Action* field are removed and replaced with the subsequent row (no *Action* value is specified).

In this example, the 2000 year information is replaced by the 2001 data.

Action	ItemID	Category	Relationship	RelationshipDetails	Title
Revise	101100296				Item 1
Delete			Compatibility	Make=Toyota Model=Tundra Year=2000	
Delete			Compatibility	Make=Toyota Model=Tundra Year=2000	
			Compatibility	Make=Toyota Model=Tundra Year=2001	

			Compatibility	Make=Toyota Model=Tundra Year=2001	
--	--	--	---------------	------------------------------------	--

## Using relationship fields for variation

This section explains how to use the new relationship fields in a generated listing template for adding variation information to a listing.

There are new relationship fields for adding varied product information to a multi-quantity listing. These new fields enable you to sell products that are similar, like shirts, in a variety of colors and sizes, all in the same listing. Variation helps you define products in addition to Item Specifics, and can leverage the *CustomLabel* field for inventory references.

Unlike regular listings, the relationship fields use an item-variation hierarchical structure. The first (item) row contains the normal listing information, like *Action*, *Category*, *Format*, and other shared information (like shipping and payment options) that apply to all the variations in the listing.

The subsequent (variation) rows contain the information that applies to each variation, like *Relationship*, *RelationshipDetails*, *Quantity*, *StartPrice*, *CustomLabel*, and *PicURL* fields. The following paragraphs explain the item and variation row field requirements.

**Relationship** on page 70: Indicates variation information will be added to the listing when the *Variation* value is used.

- *Item row*: Leave empty.
- *Variation row*: Enter *Variation*.

**RelationshipDetails** on page 70: Defines the variation details, like color and size, in the variation rows, but must contain all possible variations in the item row. Do not add blank spaces between traits or values in either row, or the upload will fail.

- *Item row*: Define all traits (like color and size) and their possible values (like Blue and Red, Medium and Large). Use the format: *Trait1=Value1;Value2|Trait2=Value1;Value2*. For example:  
Color=Blue;Red|Size=M;L.
- *Variation row*: Define the single value for each applicable trait for this variation. Use the format: *Trait1=Value1|Trait2=Value1*. For example: Color=Blue|Size=M.

**\*Quantity** on page 69: Specifies the number of items available for each variation.

- *Item row*: Leave empty.
- *Variation row*: Specify the quantity available for this variation. A value is required, and it must be greater than zero.

**\*StartPrice** on page 87: Specifies the price of the item.

- *Item row*: Leave empty.
- *Variation row*: Specify the Auction-style listing start price, or the purchase price for a FixedPrice listing. Values in these fields are required.

The initial item and variation rows for a listing should look like this:

Action	Category	Relationship	RelationshipDetails	Quantity	StartPrice
Add	170583		Size=S;M;L;XL Color=Black;Pink;Red;Blue		
		Variation	Color=Black Size=XL	5	7.99

		Variation	Color=Red Size=S	5	10.99
		Variation	Color=Pink Size=M	4	8.99

Other fields also have item and variation row requirements:

[CustomLabel](#) on page 64: Specifies the SKU codes for certain variations.

- *Item row*: Specify the custom label (SKU) for the listing. This field is optional.
- *Variation row*: Specify the custom label (SKU) for this particular variation. This field is optional.

[PicURL](#) on page 69: Defines the image URL(s) for a variation. If you are only using a single image for a variation, it can be a self-hosted image or hosted by eBay Picture Services (EPS). To use multiple images in a variation, you must use EPS.

Image URLs must not contain blank spaces. For information about how to alleviate this issue, and learn about other field requirements, refer to [PicURL](#) on page 69.

- *Item row*: Specify the item-level picture to show a typical example of the product or item. This image will appear as the primary picture for all variations. For example,
- *Variation row*: Specify the specific picture(s) to use for this variation. To use more than one image for a variation, separate the image URLs with a pipe character ( | ). For example, multiple pictures for the same colored shirts would require multiple image URLs: Black=URL1 | URL2 | URL3.



**Note:** PicURL values for variations of a given item must use a single trait name. For example, if one variation has Black=URL1 | URL2 | URL3 and the next variation has Blue=URL4 | URL5 | URL6, these are valid combinations because the same trait (color) is used. However, if one variation has Black=URL1 | URL2 | URL3, and the next variation has Medium=URL4 | URL5 | URL6, this is an invalid combination because two traits (color and size) are used.



**Tip:** If an item already has a variation row with pictures defined for a given trait value, you do not need to re-define them again. For example, one variation has *RelationshipDetails* as Color=Black | Size=Small and *PicURL* as Black=http://host.com/my.jpg. If the next variation has *RelationshipDetails* as Color=Black | Size=Medium, you do not need to put Black=http://host.com/my.jpg for the *PicURL* field again because the image for Black has already been defined.

The optional item and variation rows for a listing should look like this:

Action	...	StartPrice	CustomLabel	PicURL
Add	...		mens-shirts-c	
	...	7.99	Black-XL	Black=URL1
	...	10.99	Red-S	Red=URL2
	...	8.99	Pink-M	Pink=URL3
Below are examples of multiple images in the <i>PicURL</i> variation rows				
Add	...		mens-jackets-d	
	...	199.99	Black-Leather	Black=URL1 URL2 URL3
	...	189.99	Brown-Leather	Brown=URL4 URL5

	...	209.99	Red-Leather	Red=URL6 URL7
--	-----	--------	-------------	---------------



**Note:** If an existing listing contains no variations, you cannot revise that listing to include variations. Instead, you must end that listing, and then create a new listing with variations.

To use the new fields, you need to download a new Item Specifics Category template to get the new fields, and add the variation values in the *RelationshipDetails* field from the Item Specifics Definition file (generated alongside the template).

1. Go to the File Exchange [Select Template](#) page.
2. Under *Item Specifics Category template*, click **Select a Category** and then under *Browse Categories*, select a Clothing, Shoes and Accessories category (for example).



**Note:** Variation is not supported in all categories. For a list of supported categories, refer to the [category look-up](#) page.

3. Select the category that best describes the item you are selling, like **Men's Clothing**, and keep selecting category options until the category number is defined. For example, for a shirt, you would select **Shirts > Dress**. The *Category* field displays the category number: 57991.
4. Click **Generate Template**. A listing template is generated for you to download.
5. On the *Generate Template* page, click the **Item Specifics Category Template** link, and save the file on your computer. You will use this file in the procedure below.

Next, click the **Item Specifics Definitions** link on the *Generate Template* page. We recommend that you use the variation information values from this Item Specifics Definition file, but you can also create your own variations.

To add variation information to a listing:

1. Open the new Item Specifics Category template that you downloaded.
2. In the item row, enter `Add` in the *Action* field. Enter the shared listing information for the item, like *Category* and *Format* (and others).
3. In the same row, enter all the possible variations an item may have in a listing. For example, enter `Size=S;M;L;XL|Color=Black;Pink;Red;Blue` in the *RelationshipDetails* field.
4. In the variation row, enter `Variation` in the *Relationship* field.
5. Enter the variations used for items you're selling in the *RelationshipDetails* field, as shown in the example below. For variations, enter values for *Quantity*, *CustomLabel*, *PicURL* (and others) in the variation rows.
6. For additional item variations, repeat steps 2-5 in the subsequent rows.
7. Enter any other required or desired field values for the item in the appropriate fields (like payment and return policy information), and then save the file in comma-separated value (CSV) format.

Once a listing is active, there are several things to consider. For example, what do you do if:

- the value for *Quantity* falls to zero?
- a pending transaction locks you out of a listing?

## Modifying the RelationshipDetails and PicURL of a variation

Neither the [RelationshipDetails](#) on page 70 nor the [PicURL](#) on page 69 of a variation can be modified or deleted when one or more transactions are pending against the variation.

To revise the values for RelationshipDetails or PicURL, you must first delete the variation you want to modify, and then add the new variation that replaces it. Use `Revise` in the *Action* field in the item row, use `Delete` in the *Action* field in the variation row(s) that you want to change, and then add the row that contains the modified RelationshipDetails or PicURL. For example, the second row (below) with `Delete` in the *Action* field is removed and replaced in the subsequent row (with no *Action* value specified).

Action	ItemID	Category	Relationship	RelationshipDetails	Title
Revise	10110~	170583		Color=Black;Pink;Red;Blue; BlackStripes Size=S;M;L;XL;XXL	Item 1
Delete			Variation	Color=Black Size=XL	
			Variation	Color=BlackStripes Size=XL	

In this example, the Black-XL information is replaced with the BlackStripes-XL information.



**Tip:** To delete a variation, do not add a new row for the variation you want to delete. For example, do not add the last row shown in the table above.

## Modifying the Quantity and StartPrice of a variation

You can modify the values for Quantity and StartPrice even if one or more transactions are pending against the variation.

To revise *\*Quantity* on page 69 and *\*StartPrice* on page 87, just update the desired values (in other words, you need not first delete the existing variation and then replace it with the updated content). For instance, when compared to the example shown earlier in this section, the table below updates the values for Quantity and StartPrice specific to the variations of `Color/Black|Size/XL` and `Color/Red|Size/S`.



**Note:** If you set the Quantity of a variation to zero (0), the variation will be shown as out-of-stock. If no items of the variation have been sold, the variation will be removed.

Action	ItemID	Relationship	RelationshipDetails	Quantity	StartPrice
Revise	10110~		Size=S;M;L;XL Color=Black;Pink;Red;Blue		
		Variation	Color=Black Size=XL	3	6.99
		Variation	Color=Red Size=S	3	9.99
		Variation	Color=Pink Size=M	4	8.99

## Modifying the Relationship and CustomLabel of a variation

When you delete or modify a variation, the [CustomLabel](#) on page 64 associated with the variation is automatically deleted or modified (you need not modify it explicitly).

Lastly, since the value for [Relationship](#) on page 70 is not used for an eBay item, it cannot be modified.

## Using a custom item specific field

This section explains how to add a new field for custom item specifics in one of the default templates, or in one of your working product listing files.

Custom item specifics can be added to provide more details about your item in a listing. Item specific fields need to be added to a default or existing listing template. You can either replace an unused field, or add a new field column. For more information, refer to [Adding a new field to a default template](#) on page 19.

Custom item specifics consist of a descriptive field name and correlated field values. For example, the custom item specific *Occasion* could have one of several values, such as *Casual*, *Business*, or *Formal*.

Some clothing and accessory categories require certain item specifics to be included in a listing, such as:

- Brand
- Size Type
- Size
- Style
- Color

Refer to the [look-up table](#) to view the item specifics required by each category. Visit our [size chart](#) and [handbag measurement guide](#) for size mapping and measurement instructions. To see how these changes will impact your existing listings and the way you list, refer to [Review category and item specifics changes](#).

You can create up to 10 custom item specific fields per item, but each custom item specific field can have only one value per item. Field names and values must be alphanumeric text strings.

When an item specific value contains a comma, as in the examples below, enclose the entire value in quotation marks. If not, data that appears to the right of each comma (Chino, Navy, or Royal) will be inserted into the next adjacent column in the template, thereby invalidating the entry and the template.

```
"Khakis ,Chino"
```

```
"Color=Dark Blue, Navy, Royal"
```

Custom item specifics can be added to the default templates, but generating an item specifics template provides predefined custom item specifics tailored for that particular category. Some categories do not yet support custom item specifics.



**Important:** If you revise this field, you must include all of the custom item specific fields for this listing in the uploaded file, even if the information has not changed. Otherwise; any excluded custom item specific will be removed from the listing.

To add new custom item specific fields, follow these steps:

1. Open a template file and enter item listing information in the second and third rows. For example, the listing in the second row might be for a casual shirt. The listing in the third row might be for a formal shirt.
2. Add a new field column (or replace an unused field name with a custom item specific name). For example, enter `C:Style` in the column header. Always use the `C:` prefix for a custom item specific name.
3. Enter a value in the second row for the new custom item specific. For example, enter: `Casual`.
4. Enter a value in the third row for the new custom item specific. For example, enter: `Formal`.
5. Repeat steps 2-4 to add more custom item specific fields and values.
6. Enter any other required or desired field values for the item in the appropriate fields (like payment and return policy information), and then save the file in comma-separated value (CSV) format.

## Using the ConditionID field

This section explains how to use the *ConditionID* field in one of the default templates, or in one of your working product listing files.

Condition values are now defined by *\*ConditionID* on page 63 numbers. A *ConditionID* value, like 1000, has different meanings, depending on the category used. For example, 1000 means *New* in a computer category listing, but means *New with box* in a shoes category listing.

Because values for *ConditionID* depend on category, refer to the [item condition look-up](#) page to see if a category requires a condition value, and to see what the Condition definitions are for each category. To obtain *ConditionID* values for categories, click the **ConditionIDs by Category** link on the [File Exchange Instructions and Resources](#) page.

To get the *ConditionID* values for a particular category, go the File Exchange Select Template page and generate an Item Specifics template. The generated template contains the new *ConditionID* field, and the *ConditionID* numbers and literal values are defined in the Item Specifics Definitions file that accompanies the generated template.

To get the available ConditionID values for a given category, follow these steps:

1. Go to the [Select Template](#) page, and under *Item Specifics Category template*, click **Select a category**.
2. On the *Select Template: Item Specifics* page, select the category that best describes your item. Continue to select sub-categories (to the right) until no more options appear.



**Tip:** If you already know the category number, enter it in the *Category#* field.

3. Click **Generate Template**.
4. On the *Generate Template* page, click the **Item Specifics Category Template** link to open the file.



5. Click the **Item Specifics Definitions** link to open the file.
6. In the *Item Specifics Definitions* file, select the appropriate *ConditionID* number for your item, and copy it to the *ConditionID* field in the Item Specific Category template file.



**Note:** To update the item condition description in an existing listing template, change the existing condition column name (A:Condition or C:Condition) to ConditionID and then enter a numeric value.

7. Enter any other required or desired field values for the item in the appropriate fields (like payment and return policy information), and then save the file in comma-separated value (CSV) format.

## Using the StoreCategory fields

This section explains how to look up your eBay store category numbers and how to use the *StoreCategory* and *StoreCategory2* fields to include the store category numbers in your listings.

### Using store category numbers in a template

When you maintain an eBay store, you can use the [StoreCategory](#) on page 71 and [StoreCategory2](#) on page 71 fields to associate your eBay store category numbers with your listings. Entries in the following table illustrate how to associate listings with eBay store category numbers:

Action	Title	StoreCategory	StoreCategory2
Add	1939 Irish Silver Half Crown	3014796013	3014812013
Add	1956 Moroccan Silver 500 Francs Coin	3014796013	3014813013

### Looking up store category numbers

To look up store category numbers:

1. Log in to My eBay.
2. Place the cursor on the *Account* tab label and select **Manage My Store**.
3. On the left navigation panel under *Store Design*, click **Store Categories**.
4. In the lower right corner of the *Manage Store Categories* page, click the **All Categories** link.
5. Take note of the category numbers you want to include in your File Exchange template.

## Using the auto-accept and auto-decline fields

This section explains how to add new fields for the auto-accept and auto-decline option in one of the default templates, or in one of your working product listing files.

To accept or decline best offers from buyers, the item listed must be in a format that supports Best Offer. For format information about the auto-accept and auto-decline fields, refer to [Pricing and cost fields](#) on page 82. These best offer fields can be added:

- [BestOfferEnabled](#) on page 82

- [BestOfferAutoAcceptPrice](#) on page 82
- [MinimumBestOfferPrice](#) on page 85
- [MinimumBestOfferMessage](#) on page 84

In order to use the best offer function, you must add at least a new field for *BestOfferEnabled*.

1. Open a template file and add the new field columns (refer to [Adding a new field to a default template](#) on page 19). If you want to automatically accept or decline offers, you must also add the new fields, respectively, for *BestOfferAutoAcceptPrice* and *MinimumBestOfferPrice*.
2. Enter values for the new fields. For example, enter 1 for *BestOfferEnabled*. To use the automatic options, enter the amounts you would accept or decline in the appropriate fields. For example:
  - *BestOfferAutoAcceptPrice*: Enter 15.00
  - *MinimumBestOfferPrice*: Enter 10.00

The delta between the two amounts allows for negotiation with the buyer.

3. Enter any required or desired field values for the item, and then save the file.

## Using international site visibility fields

This section explains how to add a new field for international site visibility in one of the default templates, or in one of your working product listing files.

To have your listings appear in product search results in other countries, you must add the *CrossBorderTrade* field to a default template (or a current listing file), and then enter a value for the new field. Before using international site visibility, read about the qualifications and requirements on the [Showing your items in search results on other eBay sites](#) page. For example, some category listings allowed in the US may not be supported in other regions of the world.

International site visibility is currently only supported in the United States, Canada, Ireland, and Great Britain. The list below describes to where each eBay site offers international site visibility:

- United States: *UK* (United Kingdom)
- Canada: *UK* (United Kingdom)
- Great Britain: *North America* (United States and Canada)
- Ireland: *North America* (United States and Canada)

For example, a seller in Canada would use *UK* as the *CrossBorderTrade* field value, whereas a seller in Ireland would use *North America*.

To add international site visibility information, follow these steps:

1. Open a template file and add a new field column (refer to [Adding a new field to a default template](#) on page 19). Enter *CrossBorderTrade* in the new field header.
2. Enter a region value for the new field. For example, if your primary eBay site is in the US, enter: *UK*.
3. Enter values for any required shipping information fields. For example, shipping carrier and location information need to be entered in the *IntlShippingService-1:Option* and *IntlShippingService-1:Locations* fields, respectively. Similarly, using flat-rate shipping requires a value in the *IntlShippingService-1:Cost* field.
4. Enter any required or desired field values for the item, and then save the file.

## Using buyer requirements

This section explains how to define buyer requirements on the eBay Site Preferences page and how to use File Exchange to apply those requirements to your listings.

### Setting up buyer requirements

You can optionally require that potential buyers meet a minimum set of benchmarks. Setting up these minimum requirements to qualify your buyers can improve the quality of the bids you receive. On the other hand, think carefully before blocking buyers. While defining buyer requirements may reduce your exposure to buyers who might make transactions difficult, it will also reduce the number of potential buyers.

You can also block specific buyers if you know their eBay user ID. To create a list of the eBay user IDs you want to block from bidding on your listings, see [Block bidders or buyers from your listings](#).

To define buyer requirements in My eBay:

1. Log in to eBay and go to **My eBay > Account > Site Preferences**.
2. Under *Selling Preferences*, find *Buyer Requirements* and click **Show**.
3. To display the *Buyer Requirements* page, next to *Block Buyers Who*, click **Edit**.
4. On the *Buyer Requirements* page, specify the restrictions you want to impose on buyers. For more information about the options on this page, see [Selecting buyer requirements](#).
5. To apply the settings to your active and future listings, select *Apply Above Settings to Active and Future Listings*.
6. To prevent blocked buyers from contacting you, select *Don't Allow Blocked Buyers to Contact Me*.
7. To save your selections, click Submit.
8. To use File Exchange to apply your buyer restrictions to your listings, see [Applying buyer requirements to listings](#) on page 35.

### Applying buyer requirements to listings

You can use File Exchange to apply your buyer requirements choices to your listings. The table below pairs buyer requirements options with the respective File Exchange fields:

Buyer Requirements Option	File Exchange Field
Buyers without a PayPal account	<a href="#">BuyerRequirements:LinkedPayPalAccount</a> on page 59
Buyers with unpaid item strikes	<a href="#">BuyerRequirements:MaxUnpaidItemsCount</a> on page 60 <a href="#">BuyerRequirements:MaxUnpaidItemsPeriod</a> on page 61
Buyers in locations to which I don't ship	<a href="#">BuyerRequirements:ShiptoRegCountry</a> on page 62
Buyers with policy violation reports	<a href="#">BuyerRequirements:MaxViolationCount</a> on page 61 <a href="#">BuyerRequirements:MaxViolationPeriod</a> on page 61

Buyers with a negative feedback score	<a href="#">BuyerRequirements:MinimumFeedbackScore</a> on page 61
Buyers who may bid on several of my items and not pay for them	<a href="#">BuyerRequirements:MaximumItemCount</a> on page 60 <a href="#">BuyerRequirements:MaxItemMinFeedback</a> on page 60

For example, entries in the following table block buyers from bidding on your listings when their primary address falls outside your delivery area and when their minimum feedback score falls below -2:

Action	Title	BuyerRequirements: ShiptoRegCountry	BuyerRequirements: MinimumFeedbackScore
Add	Canon Digital Rebel SLR 14MP	1	-2
Add	Apple iPhone 3g 32MB White	1	-2

To use File Exchange to apply your buyer requirements to your listings:

1. Download a File Exchange template.
2. For each item to which you want to apply buyer requirements, insert a column and add the desired BuyerRequirements field. To view the respective field names, see the previous section entitled [Setting up buyer requirements](#) on page 35.
3. Save the file.  
When you upload the file to File Exchange, your listings automatically inherit the buyer requirements you specify.

# Specifying payments, shipping, and returns

Use this section to learn how to set up payment, shipping, and return options in File Exchange.

## Using the payments fields

This section explains how to use the payment fields in the default templates.

For more information about payment fields, see [Payment and return fields](#) on page 78.

Different sites support different payment options. To make payments easier to specify and to understand, many eBay sites offer a standardized way to specify payment information. The list of payment options appears below:

- [AmEx](#) on page 78
- [Discover](#) on page 78
- [IntegratedMerchantCreditCard](#) on page 79
- [MOCashiers](#) on page 79
- [PayPalAccepted](#) on page 80
- [PersonalCheck](#) on page 80
- [VisaMastercard](#) on page 82

To add payment information to your listing template:

1. In the template, insert a column for each payment type (or field) you want to offer.
2. For each item and in each payment column, enter a 1 (true) to denote the acceptable payment options or 0 (false). For example:

Title	PayUponPickup	MOCC	PayPalAccepted	PersonalCheck
Samsung Galaxy Ace	1	1	1	1
Canon EOS 550D DSLR	1	1	1	0
Ancient Chinese Coin	0	0	0	0
Silver Ingot Poured 10 oz	0	0	0	0

3. Save your work.

## Using shipping discount fields

This section explains how to create combined payments and shipping discounts rules and profiles, and then add new fields for shipping discounts in one of the default templates. Follow this procedure to use the `InternationalShippingDiscountProfileID` field as well as the `ShippingDiscountProfileID` field.

## Combining payments to offer shipping discounts

Use shipping discounts to offer savings to buyers when they purchase multiple items from you at the same time. Doing so may encourage buyers to buy additional items. To apply shipping discounts, you

must use combined payments. For an overview about shipping discount rules and profiles, refer to [Using Combined Payments](#) and [About Shipping Discounts](#).

To set up shipping discounts:

1. Log in to eBay and go to My eBay.
2. Go to **Account > Site Preferences**.
3. Under Selling Preferences, find *Shipping Preferences*, and click **Show**.
4. Locate *Offer combined payments and shipping* and select **Edit**.
5. To verify that this preference is enabled, find *Combined payments*. If so, verify that the number days allowed for combined payments meets your expectations. To change the number of days, click **Edit**, make the change, and click **Save**.  
If combined payments are disabled, click **Create**, click the *Allow* box, and select the desired number of days from the menu. When finished, click **Save**.
6. Under *Combined Shipping Discounts*, select **Create** under either *Flat shipping rule* or *Calculated shipping rule*. For calculated shipping, the options differ but the process follows the same workflow as for flat shipping.
7. On screen 1, select **Add an amount for additional items** or **Subtract an amount for additional items** from the drop-down list and then enter a value next to *Add*. Alternatively, select **Free Shipping** to ship additional for free.
8. To create a rule profile, select **Add Profiles**. Enter a profile name in the adjacent box and then click **Next**.
9. On screen 2, review your shipping rule profile specifics. If you approve, click **Save**.
10. Make a note of the Shipping Discount Profile ID numbers that appear under *Combined Shipping Discounts*. You will use these Profile ID numbers as `ShippingDiscountProfileID` field values in the following section.

## Adding shipping discount values to a template

Now that you've created the shipping discount rules and profile(s) for your eBay account, you're ready to add the shipping discount fields and values to your product listing file (or default template). For shipping discounts to apply to a product listing, you must add the shipping discount fields and values for a new item before uploading the new product listing file.

1. Open a template file and look for the field `ShippingDiscountProfileID`. You need to know the profile IDs for each of your discount profiles created for your my eBay Site Preferences.

To locate your shipping profile ID numbers, go to **My eBay > Account > Site Preferences > Shipping Preferences > Show > Offer combined payments and shipping > Edit**. The ID numbers for each shipping rule are listed on the *My eBay: Combined Payments and Shipping Discounts* page.

2. Enter the eight digit discount profile ID number. For example, enter 78038543 for `ShippingDiscountProfileID`.
3. Enter any required or desired field values for the item, and then save the file.

## Using return policy fields

This section explains how to add information for return policy fields in the default templates.

Before offering return policies to buyers, visit the [eBay return policy](#) page to learn basic return policy strategies.

For details about each return policy field, see [Payment and return fields](#) on page 78. The return policy fields are:

- [AdditionalDetails](#) on page 78
- [RefundOption](#) on page 81
- [RestockingFeeValueOption](#) on page 81
- [\\*ReturnsAcceptedOption](#) on page 81
- [ReturnsWithinOption](#) on page 81
- [ShippingCostPaidBy](#) on page 82

Different sites support different return policy options. To make return policies easier to specify and understand, many eBay sites offer a standardized way to specify and display return policy information.

In addition to describing a return policy in the Description field of an item, you can also use predefined return policy options.



**Note:** As a seller, you can elect *not* to accept returns for the items you list. However, keep in mind that even if you specify No Returns Accepted, a buyer can still return an item should the item not match the listing description and become eligible for coverage under [eBay Buyer Protection](#) (items not covered by eBay Buyer Protection cannot be returned).

To use return policy fields:

1. Enter values for the return policy fields. For example:
  - **AdditionalDetails:** (optional) Enter any additional information you want to convey to the buyer
  - **RefundOption:** Enter `MoneyBack` or `MoneyBackOrExchange`
  - **RestockingFeeValueOption:** To specify the percentage of the selling price you charge to restock a returned item, enter `Percent_10`, `Percent_15`, `Percent_20`, or `NoRestockingFee`
  - **ReturnsAcceptedOption:** Defines the duration a buyer has in which to notify the seller of a return. Enter `ReturnsAccepted` or `ReturnsNotAccepted`
  - **ReturnsWithinOption:** Enter `Days_14`, `Days_30`, or `Days_60`
  - **ShippingCostPaidBy:** Enter `Buyer` or `Seller`
2. Enter any required or desired field values for the item, and then save the template.

## Using shipment tracking number fields

This section explains how to add new fields for shipment tracking numbers in a blank template file.

To provide buyers with the tracking number and shipping service of a shipped item, you can add two fields to a default template or working listing file. After you have shipped the item, copy the tracking number so you can enter it into the template file.

1. Open a blank template file and add four new field columns (refer to [Adding a new field to a default template](#) on page 19).
2. In the *Action* field, enter `Status`.
3. In the first blank field header, enter `ItemID`, and then enter the item ID of this item (in the Upload Response file) for the value.



**Note:** For multi-quantity item shipments, also add a `TransactionID` field and the value for each of the items.

4. In the second blank field header, enter `ShippingStatus`, and then enter 1 for the value.
5. In the third and fourth blank field headers, enter the field header names below, and then enter the values for each field:
  - `ShipmentTrackingNumber`: Enter the tracking number (from the shipping invoice) for the item.
  - `ShippingCarrierUsed`: Enter a valid carrier service (the text string value for the carrier used); for shipping service values, refer to [Shipping services field values](#) on page 102.
6. Delete any other fields in the template.
7. Save the file, and then upload it to eBay.

## Using package weight and dimension fields

This section explains the purpose of the packaging weights and dimension field values.

### Adding package weight information fields

Packaging weight fields apply only to calculated shipping.

These package weight fields can be added:

- [WeightMajor](#) on page 77
- [WeightMinor](#) on page 77
- [WeightUnit](#) on page 77

Depending on your location, weight values can be imperial (lb, oz) or metric (kg, g). Some sites support both types of measurements. For example, the Canadian eBay site supports imperial and metric weights whereas the Australian eBay site supports metric weights only. For more information about the weight fields, refer to [Packaging and handling fields](#) on page 72.

1. Open a template file and add the new field columns (refer to [Adding a new field to a default template](#) on page 19). Add the new fields you want to use, such as `WeightMajor`, `WeightMinor`, and `WeightUnit`.
2. Enter values for the new fields. For example:
  - `WeightMajor`: Enter 2 (pounds)
  - `WeightMinor`: Enter 14 (ounces)
3. Enter values for any required shipping information fields. For example, shipping carrier and location information need to be entered in the `IntlShippingService-1:Option` and `IntlShippingService-1:Locations` fields, respectively. Similarly, using flat-rate shipping requires a value in the `IntlShippingService-1:Cost` field.
4. Enter any required or desired field values for the item and then save the file.



## Adding package dimension information fields

Packaging dimension fields apply only to calculated shipping.

These package weight fields can be added:

- [PackageLength](#) on page 73
- [PackageType](#) on page 74
- [PackageWidth](#) on page 74

Depending on your location, Dimension values can be imperial (in) or metric (cm). Some sites support both measurements. For example, the Canadian eBay site supports imperial and metric dimensions while Australian eBay site supports metric dimensions only. For more information about the dimension fields, refer to [Packaging and handling fields](#) on page 72.

To add dimensions to your listings:

1. Open a template file and add the new field columns (refer to [Adding a new field to a default template](#) on page 19 ) such as *PackageLength*, *PackageDepth*, and *PackageWidth*.
2. Enter values for the new fields. For example:
  - PackageLength: Enter 20 (inches)
  - PackageDepth: Enter 14 (inches)
  - PackageWidth: Enter 18 (inches)
3. Enter values for the required shipping information fields. For example, shipping carrier and location information must be entered in the *IntlShippingService-1:Option* and *IntlShippingService-1:Locations* fields, respectively. Similarly, flat-rate shipping requires a value in the *IntlShippingService-1:Cost* field.
4. Save the file.

## Using shipping rate tables

Use this section to learn how to create a shipping rate table and apply the values it contains to your listings on eBay.

### Creating a domestic shipping rate table

You can optionally set up a single domestic shipping rate table to provide pricing and service time details for orders delivered in-country. For example, you can create a rate table to specify shipping costs to areas in the continental United States, Alaska/Hawaii, United States protectorates (Puerto Rico, Guam), and to Army Post Office (APO) and Fleet Post Office (FPO) addresses in the United States.

You can also exclude delivery to entire regions or specific countries. For more information, see [Exclude Shipping Locations](#).

When you set up a shipping rate table, you can specify a rate for each region and service level you want to support. You can opt to specify shipping rates per item, per weight, or by surcharge. Only one

of these rate types can be implemented at a time. An example of each type is shown below. For a shipping rate table to be valid, it must contain at least one value.



**Note:** When you update a shipping rate table, updates are automatically applied to new listings. That is, updates are not applied to existing listings.

To create a per *item* shipping rate table, see the example below:

Domestic Region	Economy	Standard	Expedited	One-Day
	11-15 days	7-9 days	3-5 days	1 day
US Mainland	\$5.00	\$7.50	\$10.00	\$20.00
Alaska/Hawaii	\$7.00	\$10.00	\$13.00	-
US Protectorates	-	\$12.00	-	-
APO, FPO	<b>Military Mail</b>	<b>Military Mail</b>	<b>Military Mail</b>	<b>Military Mail</b>
	-	\$12.00	-	-

To create a shipping rate table based on *weight*, see the example below:

Domestic Region	Economy	Standard	Expedited	One-Day
	11-15 days	7-9 days	3-5 days	1 day
US Mainland	\$5.00	\$7.50	\$10.00	\$20.00
	-	-	+ \$0.50/lb	+ \$2.00/lb
Alaska/Hawaii	\$7.00	\$10.00	\$13.00	\$17.00
	+ \$0.50/lb	+ \$0.50/lb	+ \$0.75/lb	+ \$1.00/lb
US Protectorates	\$10.00	\$12.00	-	-
	+ \$0.50/lb	+ \$0.50/lb	-	-
APO, FPO	<b>Military Mail</b>	<b>Military Mail</b>	<b>Military Mail</b>	<b>Military Mail</b>
	-	\$12.00	-	-
	-	+ \$0.60/lb	-	-

To add a *surcharge* to a shipping rate table, see the example below. Surcharges can be applied only when you have also specified a Flat rate for the class of service on the item.

Domestic Region	Economy	Standard	Expedited	One-Day
	11-15 days	7-9 days	3-5 days	1 day
US Mainland	-	-	+ \$0.75	+ \$1.25
Alaska/Hawaii	-	-	+ \$1.00	+ \$1.50
US Protectorates	+ \$0.50/lb	+ \$0.50/lb	+ \$1.00	+ \$1.50
APO, FPO	<b>Military Mail</b>	<b>Military Mail</b>	<b>Military Mail</b>	<b>Military Mail</b>
	+ \$0.50/lb	+ \$0.50/lb	+ \$1.00/lb	+ \$1.50/lb

To create a domestic shipping rate table:

1. Log in to eBay and go to **My eBay > Account > Site Preferences**.
2. Next to *Shipping Preferences*, click **Show**.
3. Next to *Use Shipping Rate Tables*, click **Edit**.
4. On the *Shipping Rate Tables* page, select the type of rate table you want to create – Item, Weight, or Surcharge – from the *Set Domestic Shipping Rates* drop-down list.
5. Into the *Domestic Rate Tables* form, enter your shipping specifics.  
For guidance, see the three examples presented above. The domestic shipping rate table *must* contain at least one value. If not, an error will occur when you upload the template to File Exchange.
6. Save the template.
7. To upload values specified in the shipping rate table to File Exchange, see [Applying a shipping rate table to listings](#).

## Applying a shipping rate table to listings

Using File Exchange, you can apply the rates contained in your shipping rate table to your listings in eBay. To do so, you enter the following values into the fields entitled `DomesticRateTable` and `ShippingType`:

Action	Category	Title	DomesticRateTable	ShippingType
Add	63850	Canon Digital Rebel SLR 14MP	Default	Flat
Add	9355	Apple iPhone 3g 32MB White	Default	Flat

To apply your domestic shipping rate table to listings:

1. Download a File Exchange template.
2. For each item to which you want to apply a rate contained in the shipping rate table, find the field entitled `DomesticRateTable` and enter `Default`. Next, insert a new column entitled `ShippingType` and enter the value `Flat`, as shown in the table above.
3. Save the template.  
Once uploaded to File Exchange, your listings automatically include the shipping rates and service times defined in the shipping rate table you created above in [Creating a domestic shipping rate table](#).

# Updating your listings

Use this section to revise existing listings. For example, you can change the price, update the available quantity, or modify the description.

## Using revision files

This section explains how to simplify the revision process by downloading and then updating listing files.

To simplify the revision process, you can download files that contain existing listing information, which you can then update with only minimal changes before uploading those changes to eBay. File Exchange allows up to 5,000 uploaded listings per day. To upload as many as 10,000 listings per day, contact Customer Support.

For information about adding product identifiers to your active listings, see [Adding product identifiers to Active listings](#) on page 45.

On the *Create a Download Request* page, you can download these types of revision files:

- **Revise price and quantity:** Use to update the *SiteID*, *Currency*, *StartPrice*, *BuyItNowPrice*, and *Quantity* fields in Active listings.
- **Revise payment status:** Use to update the *PaymentStatus* field in Sold listings.
- **Revise shipping status:** Use to update the *ShippingStatus*, *ShippingCarrierUsed*, and *ShipmentTrackingNumber* fields in Sold listings.
- **Product Identifiers:** Use to update the *UPC/EAN/ISBN/Brand/MPN* field in Active listings.

In addition to the fields you use to update your listings, the revision files provide the *Action* and *ItemID* fields and values. These field values need not be changed.

You perform the same steps to download the Active Listings and Sold Listings revision files; the type of revision file you use determines which fields are contained in the downloaded file.

To download a revision file:

1. Using a web browser, go to the [Create a Download Request](#) page.
2. Select **Active Listings** or **Sold Listings** from the *Listing and Records* drop-down menu.
3. Select **File Exchange** for the Download format, and then select the desired type of revision file from the drop-down menu (such as Revise Price and Quantity or Add Unique Identifiers (UPC/EAN/ISBN/Brand/MPN)).
4. Under **Date Range**, select All Records to download all Active or Sold listings, or use another option to refine the range of dates you want to include.
5. Verify your eBay account email address.
6. Click **Save**. Be sure to make a note of the download request reference number on the *Create a Download Request: Success* page. This number identifies the revision file you just requested.
7. In the navigation bar, click **Completed Downloads**. The *View Completed Downloads* page provides a link to download the revision files. After your request has been processed, you'll see the reference number on this page. Click the adjacent **Download** link.
8. When prompted, open the file. When the file is opened in a spreadsheet application, save it on your computer.

9. If you are using Microsoft Excel, to display the ItemID listing numbers select the ItemID column, click the right-mouse button, and then select **Format Cells**. In the Format Cells window under *Category*, select **Number**, set *Decimal Places* to 0, and then click **OK**.
10. To revise field values, update the fields you want to change, such as Title or Quantity. When you are finished, save the file in CSV form and then close the file.
11. Using a web browser, go to the [Upload Listings & Updates](#) page and click the **Browse** button next to *File Location* to select the file you saved in step 10 above.
12. Click **Upload**.

To verify that your changes were uploaded, click **View Upload Results** in the navigation bar.

## Adding product identifiers to Active listings

This section describes how to use File Exchange to add unique product identifiers (UPI) to your eBay listings. Its purpose is to help you revise your active listings so that your products on eBay can be more easily found when buyers perform product searches.

### Revising your Active listings

This procedure explains how to add product identifiers to your active listings.

1. To download your active listings, see the download procedure in [Using revision files](#) on page 44.
2. In the downloaded Active Listings file, right-click the ItemID column and select **Format Cells > Number**. Change the *Decimal Places* value to 0, and then click **OK**.
3. If you know the eBay Product ID (ePID) for an item, enter this ID in the *Product:EPID* field first. This alleviates the need to use the other product identifiers. If not, start with the *Product:UPC* column, and enter the universal product code (UPC) for that item. If the item does not have a UPC, then enter the ISBN or EAN next. For items that do not have these types of product identifiers, enter the brand name and manufacturer part number (MPN).
4. When you are finished adding product identifiers for each item, save the file in CSV format with a file name you can easily identify.
5. To upload the file, go to the [Upload Listings & Updates](#) page and click the **Browse** button next to *File Location* to select the file you modified.

If the response file returns an error stating there are multiple UPC, EAN, or ISBN product identifiers for your item (due to different versions, formats, or editions), perform a search for the item on eBay, locate the ePID, and then enter it in the *Product:EPID* field. This will resolve the error.



**Tip:** Refer to [Using product identifiers](#) on page 22 for more information about each field.

## Using advanced functions

This section provides expert-level information about using the File Exchange templates.

### Using programmatic instructions

This section explains how to first acquire an eBay security token, and then programmatically upload and download listing files to eBay using File Exchange.

#### Requesting an eBay token

As a non-Web authenticated user, you must use a token to upload data to File Exchange. To acquire a token, go to the [Grant Application Access - File Exchange](#) page. After you sign in, click **I Agree**. Under *Your Token*, copy the token and paste it into a separate file to be saved on a local disk in a secure location (preferably behind a firewall). Do not share your token with anyone! When you post your inventory data file, you will include the token.

The security token serves as a key for entry to File Exchange and is valid for one year, after which you must request another one.

#### Uploading files programmatically



**Caution:** Advanced users *only*! Only experienced users can use this method to upload data to File Exchange.

To upload your file programmatically, send an HTTP Post request to the File Exchange server to accept the request:

1. Download and complete the appropriate File Exchange template.
2. Initiate an HTTPS connection and then post your data file with your token to the File Exchange URL: `https://bulksell.ebay.com/ws/eBayISAPI.dll?FileExchangeUpload`



**Tip:** See [Sample HTTP Post Request](#) on page 47.

To indicate your data is processed, eBay sends an email message that includes the URL at which to access the Load Results report.

To download the results, see [Downloading files programmatically](#) below.

#### Downloading files programmatically



**Caution:** Advanced users *only*! Only experienced users should use this method to download data to the File Exchange website.

To download your file programmatically, you must send an HTTP Get request to the eBay File Exchange server to accept the request contents:

1. Download and complete the appropriate eBay File Exchange template.
2. Initiate an HTTPS connection and then post your data file with your token to the File Exchange URL:  
<https://bulksell.ebay.com/ws/eBayISAPI.dll?FileExchangeProgrammaticDownload>



**Note:** See *Sample HTTP Post Request* below.

After eBay has processed your data file, you will receive an email that includes a URL to access your Load Results Report. You can also get your download results file by posting the following parameters:

- jobld
- token

## Sample HTTP Post Request

```
POST /path/to/upload/script HTTP/1.0
Connection: Keep-Alive
User-Agent: My Client App v1.0
Host:
https://bulksell.ebay.com/ws/eBayISAPI.dll?FileExchangeUpload
Content-type: multipart/form-data;
boundary=THIS_STRING_SEPARATES
Content-Length: 256
--THIS_STRING_SEPARATES
Content-Disposition: form-data; name="token"
12345678987654321
--THIS_STRING_SEPARATES
Content-Disposition: form-data; name="file";
filename="listings.csv"
Content-Type: text/csv
... contents of listings.csv ...
--THIS_STRING_SEPARATES-
```

## HTTP Post Request Components

The HTTP Post request must include the following components. In the first line, the method to be applied to the resource, the identifier of the resource, and the protocol version in use:

```
POST /path/to/upload/script HTTP/1.0
```

The connection, user-agent and host information is next:

```
Connection: Keep-Alive
User-Agent: My Client App v1.0
```

```
Host:https://bulksell.ebay.com/ws/eBayISAPI.dll?FileExchangeUpload
```

Header containing file content and length information:

```
Content-type: multipart/form-data; boundary=THIS_STRING_SEPARATES
Content-Length: 256
```

Contents, which includes your security token and then the actual file contents you want to upload:

```
--THIS_STRING_SEPARATES
Content-Disposition: form-data; name="token"
12345678987654321
--THIS_STRING_SEPARATES
Content-Disposition: form-data; name="file"; filename="listings.csv"
Content-Type: text/csv
... contents of listings.csv ...
--THIS_STRING_SEPARATES-
```

## Using metadata information

This section explains how to use and modify the metadata in the Action field header of the default templates.

### Metadata cell information

Also known as data about data, metadata is the information that is encoded in, and describes the aspects of, the listing template. For example, SiteID and Country metadata in the templates differ according to the eBay site you use.

Metadata also provides a means to control each header's values. eBay File Exchange supplies the metadata in the first row of the first column of each template, which is the *Action* field header. Metadata includes:

- SiteID
- Country
- Currency
- API Compatibility Level

The metadata cell should begin with the word *Action* and the contents should follow within parentheses in ASCII. Each piece of metadata should be separated by a pipe character “|” to isolate it from the Action tag.

For example, the first cell of an eBay File Exchange template file contains the metadata in the example shown below:

```
*Action(SiteID=<CountryName>|Country=<CountryCode>|Currency=<CurrencyCode>|Version=745)
```

### Overriding metadata values



**Caution:** ADVANCED USERS ONLY!



Changing metadata values can cause upload errors; do not override the metadata values in your template files unless you are an experienced user. If you change any values, do not add spaces between the data. You can alter data in several ways:

- Manually edit the SiteID, Country and Currency values.
- Add a SiteID, Country or Currency field (column) to your file templates, which then overrides the values in the metadata cell.
- Enter a data field and the corresponding value you want to set for it in your file. For example, if you want every item in your file to have a StartPrice of \$1.99, you can enter StartPrice=1.99 in the metadata cell, and this value will be used for every item in your file. The metadata would look like this:  
`*Action(SiteID=US | Country=US | Currency=USD | Version=745 | StartPrice=1.99)`

## Site and template information

This section provides more in-depth information about site specifics, metadata, and field definitions in the File Exchange templates.

### eBay site-specific information

Explains which eBay sites support each type of template and the flat-file formats for each site.

### Site-specific template information

#### Supported templates for each site

Not all eBay sites support every type of template; the table below shows the templates each eBay site supports. If you try to list items using ISBN or UPCs on sites that do not support Catalog template listings, you will receive an error.

eBay Site	Supported Templates		
	Basic	Item Specifics	Catalog
Australia	X	X	X
Austria	X	X	X
Belgium (Dutch)	X	X	X
Belgium (French)	X	X	X
Canada (English)	X	X	X
Canada (French)	X	X	X
France	X	X	X
Germany	X	X	X
Hong Kong	X	X	
Italy	X	X	X
India	X	X	
Ireland	X	X	X
Malaysia	X	X	
Netherlands	X	X	X
Philippines	X	X	
Poland	X	X	X
Singapore	X	X	
Spain	X	X	
Switzerland	X	X	X

eBay Site	Supported Templates		
	Basic	Item Specifics	Catalog
United Kingdom	X	X	X
United States	X	X	X

### Default template formats for each site

The table below explains the type of flat-file format used for template processing uploaded files at each of the regional sites.

Flat-file Formats for Each Site	
Site	Flat-file format
AT (Austria)	Semi-colon delimited
AU (Australia)	Comma-separated
BEFR (Belgium-French)	Semi-colon delimited
BENL (Belgium-Dutch)	Semi-colon delimited
CA (Canada-English)	Comma-separated
CAFR (Canada-French)	Comma-separated
CH (Switzerland)	Semi-colon delimited
DE (Germany)	Semi-colon delimited
ES (Spain)	Semi-colon delimited
FR (France)	Semi-colon delimited
HK (Hong Kong)	Comma-separated
IE (Ireland)	Comma-separated
IN (India)	Comma-separated
IT (Italy)	Semi-colon delimited
MY (Malaysia)	Comma-separated
NL (Netherlands)	Semi-colon delimited
PH (Philippines)	Comma-separated
PL (Poland)	Semi-colon delimited
SG (Singapore)	Comma-separated
UK (United Kingdom)	Comma-separated
US (United States)	Comma-separated

## Default template metadata information

Defines these metadata values used in the Action field header: SiteID, Currency, Country, and API compatibility.

### Metadata values

#### SiteID

The SiteID represents the site where you want to list your items. The default SiteID is taken from the site where you downloaded your template. For example, if you want to list on the German site, make sure that SiteID=Germany. Valid values are provided in the table below.

Site	SiteID Values
Australia	Australia
Austria	Austria
Belgium (Dutch)	Belgium_Dutch
Belgium (French)	Belgium_French
Canada (English)	Canada
Canada (French)	CanadaFrench
eBay Motors	eBayMotors
France	France
Germany	Germany
Hong Kong	HongKong
India	India
Italy	Italy
Ireland	Ireland
Malaysia	Malaysia
Netherlands	Netherlands
Philippines	Philippines
Poland	Poland
Singapore	Singapore
Spain	Spain
Switzerland	Switzerland
United Kingdom	UK
United States	US

## Country

The country (two-digit code) correlates to the site ID. The default country value provided is taken from the site where you downloaded your template.

For example, templates downloaded from the United States will have `Country=US` and `Currency=USD`. Valid values are provided in the table below.

Country (Language)	Country Value
Australia	AU
Austria	AT
Belgium (Dutch)	BENL
Belgium (French)	BEFR
Canada (English)	CA
Canada (French)	CAFR
France	FR
Germany	DE
Hong Kong	HK
India	IN
Ireland	IE
Italy	IT
Malaysia	MY
Phillippines	PH
Poland	PL
Netherlands	NL
Singapore	SG
Spain	ES
Switzerland	CH
Great Britain	GB
United States	US

## Currency

The currency represents the monetary system in which you want to list your items. The default currency value provided is taken from the site where you downloaded your template.

For example, templates downloaded from the United States will have `SiteID=US` and `Currency=USD`. Valid values are provided in the table below.

Site	Currency Value
US Dollar	USD

Site	Currency Value
Canadian Dollar	CAD
UK Pound Sterling	GBP
Australian Dollar	AUD
Euro	EUR
Hong Kong Dollar	HKD
Malaysia Ringget	MYR
Philippine Peso	PHP
Polish Zloty	PLN
Swiss Franc	CHF
Renminbi	CNY
Indian Rupee	INR

### API compatibility level

This refers to the eBay API (Application Program Interface); for example, Version=745. This metadata is related to internal eBay system details.



**Caution:** Do not alter these values.

## Region names and country codes

This section explains the region names and country codes you can use in the File Exchange templates to define a location. These values differ from the metadata values used in the Action header to specify country and SiteID.

### Values for international location fields

Region names and some country codes can be used for the *IntlShippingService-n:Locations* field value. Because they are case-sensitive, region names and country codes must be entered exactly as they appear in the tables below.

The values available depend on the eBay site you use. The table below lists which sites support which region names. The sites are listed according to country code.

eBay Sites	Region Names
AT	AU, Americas, Asia, CA, DE, Europe, EuropeanUnion, GB, JP, None, US, Worldwide
AU	Americas, Asia, CA, DE, Europe, GB, HK, JP, NZ, None, US, Worldwide
BEFR	Americas, Asia, CA, DE, Europe, EuropeanUnion, FR, GB, JP, NL, None, US, Worldwide
BENL	Americas, Asia, CA, DE, Europe, EuropeanUnion, FR, GB, JP, None, US, Worldwide
CA	AU, Americas, Asia, DE, Europe, FR, GB, JP, MX, None, TW, US, Worldwide

eBay Sites	Region Names
<i>CH</i>	AT, AU, Americas, Asia, CA, DE, Europe, GB, JP, None, US, Worldwide
<i>CN</i>	AU, Americas, Asia, CA, DE, Europe, FR, GB, IT, JP, None, US, Worldwide
<i>CZ</i>	AU, Americas, Asia, CA, DE, Europe, FR, GB, JP, MX, None, Worldwide
<i>DE</i>	AT, AU, Americas, Asia, CA, CH, Europe, EuropeanUnion, JP, None, US, Worldwide
<i>DK</i>	AU, Americas, Asia, CA, DE, Europe, GB, JP, MX, None, Worldwide
<i>ES</i>	Americas, Asia, CA, DE, Europe, EuropeanUnion, FR, GB, None, US, Worldwide
<i>FI</i>	AU, Americas, Asia, CA, DE, Europe, GB, JP, MX, None, Worldwide
<i>FR</i>	AU, Americas, Asia, BE, CA, DE, Europe, EuropeanUnion, GB, JP, None, US, Worldwide
<i>GB</i>	AU, Americas, Asia, CA, DE, Europe, EuropeanUnion, FR, IE, JP, None, US, Worldwide
<i>GR</i>	AU, Americas, Asia, CA, DE, Europe, GB, JP, MX, None, Worldwide
<i>HK</i>	Greater China, JP, None, Worldwide
<i>HU</i>	AU, Americas, Asia, CA, DE, Europe, GB, JP, MX, None, Worldwide
<i>ID</i>	AU, Americas, Asia, CA, DE, Europe, GB, JP, MX, None, Worldwide
<i>IE</i>	AU, Americas, Asia, CA, Europe, EuropeanUnion, GB, JP, None, US, Worldwide
<i>IL</i>	AU, Americas, Asia, CA, DE, Europe, GB, JP, MX, None, Worldwide
<i>IN</i>	AU, Americas, Asia, CA, DE, Europe, GB, JP, None, US, Worldwide
<i>IT</i>	AU, Americas, Asia, CA, DE, Europe, EuropeanUnion, FR, GB, JP, None, US, Worldwide
<i>JP</i>	AU, Americas, Asia, CA, DE, Europe, GB, JP, None, Worldwide
<i>MY</i>	None
<i>NL</i>	Americas, Asia, BE, CA, DE, Europe, EuropeanUnion, GB, JP, None, US, Worldwide
<i>NO</i>	AU, Americas, Asia, CA, DE, Europe, GB, JP, MX, None, Worldwide
<i>NZ</i>	AU, Americas, Asia, CA, DE, Europe, GB, JP, MX, None, Worldwide
<i>PE</i>	AU, Americas, Asia, DE, Europe, GB, JP, MX, None, TW, US, Worldwide
<i>PH</i>	None
<i>PL</i>	AU, Americas, Asia, CA, DE, Europe, GB, JP, MX, None, Worldwide
<i>PT</i>	AU, Americas, Asia, CA, DE, Europe, GB, JP, MX, None, Worldwide
<i>RU</i>	AU, Americas, Asia, CA, DE, Europe, GB, JP, MX, None, Worldwide
<i>SE</i>	AU, Americas, Asia, CA, DE, Europe, GB, JP, MX, None, Worldwide
<i>SG</i>	None
<i>TH</i>	AU, Americas, Asia, CA, DE, Europe, GB, JP, MX, None, Worldwide
<i>TW</i>	AU, Americas, Asia, DE, Europe, GB, HK, MX, None, US, Worldwide
<i>US</i>	AU, Americas, Asia, CA, DE, Europe, GB, JP, MX, None, Worldwide
<i>VN</i>	AU, Americas, Asia, CA, DE, Europe, GB, JP, MX, None, Worldwide

eBay Sites	Region Names
ZA	AU, Americas, Asia, CA, DE, Europe, GB, JP, MX, None, Worldwide

## Country codes

Country codes must be entered exactly as shown in the table below.

Country/Site	Valid Values	Country/Site	Valid Values	Country/Site	Valid Values
Afghanistan	AF	Germany	DE	Niger	NE
Albania	AL	Ghana	GH	Nigeria	NG
Algeria	DZ	Gibraltar	GI	Niue	NU
American Samoa	AS	Greece	GR	Norway	NO
Andorra	AD	Greenland	GL	Oman	OM
Angola	AO	Grenada	GD	Pakistan	PK
Anguilla	AI	Guadeloupe	GP	Palau	PW
Antigua and Barbuda	AG	Guam	GU	Panama	PA
APO/FPO	US	Guatemala	GT	Papua New Guinea	PG
Argentina	AR	Guernsey	QQ	Paraguay	PY
Armenia	AM	Guinea	GN	Peru	PE
Aruba	AW	Guinea-Bissau	GW	Philippines	PH
Australia	AU	Guyana	GY	Poland	PL
Austria	AT	Haiti	HT	Portugal	PT
Azerbaijan Republic	AZ	Honduras	HN	Puerto Rico	PR
Bahamas	BS	Hong Kong	HK	Qatar	QA
Bahrain	BH	Hungary	HU	R ion	RE
Bangladesh	BD	Iceland	IS	Romania	RO
Barbados	BB	India	IN	Russian Federation	RU
Belarus	BY	Indonesia	ID	Rwanda	RW
Belgium	BE	Iran	IR	Saint Helena	SH
Belize	BZ	Iraq	IQ	Saint Kitts-Nevis	QQ
Benin	BJ	Ireland	IE	Saint Lucia	LC
Bermuda	BM	Israel	IL	Saint Pierre and Miquelon	PM
Bhutan	BT	Italy	IT	Saint Vincent and the Grenadines	VC
Bolivia	BO	Jamaica	JM	San Marino	SM
Bosnia and Herzegovina	BA	Jan Mayen	SJ	Saudi Arabia	SA



Botswana	<i>BW</i>	Japan	<i>JP</i>	Senegal	<i>SN</i>
Brazil	<i>BR</i>	Jersey	<i>UK</i>	Serbia	<i>RS</i>
British Virgin Islands	<i>VG</i>	Jordan	<i>JO</i>	Seychelles	<i>SC</i>
Brunei Darussalam	<i>BN</i>	Kazakhstan	<i>KZ</i>	Sierra Leone	<i>SL</i>
Bulgaria	<i>BG</i>	Kenya	<i>KE</i>	Singapore	<i>SG</i>
Burkina Faso	<i>BF</i>	Kiribati	<i>KI</i>	Slovakia	<i>SK</i>
Burma	<i>AF</i>	Korea, North	<i>KP</i>	Slovenia	<i>SI</i>
Burundi	<i>BI</i>	Korea, South	<i>KR</i>	Solomon Islands	<i>SB</i>
Cambodia	<i>KH</i>	Kuwait	<i>KW</i>	Somalia	<i>SO</i>
Cameroon	<i>CM</i>	Kyrgyzstan	<i>KG</i>	South Africa	<i>ZA</i>
Canada	<i>CA</i>	Laos	<i>LA</i>	Spain	<i>ES</i>
Cape Verde Islands	<i>CV</i>	Latvia	<i>LV</i>	Sri Lanka	<i>LK</i>
Cayman Islands	<i>KY</i>	Lebanon, South	<i>LB</i>	Sudan	<i>SD</i>
Central African Republic	<i>CF</i>	Lesotho	<i>LS</i>	Suriname	<i>SR</i>
Chad	<i>TD</i>	Liberia	<i>LR</i>	Svalbard	<i>SJ</i>
Chile	<i>CL</i>	Libya	<i>LY</i>	Swaziland	<i>SZ</i>
China	<i>CN</i>	Liechtenstein	<i>LI</i>	Sweden	<i>SE</i>
Colombia	<i>CO</i>	Lithuania	<i>LT</i>	Switzerland	<i>CH</i>
Comoros	<i>KM</i>	Luxembourg	<i>LU</i>	Syria	<i>SY</i>
Congo, Democratic Republic of the	<i>ZR</i>	Macau	<i>MO</i>	Tahiti	<i>PF</i>
Congo, Republic of the	<i>CG</i>	Macedonia	<i>MK</i>	Taiwan	<i>TW</i>
Cook Islands	<i>CK</i>	Madagascar	<i>MG</i>	Tajikistan	<i>TJ</i>
Costa Rica	<i>CR</i>	Malawi	<i>MW</i>	Tanzania	<i>TZ</i>
Cote d'Ivoire (Ivory Coast)	<i>CI</i>	Malaysia	<i>MY</i>	Thailand	<i>TH</i>
Croatia, Democratic Republic of the	<i>HR</i>	Maldives	<i>MV</i>	Togo	<i>TG</i>
Cuba	<i>CU</i>	Mali	<i>ML</i>	Tonga	<i>TO</i>
Cyprus	<i>CY</i>	Malta	<i>MT</i>	Trinidad and Tobago	<i>TT</i>
Czech Republic	<i>CZ</i>	Marshall Islands	<i>MH</i>	Tunisia	<i>TN</i>
Denmark	<i>DK</i>	Martinique	<i>MQ</i>	Turkey	<i>TR</i>
Djibouti	<i>DJ</i>	Mauritania	<i>MR</i>	Turkmenistan	<i>TM</i>
Dominica	<i>DM</i>	Mauritius	<i>MU</i>	Turks and Caicos Islands	<i>US</i>
Dominican Republic	<i>DO</i>	Mayotte	<i>YT</i>	Uganda	<i>UG</i>
Ecuador	<i>EC</i>	Mexico	<i>MX</i>	Ukraine	<i>UA</i>

Egypt	<i>EG</i>	Micronesia	<i>MI</i>	United Arab Emirates	<i>AF</i>
El Salvador	<i>SV</i>	Moldova	<i>QQ</i>	United Kingdom	<i>UK</i>
Equatorial Guinea	<i>GQ</i>	Monaco	<i>MC</i>	United States	<i>US</i>
Eritrea	<i>QQ</i>	Mongolia	<i>MN</i>	Uruguay	<i>UY</i>
Estonia	<i>EE</i>	Montenegro	<i>ME</i>	Uzbekistan	<i>UZ</i>
Ethiopia	<i>ET</i>	Montserrat	<i>MS</i>	Vanuatu	<i>VU</i>
Falkland Islands (Islas Makvinas)	<i>FK</i>	Morocco	<i>MA</i>	Vatican City State	<i>VA</i>
Fiji	<i>FJ</i>	Mozambique	<i>MZ</i>	Venezuela	<i>VE</i>
Finland	<i>FI</i>	Namibia	<i>NA</i>	Vietnam	<i>VN</i>
France	<i>FR</i>	Nauru	<i>NR</i>	Virgin Islands (U.S.)	<i>VI</i>
French Guiana	<i>GF</i>	Nepal	<i>NP</i>	Wallis and Futuna	<i>WF</i>
French Polynesia	<i>PF</i>	Netherlands	<i>NL</i>	Western Sahara	<i>EH</i>
French Southern Territories	<i>TF</i>	Netherlands Antilles	<i>AN</i>	Western Samoa	<i>WS</i>
Gabon	<i>GA</i>	New Caledonia	<i>NC</i>	Yemen	<i>YE</i>
Gambia	<i>GM</i>	New Zealand	<i>NZ</i>	Yugoslavia	<i>YU</i>
Georgia	<i>GE</i>	Nicaragua	<i>NI</i>	Zambia	<i>ZM</i>
				Zimbabwe	<i>ZW</i>

## Template field definitions

This section explains the field requirements and purpose by specifying character limits, data types, and field relationships.

### Design and display fields

This section explains the fields used to define how a listing appears on eBay, and also what types of information is displayed.

For more information about adding the fields described below in your templates, see [Enter data in the template fields](#) on page 21.

#### \*Action

**Required field in all templates.** Determines the purpose of the row: add item, relist item, revise item, end listing, mark an item's status, verify an added item, and add item description information.

<b>Character limit</b>	N/A
<b>Type</b>	Text string
<b>Valid Entry</b>	Add, Revise, Relist, End, Status, VerifyAdd, or AddToItemDescription
<b>Field Dependency</b>	Must enter all required field data for a particular type of action.

#### BoldTitle

Do you want to see your listing in boldface type? This field applies bold face type to the title of your listing. Additional fees apply.

<b>Character limit</b>	N/A
<b>Type</b>	Boolean
<b>Valid Entry</b>	0 or 1 (0=false, 1=true) Default is 0.

#### BuyerRequirements:LinkedPayPalAccount

Do you want potential buyers to have PayPal accounts? Use this field to specify that only those buyers with PayPal accounts can bid on your listing.

<b>Character limit</b>	N/A
<b>Type</b>	Boolean
<b>Valid Entry</b>	0 or 1 (0=false, 1=true) The default value is 0 (false).

## BuyerRequirements:MaximumItemCount

If you are selling expensive items, do you want to limit the number of items on which any one buyer can bid? This field lets you specify the number of items on which any one buyer can bid.

This field is ignored unless a value for BuyerRequirements:MaxItemMinFeedback is also provided. BuyerRequirements:MaximumItemCount and BuyerRequirements:MaxItemMinFeedback must be used together.

<b>Character limit</b>	N/A
<b>Type</b>	Integer
<b>Valid Entry</b>	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 25, 50, 75, or 100. The default value is 10.
<b>Field Dependency</b>	Use this field with BuyerRequirements:MaxItemMinFeedback.

## BuyerRequirements:MaxItemMinFeedback

If you are selling expensive items and have blocked buyers from bidding on more than a set number of items in a 10 day period (with BuyerRequirements:MaximumItemCount), do you also want to require those buyers to have a minimum feedback score? If so, this field lets you specify that minimum feedback score.

<b>Character limit</b>	N/A
<b>Type</b>	Integer
<b>Valid Entry</b>	5, 4, 3, 2, 1 or 0. The default value is 5.
<b>Field Dependency</b>	Use this field with BuyerRequirements:MaximumItemCount.

## BuyerRequirements:MaxUnpaidItemsCount

Do you want to exclude buyers once they reach a threshold of unpaid Items? This field lets you specify the number of unpaid Items a buyer can incur in a set period of time (set with BuyerRequirements:MaxUnpaidItemsPeriod) before they are prevented from bidding. For example, 4 (four) items.

<b>Character limit</b>	N/A
<b>Type</b>	Integer
<b>Valid Entry</b>	2, 3, 4 or 5. The default value is 2.
<b>Field Dependency</b>	Use this field with BuyerRequirements:MaxUnpaidItemsPeriod.

## BuyerRequirements:MaxUnpaidItemsPeriod

Do you want to exclude potential buyers when they reach a threshold of unpaid Items in a finite period of time? This field lets you specify the length of time during which a buyer can incur a specific number of unpaid Items before being prevented from bidding on your item. For example, 6 (six) months.

<b>Character limit</b>	N/A
<b>Type</b>	Integer
<b>Valid Entry</b>	1, 6, or 12. The default value is 6 (months).
<b>Field Dependency</b>	Use this field with BuyerRequirements:MaxUnpaidItemsCount.

## BuyerRequirements:MaxViolationCount

Do you want to exclude buyers once they receive a specific number of violation reports? This field lets you specify the number of violation reports a buyer can incur within a set period of time (set with BuyerRequirements:MaxViolationPeriod) before being prevented from bidding. For example, 7 (seven).

<b>Character limit</b>	N/A
<b>Type</b>	Integer
<b>Valid Entry</b>	4, 5, 6 or 7. The default value is 4 (months).
<b>Field Dependency</b>	Use this field with BuyerRequirements:MaxViolationPeriod.

## BuyerRequirements:MaxViolationPeriod

Do you want to exclude buyers who receive a specific number of violation reports in a defined period of time? This field lets you specify the length of time during which a buyer can incur a specific number of violation reports (set with BuyerRequirements:MaxViolationCount) before being prevented from bidding. For example, 6 (months).

<b>Character limit</b>	N/A
<b>Type</b>	Integer
<b>Valid Entry</b>	1 or 6. The default value is 1 (month).
<b>Field Dependency</b>	Use this field with BuyerRequirements:MaxViolationCount.

## BuyerRequirements:MinimumFeedbackScore

Do you want to block buyers with a minimum feedback score? This field lets you explicitly set a minimum feedback score that a buyer must meet before they can bid on your listing.

<b>Character limit</b>	N/A
<b>Type</b>	Integer

<b>Valid Entry</b>	-1, -2, or -3
--------------------	---------------

## BuyerRequirements:ShiptoRegCountry

Do you want to exclude buyers whose primary shipping address falls outside your shipping area? Use this field to exclude buyers whose primary address lies outside your shipping area.

<b>Character limit</b>	N/A
<b>Type</b>	Boolean
<b>Valid Entry</b>	0 or 1 (0=false, 1=true) The default value is 0 (false).

## BuyerUserID

Unique identifier (eBay User ID) denoting the user you want to leave feedback for.

<b>Character limit</b>	N/A
<b>Type</b>	Text string
<b>Valid Entry</b>	eBay User ID

## \*Category

**Required field in the basic and item specifics templates only.**

Numeric ID of the Category where the item is to be listed. Required for non-catalog items. To get category IDs, go to the [Category code](#) page.

<b>Character limit</b>	Max length 10
<b>Type</b>	Integer
<b>Valid Entry</b>	Category number, like 178 ( for Printers).
<b>Field Dependency</b>	Must use a valid eBay category number.

## Category2

Numeric ID of an additional Category where the item is to be listed. To get category IDs, go to the [Category code](#) page.

<b>Character limit</b>	Max length 10
<b>Type</b>	Integer
<b>Valid Entry</b>	Category ID number, like 178 (for Printers).
<b>Field Dependency</b>	Must use a valid eBay category number.

## \*ConditionID

Describes the appearance and state of the product. Condition IDs are numeric, not textual, and vary according to the respective category. To retrieve the Condition IDs in the Item Specifics Definition file, generate an Item Specific template for a category.

<b>Character limit</b>	N/A
<b>Type</b>	Integer
<b>Valid Entry</b>	<p>Possible valid eBay <i>ConditionID</i> values include: 1000, 1500, 2000, 2500, 3000, 4000, 5000, 6000, and 7000. get</p> <p>To get the <i>ConditionID</i> values for a particular category, go the File Exchange Select Template page and generate an Item Specifics template. The generated template contains the new <i>ConditionID</i> field, and the <i>ConditionID</i> numbers and literal values are defined in the Item Specifics Definitions file that accompanies the generated template.</p> <p>To view the ConditionID values for all categories, click the <b>ConditionIDs by Category</b> link on the <a href="#">File Exchange Instructions and Resources</a> page.</p>

## Country

Are you planning to ship this item internationally? Specifies Country in the metadata section of the *Action* field.

<b>Character limit</b>	N/A
<b>Type</b>	Text string
<b>Valid Entry</b>	A default value is already included in the template metadata and is related to the site where you downloaded your template. For example, AU, AT, BE, CA, CN, FR, DE, IT, IN, NL, ES, CH, and US. Entry must be a valid Country code.

## CrossBorderTrade

Specifies the region and country (in addition to your location) where you want your listings to be found in a product search on eBay.

<b>Character limit</b>	N/A
<b>Type</b>	Text string
<b>Valid Entry</b>	NorthAmerica, UK. This field is only available in the United States, Canada (to UK), or Great Britain and Ireland (to NorthAmerica).

## C:<item specific name>

How does your item differ from other similar items? Describes the specific characteristics of a product that are not offered in the standard item specifics, such as Style, Occasion, or Feature. The field name must begin with C:. For example, the field name for Style should be: C:Style.



**Important:** If you revise this field, you must include all of the custom item specific fields for this listing in the uploaded file, even if the information has not changed. Otherwise; any excluded custom item specific will be removed from the listing.

Some clothing and accessory categories require certain item specifics to be included in a listing, such as:

- Brand
- Size Type
- Size
- Style
- Color

Refer to the [look-up table](#) to view the item specifics required by each category. Visit our [size chart](#) and [handbag measurement guide](#) for size mapping and measurement instructions. To see how these changes will impact your existing listings and the way you list, refer to [Review category and item specifics changes](#).

<b>Character limit</b>	N/A
<b>Type</b>	Text string
<b>Valid Entry</b>	Any term or phrase that correlates with the item specific name. For example, the C:Style item specific would have values such as Casual, Business, and Formal.

## CustomLabel

Your unique identifier for the item, like a stock-keeping unit (SKU) number. The buyer does not see this information.

<b>Character limit</b>	Max length 50
<b>Type</b>	Alphanumeric string
<b>Valid Entry</b>	Text or numeric string.

## DeleteFields

Specifies the field(s) to delete from a listing. Multiple fields can be deleted from a listing; use the pipe character "|" to separate multiple field names. For example, enter Category2|Subtitle. Only the fields noted below can be deleted.

<b>Character limit</b>	N/A
<b>Type</b>	Text string
<b>Valid Entry</b>	Application Data,Attributes (Deletes ALL A: Attributes), BoldTitle, BuyItNowPrice, Category2, Charity, ConditionID, CustomLabel, ItemSpecifics (Deletes ALL C: Item Specifics), Layout, MinimumBestOfferPrice, PayPalEmailAddress, PicURL,



Product (Deletes ALL Product Details), ProPackBundle , ProPackPlusBundle , ValuePackBundle , Subtitle, Theme
---

## \*Description

Product information about the item. Include all relevant item and product specifications that may be of interest to the buyer.



**Note:** File Exchange does not support line breaks and carriage returns in this field. If multiple line descriptions are desired, you must paste HTML text into this field. Use the <BR> and <P> HTML tags to separate lines into multiple paragraphs.

eBay provides a script that removes all carriage returns, escape quotes, and performs all necessary changes to make your Description field text valid for File Exchange. To get the script and instructions for using it, refer to the [How to use the new File Exchange Item Description Utility](#) Knowledge Base page.

<b>Character limit</b>	Max length 500,000
<b>Type</b>	Text string
<b>Valid Entry</b>	Sentences that accurately and completely describe the item.
<b>Field Dependency</b>	This field is optional for catalog listings but required for non-catalog listings.

## \*Duration

How long would you like your listing to be posted on eBay? Enter the amount of days you'd like the listing to be active.

<b>Character limit</b>	Max length 3
<b>Type</b>	Integer
<b>Valid Entry</b>	<p>Only certain values are allowed, and the choice of values depends on the listing format. Valid Auction and Fixed Price durations include: 1, 3, 5, 7, and 10 (days). If you are a qualified seller, you can also use (30) days, and GTC (for the Good Til Cancelled) for FixedPrice.</p> <p>You can also refer to the Durations Table on the eBay developer site. (You must have an eBay developer account to access these English-language only pages.)</p>

## EndCode

**Required when using End in the Action field.** Reason for ending a listing.

<b>Character limit</b>	N/A
<b>Type</b>	Text string

<b>Valid Entry</b>	LostorBroken,NotAvailable,Incorrect,OtherListingError
--------------------	---

## Feedback

Textual comment that explains, clarifies, or justifies the feedback rating. Still displayed if feedback is withdrawn.

<b>Character limit</b>	Max length 80
<b>Type</b>	Text string
<b>Valid Entry</b>	Explanation of the feedback.

## FeedbackType

Rating of the feedback being left (Positive). Sellers cannot leave neutral or negative feedback for buyers.

<b>Character limit</b>	Max length 80
<b>Type</b>	Text string
<b>Valid Entry</b>	Positive

## FE:ListByDate

Specifies the date/time (up to 21 days) by which a listing action request must be completed; if the listing action request is not completed by this time, the item action request fails and a corresponding error code is noted in the results file.

<b>Character limit</b>	N/A
<b>Type</b>	Date
<b>Valid Entry</b>	YYYY-MM-DD HH:MM:SS. Hours are in 24-hour format (for example, 2:00:00pm is shown as 14:00:00) and treated as GMT.

## \*Format

Listing format for the item. For more information, see [Selecting a selling format](#).

<b>Character limit</b>	N/A
<b>Type</b>	Text string
<b>Valid Entry</b>	Auction (default), FixedPrice, ClassifiedAd, RealEstateAd

## GalleryDuration

Specifies whether the item is included in the Gallery, either in the general Gallery or in the special “featured” section above it.

<b>Character limit</b>	N/A
<b>Type</b>	Text string
<b>Valid Entry</b>	Days_7, Lifetime
<b>Field Dependency</b>	Featured must be entered in the <i>GalleryType</i> field.

## GalleryType

Indicates how and where images are displayed. The options are:

- **Gallery:** Image is included in the eBay search results.
- **Plus:** In addition to the benefits of 'Gallery', includes an icon in the eBay search results that, when clicked or moused over, displays a large 400 x 400 pixel preview image of the item. Otherwise, your image is shown at the standard size of 96 pixels.
- **Featured:** In addition to the benefits of 'Plus', your item is at the top of the search results in the Featured section.

For more information, see [About gallery upgrades](#).

<b>Character limit</b>	N/A
<b>Type</b>	Text string
<b>Valid Entry</b>	None (default), Gallery, Plus, Featured.

## HitCounter

Do you want to keep track of the number of visits received by each item. If you pass any value, this feature is applied.

<b>Character limit</b>	N/A
<b>Type</b>	Text string
<b>Valid Entry</b>	NoHitCounter, HonestyStyle (US only), GreenLED (US only), Hidden (US only), BasicStyle, RetroStyle, HiddenStyle

## ItemID

eBay generated ID that uniquely identifies the item. You cannot choose or revise this value.

<b>Character limit</b>	N/A
<b>Type</b>	Alphanumeric

<b>Valid Entry</b>	Acquired from Revision file or Load Results Report.
<b>Field Dependency</b>	Required when revising, relisting, and ending listings, and when checking status (using <i>Status</i> in the <i>Action</i> field).

## \*Location

Location of the item. Use the Postal Code, or City, State, Country.

<b>Character limit</b>	Max length 45
<b>Type</b>	Alphanumeric
<b>Valid Entry</b>	Postal code, or other valid mailing address

## LotSize

Do you want sell items together as a unit? Specifies that a single listing consists of two or more similar items that must be purchased together.

<b>Character limit</b>	N/A
<b>Type</b>	Integer
<b>Valid Entry</b>	Numeric amount, like 3, 25, and 100.
<b>Field Dependency</b>	If <i>LotSize</i> is greater than 1, then <i>Quantity</i> field indicates the number of lots being listed and <i>LotSize</i> indicates the number of items in each lot. You can only use <i>LotSize</i> in lot-enabled categories.

## PhotoDisplay

Specifies the type of image display used in a listing. Some options are only available if images are hosted through eBay Picture Services (EPS). eBay determines this by parsing the associated PicURL field value. The valid field entries are:

- **None**: No special image display options. Valid only for US Motors listings.
- **PicturePack** : Increases the number of images displayed. Only available for images hosted with eBay. Picture Pack applies to all sites (including US Motors), except for NL (Site ID 146). You can specify a minimum of one EPS picture, or no SuperSize-qualified EPS pictures in the request. For the NL site, PicturePack is replaced with SuperSize.
- **SuperSize** : Increase the size of each image and allow buyers to enlarge images further. Only available for site-hosted (EPS) images. Not valid for US Motors listings. For all sites that do not automatically upgrade SuperSize to PicturePack (see note below), specifying no SuperSize-qualified images is now accepted.



**Note:** SuperSize is automatically upgraded to PicturePack for the same SuperSize fee for the US eBay Motors Parts & Accessories category, and the US, CA, and CAFR sites. This upgrade applies only to EPS images (including Picture Manager images).

<b>Character limit</b>	N/A
------------------------	-----

<b>Type</b>	Text string
<b>Valid Entry</b>	None (default), PicturePack, SuperSize.

## PicURL

URL of the image to add to your listing. If a Gallery upgrade is specified (Plus or Featured), the image will be used for the search preview image. For best results, use an image that is in JPEG format and is at least 1000 pixels wide.

A listing can have a maximum of 12 images hosted by EPS or 1 by a third party. Multiple URLs can be separated by the '|' character. Images for a listing can either be hosted by eBay Picture Services (EPS) or by a third party (but not both). To add images to EPS, the UploadSiteHostedPictures API must be used (not directly supported in File Exchange).



**Important:** If an image URL has blank spaces, you must replace the blank spaces with %20; otherwise, the image will not appear in the listing.

<b>Character limit</b>	Max length 2048
<b>Type</b>	Text string
<b>Valid Entry</b>	http://hostedpics.com/image1.jpg http://hostedpics.com/image2.jpg, or http://hostedpics.com/images/item1.jpg

## PostalCode

The mail area code where you are actually located, which may differ from the item's shipping location.

<b>Character limit</b>	N/A
<b>Type</b>	Text string
<b>Valid Entry</b>	User input

## PrivateAuction

Do you want to sell this item in a private auction? Specifies whether or not this item will be offered in a private auction.

<b>Character limit</b>	N/A
<b>Type</b>	Boolean
<b>Valid Entry</b>	0 or 1 (0=false, 1=true) Default is 0.

## \*Quantity

Quantity of the item available for sale. A quantity of more than one implies all the items are the exact same.

<b>Character limit</b>	Max length 45
<b>Type</b>	Integer
<b>Valid Entry</b>	Standard numbers, like 1, 15, and 100.
<b>Field Dependency</b>	If <i>LotSize</i> is greater than 1, then the <i>Quantity</i> field indicates the number of lots being listed and <i>LotSize</i> indicates the number of items in each lot. You can only use <i>LotSize</i> in lot-enabled categories.

## Relationship

This determines whether the Compatibility or Variation information (from the *RelationshipDetails* field) is used in the listing. Use *Compatibility* to sell automotive parts for a variety of vehicles, like a type of headlight that fits several different trucks.

<b>Character limit</b>	N/A
<b>Type</b>	Text string
<b>Valid Entry</b>	Compatibility or Variation
<b>Field Dependency</b>	Must accompany the <i>RelationshipDetails</i> field.

## RelationshipDetails

Defines the name-value pairs that define the compatibility information used in a listing. For example, Compatibility values look like: `Make=Honda|Model=Accord|Year=2007`

Defines the name-value pairs that define the variation information used in a listing. For example, Variation values look like: `Size=S;M;L;XL|Color=Black;Pink;Red;Blue`

The equal sign (=) couples the name and its value, and multiple name-value pairs are separated by pipe characters (|). The only difference is that variation names can have multiple values, which are separated by semi-colons(;), as shown above.

<b>Character limit</b>	N/A
<b>Type</b>	Text string
<b>Valid Entry</b>	For Compatibility values, view the file entitled <a href="#">eBay_Master_Vehicle_List_US.csv</a> on the Download tab.  For Variation values, see the Item Specifics Definitions file that was created when you generated an Item Specifics template for a category.
<b>Field Dependency</b>	Must accompany the <i>Relationship</i> field.

## ScheduleTime

Use this field to schedule a listing to start at a specific future time.

<b>Character limit</b>	N/A
<b>Type</b>	Date
<b>Valid Entry</b>	YYYY-MM-DD HH:MM:SS. Hours must be specified in 24-hour format (convert 2:00:00 PM to 14:00:00 GMT). For example:  2013-06-20 16:30:00

## StoreCategory

Numeric ID of a custom category in your eBay Store.

<b>Character limit</b>	Maximum length is 10 digits
<b>Type</b>	Integer
<b>Valid Entry</b>	Numeric value – Must be an integer between 1 and 10 digits, such as 5938 or 9346990. Invalid values (for example, 60040030111) are automatically reset to 1 (Other). Valid options are: <ul style="list-style-type: none"> <li>• 0=Not an eBay Store item</li> <li>• 1=Other</li> <li>• 2=Category A</li> <li>• 3=Category B</li> <li>• 4=Category Z</li> </ul>

## StoreCategory2

Numeric ID of an additional custom category in your eBay Store (optional).

<b>Character limit</b>	Maximum length is 10 digits
<b>Type</b>	Integer
<b>Valid Entry</b>	Numeric value that must consist of an integer between 1 and 10 digits such as 5938 or 9346990. Invalid values (for example, 60040030111) are automatically reset to 1 (Other). Valid options are: <ul style="list-style-type: none"> <li>• 0: Not an eBay Store item</li> <li>• 1: Other</li> <li>• 2: Category A</li> <li>• 3: Category B</li> <li>• 4: Category Z</li> </ul>

## Subtitle

In addition to the primary field of Title, this secondary field appears in search results for an item.



**Note:** Additional fees apply for using this field.

<b>Character limit</b>	Max length 55
<b>Type</b>	Alphanumeric string
<b>Valid Entry</b>	Keywords and item descriptors



**Tip:** To remove a subtitle when revising or relisting an item, open a new Excel or CSV file. Enter a column header for *Action* and *ItemID*. Under *Action*, enter *Revise* (or *Relist*), and under *ItemID*, enter the Item ID value for this listing (from the Load Response file). In the third column, enter `DeletedFields=Item.Subtitle` in the column header. Save in CSV format, and upload the file.

## \*Title

Primary name that appears in the search results for an item. This field is required for non-catalog listings and optional for catalog listings.

<b>Character limit</b>	Max length 80
<b>Type</b>	Alphanumeric string
<b>Valid Entry</b>	Keywords and item descriptors, such as product name and model.

## TransactionID

An eBay-generated ID used to uniquely identify the transaction for which feedback was provided.

<b>Character limit</b>	N/A
<b>Type</b>	Integer
<b>Valid Entry</b>	Acquired from the Sold Listings report.

## Packaging and handling fields

Explains the packaging, gift, and handling fields that determine how, when, and where the item is sent.

For more information about using these these fields, see [Using package weight and dimension fields](#) on page 40.



## \*DispatchTimeMax

Specifies the handling time, defined as the maximum number of business days you usually take to prepare an item for shipping to domestic buyers after receiving a cleared payment. \*DispatchTimeMax does not include the time required to ship the item (the carrier's transit time) to the buyer.

For same day delivery, enter 0 (zero), as presented in the following table:

<b>Character limit</b>	N/A
<b>Type</b>	Integer
<b>Valid Entry</b>	1, 2, 3, 4, 5, 10, 15, 20, 30
<b>Field Dependency</b>	This field may be specified without specifying Shipping Service Costs. *DispatchTimeMax is a required field for most categories and applies to Flat shipping only.

## InternationalPackagingHandlingCosts

Do you want the buyer to pay for extra shipping costs? Specifies Optional fees you want for shipping the item internationally.

<b>Character limit</b>	N/A
<b>Type</b>	Currency
<b>Valid Entry</b>	Numeric amount, like .99, 1.00, 10.00.

## PackageDepth

The whole number portion of the package depth (top to bottom). For example, for a package depth of 10 inches or 10 centimetres, the value would be 10.

<b>Character limit</b>	N/A
<b>Type</b>	Integer
<b>Valid Entry</b>	Whole number (in or cm)
<b>Field Dependency</b>	Use this field only with <i>ShippingType=Calculated</i> (values for <i>PackageWidth</i> and <i>PackageLength</i> must also be provided)

## PackageLength

The whole number portion of the package length (from side to side). For example, for a package length of 20 inches or 20 centimetres, the value would be 20.

<b>Character limit</b>	N/A
<b>Type</b>	Integer

<b>Valid Entry</b>	Whole number (in or cm)
<b>Field Dependency</b>	Use this field only with <i>ShippingType=Calculated</i> (values for <i>PackageWidth</i> and <i>PackageDepth</i> must also be provided)

## PackageType

Specifies the characteristics of the package to be shipped.

<b>Character limit</b>	N/A
<b>Type</b>	Text string
<b>Valid Entry</b>	None, Letter, LargeEnvelope, LargePackage, PackageThickEnvelope
<b>Field Dependency</b>	Use this field only when <i>ShippingType=Calculated</i>

## PackageWidth

The whole number portion of the package width (front to back). For example, for a package width of 12 inches or centimetres, enter 12.

<b>Character limit</b>	N/A
<b>Type</b>	Integer
<b>Valid Entry</b>	Whole number (in or cm)
<b>Field Dependency</b>	Use this field only when <i>ShippingType=Calculated</i> (values for <i>PackageDepth</i> and <i>PackageLength</i> must also be provided)

## ShipFromZipCode

Are you planning to use Calculated shipping? Specifies the ZIP code from which the item will be shipped. Valid on the United States site only.

<b>Character limit</b>	N/A
<b>Type</b>	Numeric string
<b>Valid Entry</b>	Must contain five or nine digits – for example 90210 or 90210-4141
<b>Field Dependency</b>	Must accompany <i>ShippingType=Calculated</i>

## ShipmentTrackingNumber

Shipping carrier tracking number. Retrieve this number from the shipping order form from the shipping carrier.

<b>Character limit</b>	N/A
------------------------	-----

<b>Type</b>	Text string
<b>Valid Entry</b>	Valid tracking number on shipping invoice.
<b>Field Dependency</b>	Requires also using the <i>ShippingCarrierUsed</i> field.

## ShippedTime

Indicates the date and time the item was actually shipped.

If the field is in the template, and the value is omitted, it defaults to the time in which the file was uploaded. This date and time is displayed in My eBay for the buyer as well as the seller.

The date and time must be in GMT ISO 8601 date and time format (YYYY-MM-DDTHH:MM:SS.SSSZ). For example, if you live in California, and it's 03:09PM, the time conversion to military time is 03:09 + 12 hours = 15:09. Now PST = GMT - 7, so add 7 hours to make it 22:09.

<b>Character limit</b>	N/A
<b>Type</b>	Date
<b>Valid Entry</b>	Enter, for example, 2010-05-28T22:04:23.000Z. Do not enter a date or time in the future.
<b>Field Dependency</b>	Can only be used with the <i>Status</i> action.

## ShippingCarrierUsed

Shipping service associated with the shipping tracking number.

<b>Character limit</b>	N/A
<b>Type</b>	Text string
<b>Valid Entry</b>	Valid shipping carrier name, not the specific <i>ShippingService-X:Option</i> value. For example, if the chosen <i>ShippingService-X:Option</i> value is <i>UPSNextDay</i> , then <i>UPS</i> is the valid <i>ShippingCarrierUsed</i> value. For non-specific <i>ShippingService-X:Option</i> carriers, use <i>Other</i> for the <i>ShippingCarrierUsed</i> value.  If you use the Global Shipping Program for international shipping, use <i>GlobalShipping_MultiCarrier</i> for the <i>ShippingCarrierUsed</i> value.
<b>Field Dependency</b>	Requires also using the <i>ShipmentTrackingNumber</i> field.

## ShippingIrregular

Does shipping the item require special carrier services? Specifies whether the item requires special handling because it cannot go through the stamping machine at the shipping service office.

<b>Character limit</b>	N/A
<b>Type</b>	Boolean

<b>Valid Entry</b>	0 or 1 (0=false, 1=true) Default is 0
<b>Field Dependency</b>	Use this field only with <i>ShippingType=Calculated</i>

## ShippingStatus

Do you want to inform buyers when an item has been shipped? Specifies whether or not the item has been shipped.

<b>Character limit</b>	N/A
<b>Type</b>	Boolean
<b>Valid Entry</b>	0 or 1 (0=not shipped, 1=shipped) Default is 0.

## \*ShippingType

The shipping types available for the item. Specifying *Flat* designates that Flat-rate shipping is available for domestic shipping (and international if international shipping services are specified).



**Important:** When revising this field, you must also include certain field information for the listing in the uploaded file, even if the information has not changed. Refer to [Revision dependent fields](#) on page 13 for the names of the fields that need to be included in a revised listing.

To mix Flat and Calculated shipping options, use the *FlatDomesticCalculatedInternational* or *CalculatedDomesticFlatInternational* values.



**Note:** FreightQuote.com is available for the United States eBay site only.

<b>Character limit</b>	N/A
<b>Type</b>	Text string
<b>Valid Entry</b>	Flat (default), FreightFlat , Calculated , FlatDomesticCalculatedInternational , CalculatedDomesticFlatInternational .
<b>Field Dependency</b>	If you set this field to Calculated, you also must also provide a value for <a href="#">ShipFromZipCode</a> on page 74.

## ShipToLocations

What if a buyer wants to purchase your product but the international shipping service options do not cover the buyer's geographical location? Use this field to offer buyers outside your standard delivery area the ability to contact you for a shipping cost.

This field provides item-level specification with one or more *ShipToLocations* elements. When two or more *ShipToLocations* options are used and one is set to *None*, all are ignored and a warning is returned.

This field differs from the *IntlShippingService-n:Locations* field, which defines specific ship-to locations for the selected international shipping service.

<b>Character limit</b>	N/A
<b>Type</b>	Text string
<b>Valid Entry</b>	Worldwide, Americas, Europe, None.

## WeightMajor

Are you using calculated shipping? Specifies the whole number portion of the shipping weight. For example, for a shipping weight of 3 lbs, 8 oz., enter 3.

<b>Character limit</b>	N/A
<b>Type</b>	Integer
<b>Valid Entry</b>	Whole number such as 3, 75, and 100.
<b>Field Dependency</b>	Use this field only when <i>ShippingType=Calculated</i> .

## WeightMinor

Sub-unit of shipping weight. If using imperial measures (lbs), this value should reflect ounces and, if you use metric weight, this value should reflect the number of hundredths of kilograms. For example, for a shipping weight of 3 lbs, 8 oz., the value would be 8.

<b>Character limit</b>	N/A
<b>Type</b>	Integer
<b>Valid Entry</b>	Whole number, like 3 or 12.
<b>Field Dependency</b>	Use this field only when <i>ShippingType=Calculated</i> (sub-unit of <i>WeightMajor</i> ).

## WeightUnit

Are you using imperial or metric weights to factor shipping costs? Specifies the unit of measure for shipping weight, whether imperial (lb) or metric (kg).

<b>Character limit</b>	N/A
<b>Type</b>	Text string
<b>Valid Entry</b>	lb or kg
<b>Field Dependency</b>	Use this field only when <i>ShippingType=Calculated</i> .

## Payment and return fields

This section explains the payment, return policy, and other transaction fields used to specify how buyers pay for and return items.

For more information about using these fields, see [Using the payments fields](#) on page 37.

### AdditionalDetails

Provides detailed explanation of your return policy.

<b>Character limit</b>	Max 5000 characters
<b>Type</b>	Text string
<b>Valid Entry</b>	User input
<b>Field Dependency</b>	The <a href="#">*ReturnsAcceptedOption</a> on page 81 field is required when you use this field.

### AmEx

Do you accept American Express payments? Specifies whether or not American Express is accepted as payment.

<b>Character limit</b>	N/A
<b>Type</b>	Boolean
<b>Valid Entry</b>	0 or 1 (0=false, 1=true) Default is 0.

### Discover

Do you accept Discover payments? Specifies whether or not Discover is accepted as payment.

<b>Character limit</b>	N/A
<b>Type</b>	Boolean
<b>Valid Entry</b>	0 or 1 (0=false, 1=true) Default is 0.

### ImmediatePayRequired

Indicates that immediate payment is required from the buyer. For more information, see [Requiring immediate payment](#).

<b>Character limit</b>	N/A
<b>Type</b>	Boolean
<b>Valid Entry</b>	0 or 1 (0=false, 1=true) Default is 0.

## IntegratedMerchantCreditCard

Do you let your buyers pay for items with credit cards you issue? Use this field to indicate that you accept an integrated credit card as payment.

<b>Character limit</b>	N/A
<b>Type</b>	Boolean
<b>Valid Entry</b>	0 or 1 (0=false, 1=true) Default is 0.

## MOCashiers

Do you accept money orders and cashier's checks as payment? This field specifies that you accept money orders and cashier's checks as payment.

<b>Character limit</b>	N/A
<b>Type</b>	Boolean
<b>Valid Entry</b>	0 or 1 (0=false, 1=true) Default is 0.

## PaymentInstructions

Do you want to provide payment instructions to a buyer? Informs buyers of payment contingencies.

<b>Character limit</b>	Max length 500 characters
<b>Type</b>	Alphanumeric string
<b>Valid Entry</b>	Null (default); use short descriptive sentences.

## PaymentSeeDescription

Do you specify payment methods in the *Description* field? Specifies whether or not acceptable payment methods are stated in the *Description* field. If you do not set any other payment method, you must specify *PaymentSeeDescription=1*.

<b>Character limit</b>	N/A
<b>Type</b>	Boolean
<b>Valid Entry</b>	0 or 1 (0=false, 1=true) Default is 0.

## PaymentStatus

Do you show buyers when a payment has been received? Specifies whether or not the item has been paid for.

<b>Character limit</b>	N/A
------------------------	-----

<b>Type</b>	Boolean
<b>Valid Entry</b>	0 or 1 (0=false, 1=true) Default is 0.

## PayPalAccepted

Do you allow buyers to use PayPal to pay for your items? Although eBay does not require a specific payment method for each listing, you must set at least one payment method to 1 (true).

<b>Character limit</b>	N/A
<b>Type</b>	Boolean
<b>Valid Entry</b>	0 or 1 (0=false, 1=true) Default is 0.
<b>Field Dependency</b>	<p>This field can only be used for sites that support PayPal. If no value is provided for <i>PayPalAccepted</i> and you have instructed eBay site preferences to offer PayPal on all listings, a warning messages indicates that <i>PayPalAccepted</i> has been added as a payment method.</p> <p>When you provide a value for <i>PayPalAccepted</i>, you must also provide a value for <a href="#">PayPalEmailAddress</a> on page 80.</p>

## PayPalEmailAddress

When you allow buyers to pay for items with PayPal, you must provide the email address associated with your PayPal account.

<b>Character limit</b>	N/A
<b>Type</b>	Text string
<b>Valid Entry</b>	A valid email address such as name@example.com
<b>Field Dependency</b>	When you provide a value for <i>PayPalEmailAddress</i> , you must also provide a value for <a href="#">PayPalAccepted</a> on page 80.

## PayUponPickup

Do you allow the buyer to pay for and pick up an item in person?

<b>Character limit</b>	N/A
<b>Type</b>	Boolean
<b>Valid entry</b>	0 or 1 (0=false, 1=true) Default is 0.

## PersonalCheck

Do you allow the buyer to pay with a personal check? Specifies that you accept a personal check as payment.



<b>Character limit</b>	N/A
<b>Type</b>	Boolean
<b>Valid Entry</b>	0 or 1 (0=false, 1=true) Default is 0.

## RefundOption

Defines how the buyer is to be compensated for a returned item.

<b>Character limit</b>	N/A
<b>Type</b>	Text string
<b>Valid Entry</b>	MoneyBack or MoneyBackOrExchange
<b>Field Dependency</b>	The <a href="#">*ReturnsAcceptedOption</a> on page 81 field is required when you use this field.

## RestockingFeeValueOption

When you create a return policy on eBay, use RestockingFeeValueOption to specify the restocking fee you charge when a buyer returns an item. The restocking fee can be set to `Percent_10` (10%), `Percent_15` (15%), or `Percent_20` (20%) of the price paid for an item. To indicate that you do not charge a restocking fee, enter `NoRestockingFee`.

<b>Character limit</b>	N/A
<b>Type</b>	Integer
<b>Valid Entry</b>	<code>Percent_10</code> , <code>Percent_15</code> , <code>Percent_20</code> , or <code>NoRestockingFee</code> .
<b>Field Dependency</b>	To use this field, you must create a <a href="#">return policy</a> on the eBay site.

## \*ReturnsAcceptedOption

Indicates that a buyer can return the item.

<b>Character limit</b>	N/A
<b>Type</b>	Text string
<b>Valid Entry</b>	<code>ReturnsAccepted</code> , <code>ReturnsNotAccepted</code>

## ReturnsWithinOption

The number of days after which the buyer receives an item that they have to notify you of their intent to return it.

<b>Character limit</b>	N/A
<b>Type</b>	Text string
<b>Valid Entry</b>	<code>Days_14</code> , <code>Days_30</code> , <code>Days_60</code> .

<b>Field Dependency</b>	<a href="#">*ReturnsAcceptedOption</a> on page 81 must be set to ReturnsAccepted.
-------------------------	---

## ShippingCostPaidBy

Specifies who pays to return the item.

<b>Character limit</b>	N/A
<b>Type</b>	Text string
<b>Valid Entry</b>	Buyer, Seller
<b>Field Dependency</b>	<a href="#">*ReturnsAcceptedOption</a> on page 81 must be set to ReturnsAccepted.

## VisaMastercard

Do you allow buyers to pay with MasterCard or Visa? Specifies that you accept MasterCard or Visa as payment.

<b>Character limit</b>	N/A
<b>Type</b>	Boolean
<b>Valid Entry</b>	0 or 1 (0=false, 1=true) Default is 0.

## Pricing and cost fields

This section explains pricing, discount, and tax fields, which determine the final cost of the item.

For more information about using these fields, see [Using the auto-accept and auto-decline fields](#) on page 33.

## BestOfferAutoAcceptPrice

Specifies the amount that will be auto-accepted for a best offer from a buyer. For example, if you set the value to 5.00, best offers of this amount and above will be accepted automatically.

<b>Character limit</b>	Max length 16, including decimal point or comma
<b>Type</b>	Currency
<b>Valid Entry</b>	Numeric amount, like .99, 1.00, 10.00.
<b>Field Dependency</b>	The BestOfferEnabled field must be set to 1 (true) for this field to be applicable.

## BestOfferEnabled

Do you want to offer buyers the option to make a best offer? If you are selling a fixed price format item (in a category for which Best Offer is also enabled), you can enable Best Offer for that item. This

feature enables a buyer to make a lower priced binding offer on your item. You can choose to accept the offer, decline the offer or let the offer naturally expire after 48 hours. If you accept an offer, the listing ends and the Best Offer price and terms are displayed upon viewing the ended listing. See the eBay online help for more information. Additional fees apply.

<b>Character limit</b>	N/A
<b>Type</b>	Boolean
<b>Valid Entry</b>	0 or 1 (0=false, 1=true) Default is 0.

## BuyItNowPrice

Price required to immediately buy an auction-style format item. Defines the price you are willing to accept for the item, which will immediately end the auction. Not valid for fixed priced format items.

<b>Character limit</b>	Max length 16, including decimal point or comma
<b>Type</b>	Currency
<b>Valid Entry</b>	Numeric amount, like 10 . 00, 29 . 99, 100 . 00.

## Currency

What types of currency do you accept? Specifies Currency in the metadata section of the *Action* field.

<b>Character limit</b>	Three-letter code
<b>Type</b>	Text string
<b>Valid Entry</b>	A default currency value is already included in the template metadata and is related to the site where you downloaded your template. (You only need to change it if you want to list your item on a different eBay site.) For example, USD, CAD, GBP, AUD, EUR, CHF, TWD, CNY, INR, HKD, MYR, and PHP. Entry must be a valid <a href="#">Currency</a> on page 53.

## InternationalPackagingHandlingCosts

Do you want the buyer to pay for extra shipping costs? Specifies Optional fees you want for shipping the item internationally.

<b>Character limit</b>	N/A
<b>Type</b>	Currency
<b>Valid Entry</b>	Numeric amount, like . 99, 1 . 00, 10 . 00.

## InternationalPromotionalShippingDiscount

Specifies the requirements for buyers to receive the promotional shipping discount for international shipping.



**Important:** When revising this field, you must also include certain field information for the listing in the uploaded file, even if the information has not changed. Refer to [Revision dependent fields](#) on page 13 for the names of the fields that need to be included in a revised listing.

<b>Character limit</b>	N/A
<b>Type</b>	Boolean
<b>Valid Entry</b>	0 or 1 (0=false, 1=true) Default is 0. Must be a valid rule created for your eBay account under Site Preferences.
<b>Field Dependency</b>	Promotional shipping rules must be created before using this field. See <a href="#">Promotional Shipping Rules</a> .

## InternationalShippingDiscountProfileID

Numeric ID of the shipping discount rule used for international combined purchases.

Determines whether a shipping discount is applied for the item when its transaction is combined with a buyer-created Combined Payment order. If you don't specify a value in this field, the default profile in your *My eBay* page preferences will be used. (Refer to [Using Combined Payments](#) and [About Shipping Discounts](#) for more information.)

To locate your shipping profile ID numbers, go to **My eBay > Account > Site Preferences > Shipping Preferences > Show > Offer combined payments and shipping > Edit**. The ID numbers for each shipping rule are listed on the *My eBay: Combined Payments and Shipping Discounts* page.



**Important:** When revising this field, you must also include certain field information for the listing in the uploaded file, even if the information has not changed. Refer to [Revision dependent fields](#) on page 13 for the names of the fields that need to be included in a revised listing.

<b>Character limit</b>	N/A
<b>Type</b>	Integer
<b>Valid Entry</b>	Eight-digit number. For example, enter 78038543. Must be a valid rule created for your eBay account under Site Preferences.
<b>Field Dependency</b>	You must define shipping rule profiles using the <i>My eBay</i> pages before using this field.

## MinimumBestOfferMessage

Provides buyers with information in the event their best offers are declined.

<b>Character limit</b>	Max length 80
<b>Type</b>	Text string
<b>Valid Entry</b>	User input

## MinimumBestOfferPrice

Specifies the amount that will be auto-declined for a best offer from a buyer. For example, if you set the value to 5.00, best offers of this amount and below will be automatically declined.

<b>Character limit</b>	Max length 16, including decimal point or comma
<b>Type</b>	Currency
<b>Valid Entry</b>	Numeric amount, like .99, 1.00, 10.00.
<b>Field Dependency</b>	The BestOfferEnabled field must be set to 1 (true) for this field to be applicable.


## PackagingHandlingCosts

Do you want the buyer to pay for extra shipping costs? Specifies Optional fees you want to assess for the shipping of the item. For calculated shipping only.

<b>Character limit</b>	N/A
<b>Type</b>	Currency
<b>Valid Entry</b>	Numeric amount, like .99, 1.00, 10.00.

## PromotionalShippingDiscount

Specifies the requirements for buyers to receive the promotional shipping discount for domestic shipping.

 **Important:** When revising this field, you must also include certain field information for the listing in the uploaded file, even if the information has not changed. Refer to [Revision dependent fields](#) on page 13 for the names of the fields that need to be included in a revised listing.

<b>Character limit</b>	N/A
<b>Type</b>	Boolean
<b>Valid Entry</b>	0 or 1 (0=false, 1=true) Default is 0. Must be a valid rule created for your eBay account under Site Preferences.
<b>Field Dependency</b>	Promotional shipping rules must be created before using this field. For more information, see <a href="#">Promotional Shipping Rules</a> .

## ReservePrice

Bid amount that is required to be met before the item will sell. This value must be greater than the *StartPrice* value. Not applicable to fixed price formats.

<b>Character limit</b>	Max length 16, including decimal point or comma
------------------------	---

<b>Type</b>	Currency
<b>Valid Entry</b>	Numeric amount, like 10 . 00, 49 . 99, 100 . 00.

## SalesTaxPercent

Percent of an item's price to be charged as the sales tax for a transaction. Do not use the '%' symbol. If revising, use a value of 0.00 to remove SalesTaxPercent.



**Important:** When revising this field, you must also include certain field information for the listing in the uploaded file, even if the information has not changed. Refer to [Revision dependent fields](#) on page 13 for the names of the fields that need to be included in a revised listing.

<b>Character limit</b>	Max length 5 (max 3 decimal values)
<b>Type</b>	Numeric string
<b>Valid Entry</b>	0 . 00 (default), 7 . 25, 8 . 975
<b>Field Dependency</b>	If you specify this field, you must also specify a <i>SalesTaxState</i> value.

## SalesTaxState

State or tax jurisdiction for which sales tax is being collected.



**Important:** When revising this field, you must also include certain field information for the listing in the uploaded file, even if the information has not changed. Refer to [Revision dependent fields](#) on page 13 for the names of the fields that need to be included in a revised listing.

<b>Character limit</b>	Max length 2
<b>Type</b>	Text string
<b>Valid Entry</b>	2-letter abbreviation for the jurisdiction.
<b>Field Dependency</b>	If you specify this field, you must also specify a <i>SalesTaxPercent</i> value.

## ShippingDiscountProfileID

Numeric ID of the shipping discount profile used for domestic shipping costs. Replaces the *ApplyShippingDiscount* field so that multiple discount profiles can be used for domestic shipping options.

Determines whether a shipping discount is applied for the item when its transaction is combined with a buyer-created Combined Payment order. If you don't specify a value in this field, the default profile in your *My eBay* page preferences will be used. (Refer to [Using Combined Payments](#) and [About Shipping Discounts](#) for more information.)

To locate your shipping profile ID numbers, go to **My eBay > Account > Site Preferences > Shipping Preferences > Show > Offer combined payments and shipping > Edit**. The ID numbers for each shipping rule are listed on the *My eBay: Combined Payments and Shipping Discounts* page.



**Important:** When revising this field, you must also include certain field information for the listing in the uploaded file, even if the information has not changed. Refer to [Revision dependent fields](#) on page 13 for the names of the fields that need to be included in a revised listing.

<b>Character limit</b>	N/A
<b>Type</b>	Integer
<b>Valid Entry</b>	Numeric ID. For example, enter 780385439. Must be a valid rule created for your eBay account under Site Preferences.
<b>Field Dependency</b>	You must define shipping rule profiles using the <i>My eBay</i> pages before using this field.

## ShippingInTax

Indicates whether shipping costs should be included in the base amount that is taxed.



**Important:** When revising this field, you must also include certain field information for the listing in the uploaded file, even if the information has not changed. Refer to [Revision dependent fields](#) on page 13 for the names of the fields that need to be included in a revised listing.

<b>Character limit</b>	N/A
<b>Type</b>	Boolean
<b>Valid Entry</b>	0 or 1 (0=false, 1=true) Default is 0.

## \*StartPrice

Price at which bidding starts. If the listing is in fixed price format, this is the price to buy the item.

<b>Character limit</b>	Max length 16, including decimal point or comma
<b>Type</b>	Currency
<b>Valid Entry</b>	Numeric amount, like 5.99, 10.00, 100.00

## UseTaxTable

Indicates whether your tax table is to be used for applying and calculating taxes. If used, do not specify values for *SalesTaxState*, *SalesTaxPercent*, and *ShippingInTax*.

For more information, refer to the [Tax table](#) page.

<b>Character limit</b>	N/A
<b>Type</b>	Boolean
<b>Valid Entry</b>	0 or 1 (0=false, 1=true) Default is 0.

## Product code and details fields

This section explains the fields used to identify a an item by its product codes, which are then used to add its product information in your listing.

For more information about using these fields, see [Using product identifiers](#) on page 22.

### Product:Brand

The name that identifies the product. eBay attempts to find a matching product on your behalf to use in the listing. If multiple matches occur for the Brand and MPN, you must resubmit the item using [Product:ReturnSearchResultsOnDuplicates](#) on page 90 field to determine which EPID to use.

<b>Character limit</b>	N/A
<b>Type</b>	Text string
<b>Valid Entry</b>	The brand name of the product, like Sony or Levis.
<b>Field Dependency</b>	Must accompany <a href="#">Product:MPN</a> on page 89.

### Product:EAN

The European Article Number (EAN), which provides standard product information about the item. eBay attempts to find a matching product on your behalf to use in the listing. If multiple matches occur for the EAN, you must resubmit the item using [Product:ReturnSearchResultsOnDuplicates](#) on page 90 field to determine which ePID to use.

<b>Character limit</b>	N/A
<b>Type</b>	Integer
<b>Valid Entry</b>	Number located by the bar code on the product.

### Product:EPID

The eBay Product Identification number, or ePID, provides unique product information about the item. To find the ePID, search for the item on eBay, and then copy and paste the ePID from the search results page into Product:EPID field.

To alleviate the chances of our catalog finding multiple product matches, if you know the ePID for an item use the ePID instead of the other Product:<type> fields (like Product:UPC).

<b>Character limit</b>	N/A
<b>Type</b>	Integer
<b>Valid Entry</b>	Unique product identifier generated by eBay.



## Product:ISBN

The International Standard Book Number (ISBN), which provides standard product information about the item. eBay attempts to find a matching product on your behalf to use in the listing. If multiple matches occur for the ISBN, you must resubmit the item using

[Product:ReturnSearchResultsOnDuplicates](#) on page 90 field to determine which ePID to use.

<b>Character limit</b>	N/A
<b>Type</b>	Integer
<b>Valid Entry</b>	Number located by the bar code, and on the back of the title page in the book.

## Product:MPN

The Manufacturer Part Number (MPN), which provides standard product information about the item. eBay attempts to find a matching product on your behalf to use in the listing. If multiple matches occur for MPN and Brand, you must resubmit the item using the [Product:ReturnSearchResultsOnDuplicates](#) on page 90 field to determine which ePID to use.

<b>Character limit</b>	N/A
<b>Type</b>	Integer
<b>Valid Entry</b>	Number located somewhere on the product housing. Look in the product Owners' Manual for instructions about where the part number is located.
<b>Field Dependency</b>	Must accompany <a href="#">Product:Brand</a> on page 88.

## Product:IncludePrefilledItemInformation

Adds pre-filled item information from our catalog to the listing. Manufacturer name, version number, author or artist, and publisher are examples of Pre-filled Item Information.

<b>Character limit</b>	N/A
<b>Type</b>	Boolean
<b>Valid Entry</b>	Use 1 (for True) or 0 for False.

## Product:IncludeStockPhotoURL

Adds a stock photo (when one is available) to the listing. If no stock photo is available (or to add your own pictures in addition to a stock photo), use the [PicURL](#) on page 69 field.

If you supply no photos, the stock photo is displayed at the top of View Item (not in the item specifics).

If you supply photos, the stock photo does not appear in View Item. Instead, your photos appear at the top of the page.

<b>Character limit</b>	N/A
------------------------	-----

<b>Type</b>	Boolean
<b>Valid Entry</b>	Use 1 (for True) or 0 for False.

## Product:ReturnSearchResultsOnDuplicates

Provides definitive information about a product when multiple matches are found in the catalog.

In order to discern between the product matches found, download the Upload results, and then use the EPID that best matches your item in the listing.

<b>Character limit</b>	N/A
<b>Type</b>	Boolean
<b>Valid Entry</b>	Use 1 (for True) or 0 for False.

## Product:UPC

The Universal Product Code (UPC), which provides standard product information about the item. eBay attempts to find a matching product on your behalf to use in the listing. If multiple matches occur for the UPC, you must resubmit the item using [Product:ReturnSearchResultsOnDuplicates](#) on page 90 field to determine which ePID to use.

<b>Character limit</b>	N/A
<b>Type</b>	Integer
<b>Valid Entry</b>	Number located by the bar code on the product.

## Product:UseStockPhotoURLAsGallery

Designates the stock photo (when available) to be used as the Gallery picture in the listing. To use your own photo as the Gallery picture, but still use the stock photo as the second picture, enter 0 in this field, and then use the [PicURL](#) on page 69 field to specify your self-hosted photo as the Gallery picture.

<b>Character limit</b>	N/A
<b>Type</b>	Boolean
<b>Valid Entry</b>	Use 1 (for True) or 0 for False.

## Shipping services fields

Explains the fields and corresponding values that define available shipping service options, rates, and other shipping related information. Note the difference between the terms *field* and *value*. Field refers to the presence of the column header. Value implies the field is present, and input (a value) is required for that field.



**Important:** When revising these fields, you must also include certain field information for the listing in the uploaded file, even if the information has not changed. For the names of fields that must be included in a revised listing, see [revision dependent fields](#) on page 13.

For more information about using these fields, see [Specifying payments, shipping, and returns](#) on page 37 .

## DomesticRateTable

The eBay domestic shipping rate table can be used to specify shipping costs to areas in the continental United States, Alaska/Hawaii, United States protectorates (Puerto Rico, Guam), and to Army Post Office (APO) and Fleet Post Office (FPO) addresses in the United States.

Rate tables are defined in your eBay account [Shipping Preferences](#). You must create the rate tables prior to using them for File Exchange.

When you set up a rate table, you can specify a rate for each region and service level you want to support. You can opt to specify rates per item, per weight, or by surcharge. Only one of these rate types can be used at a time. The rate type selected in your Shipping Preferences becomes the default rate table used in your listings.

<b>Character limit</b>	N/A
<b>Type</b>	Predefined
<b>Valid Entry</b>	Default

## GlobalShipping

When you opt in to the [Global Shipping Program](#) on eBay, use GlobalShipping to specify that an item is to be made available to buyers around the world.

<b>Character limit</b>	N/A
<b>Type</b>	Boolean
<b>Valid Entry</b>	0 or 1 (0=false, 1=true) The default value is 0 (false).
<b>Field Dependency</b>	To use this field, you must first opt in to the <a href="#">Global Shipping Program</a> on the eBay site. For terms and conditions, see <a href="#">Global Shipping Program Seller Terms and Conditions</a> .

## IntlShippingService-1:AdditionalCost

Cost to ship additional items when a buyer purchases two or more of the same item.

For example, if a buyer purchases three identical items, the first ships with the price specified in *IntlShippingService-1:Cost*, whereas the remaining two ship with the value specified in *IntlShippingService-1:AdditionalCost*.

When no value is entered (and *Action=Add*), the value defaults to the amount specified in *IntlShippingService-1:Cost*.

<b>Character limit</b>	N/A
<b>Type</b>	Currency
<b>Valid Entry</b>	Numeric amount, like 3 . 99.
<b>Field Dependency</b>	Do <i>not</i> enter a value when <i>ShippingType=Freight</i> for international services. Do <i>not</i> enter a value when <i>ShippingType=Calculated</i> for international services.

## IntlShippingService-1:Cost

Cost to ship the item with the selected shipping service.

<b>Character limit</b>	N/A
<b>Type</b>	Currency
<b>Valid Entry</b>	Numeric amount, like 0 . 00, 1 . 99
<b>Field Dependency</b>	Must accompany <a href="#">IntlShippingService-1:Option</a> on page 92. Do <i>not</i> enter a value when <i>ShippingType=Freight</i> for international services. Do <i>not</i> enter a value when <i>ShippingType=Calculated</i> for international services.

## IntlShippingService-1:Locations

An international location or region to which an item can be shipped, according to the respective shipping service. Multiple locations are separated by the pipe (|) character. For example: *Asia|Europe*.

For location field values, refer to [Values for international location fields](#) on page 54.

<b>Character limit</b>	N/A
<b>Type</b>	Text string
<b>Valid Entry</b>	Must be a valid shipping location value, like <i>Europe</i> or <i>Americas</i> .
<b>Field Dependency</b>	Field and value(s) are required when any international shipping service is specified.

## IntlShippingService-1:Option

An international shipping service the buyer can choose to ship the item.

<b>Character limit</b>	N/A
<b>Type</b>	Text string

<b>Valid Entry</b>	Must be a valid service option value.  For valid service option values, refer to <a href="#">Shipping services field values</a> on page 102.
<b>Field Dependency</b>	Must be accompanied by <i>IntlShippingService-1:Cost</i> .

## IntlShippingService-1:Priority

Defines the display order of the international shipping service options shown in your listing.

For example, if two or more international shipping services are specified, the service with *Priority=1* will be the first shipping option shown in your listing.



**Note:** Each international service priority must be unique; no two international shipping services can have the same *Priority*.

<b>Character limit</b>	N/A
<b>Type</b>	Integer
<b>Valid Entry</b>	Numeric value, like 1, 2, or 3.
<b>Field Dependency</b>	Field and a value are required if more than one international shipping service is specified.

## IntlShippingService-2:AdditionalCost

Cost to ship additional items when a buyer purchases two or more of the same item.

For example, if a buyer purchases three identical items, the first ships at the price specified in *IntlShippingService-2:Cost*, whereas the remaining two ship with the value specified in *IntlShippingService-2:AdditionalCost*.

If no value is entered (and *Action=Add*), the value defaults to the *IntlShippingService-2:Cost* amount.

<b>Character limit</b>	N/A
<b>Type</b>	Currency
<b>Valid Entry</b>	Numeric amount, like 3 . 99.
<b>Field Dependency</b>	Do <i>not</i> enter a value when <i>ShippingType=Freight</i> for international services.  Do <i>not</i> enter a value when <i>ShippingType=Calculated</i> for international services.

## IntlShippingService-2:Cost

Cost to ship the item with the selected shipping service.

<b>Character limit</b>	N/A
<b>Type</b>	Currency

<b>Valid Entry</b>	Numeric amount, like 0 . 00, 1 . 99
<b>Field Dependency</b>	<p>Must accompany <i>IntlShippingService-2:Option</i>.</p> <p>Do <i>not</i> enter a value when <i>ShippingType=Freight</i> for international services.</p> <p>Do <i>not</i> enter a value when <i>ShippingType=Calculated</i> for international services.</p>

## IntlShippingService-2:Locations

An international location or region to which an item can be shipped, according to the respective shipping service. Multiple locations are separated by the pipe (|) character. For example: *Asia|Europe*.

For location field values, refer to [Values for international location fields](#) on page 54.

<b>Character limit</b>	N/A
<b>Type</b>	Text string
<b>Valid Entry</b>	Must be a valid shipping location value, like <i>Europe</i> or <i>Americas</i> .
<b>Field Dependency</b>	Field and value(s) are required when any international shipping service is specified.

## IntlShippingService-2:Option

An international shipping service the buyer can choose to ship the item.

<b>Character limit</b>	N/A
<b>Type</b>	Text string
<b>Valid Entry</b>	<p>Must be a valid service option value.</p> <p>For valid service option values, refer to <a href="#">Shipping services field values</a> on page 102.</p>
<b>Field Dependency</b>	Must be accompanied by <i>IntlShippingService-2:Cost</i> .

## IntlShippingService-2:Priority

Defines the display order of the international shipping service options shown in your listing.

For example, if two or more international shipping services are specified, the service with *Priority=1* will be the first shipping option shown in your listing.



**Note:** Each international service priority must be unique; no two international shipping services can have the same *Priority*.

<b>Character limit</b>	N/A
<b>Type</b>	Integer

<b>Valid Entry</b>	Numeric value, like 1, 2, or 3.
<b>Field Dependency</b>	Field and a value are required if more than one international shipping service is specified.

## IntlShippingService-3:AdditionalCost

Cost to ship additional items when a buyer purchases two or more of the same item.

For example, if a buyer purchases three identical items, the first ships at the price specified in IntlShippingService-3:Cost, whereas the remaining two ship with the value specified in IntlShippingService-3:AdditionalCost.

If no value is entered (and *Action=Add*), the value defaults to the IntlShippingService-3:Cost amount.

<b>Character limit</b>	N/A
<b>Type</b>	Currency
<b>Valid Entry</b>	Numeric amount, like 3 . 99.
<b>Field Dependency</b>	Do <i>not</i> enter a value when <i>ShippingType=Freight</i> for international services. Do <i>not</i> enter a value when <i>ShippingType=Calculated</i> for international services.

## IntlShippingService-3:Cost

Cost to ship the item with the selected shipping service.

<b>Character limit</b>	N/A
<b>Type</b>	Currency
<b>Valid Entry</b>	Numeric amount, like 0 . 00, 1 . 99
<b>Field Dependency</b>	Must accompany IntlShippingService-3:Option. Do <i>not</i> enter a value when <i>ShippingType=Freight</i> for international services. Do <i>not</i> enter a value when <i>ShippingType=Calculated</i> for international services.

## IntlShippingService-3:Locations

An international location or region to which an item can be shipped, according to the respective shipping service. Multiple locations are separated by the pipe (|) character. For example: *Asia|Europe*.

For location field values, refer to [Values for international location fields](#) on page 54.

<b>Character limit</b>	N/A
<b>Type</b>	Text string

<b>Valid Entry</b>	Must be a valid shipping location value, like <i>Europe</i> or <i>Americas</i> .
<b>Field Dependency</b>	Field and value(s) are required when any international shipping service is specified.

## IntlShippingService-3:Option

An international shipping service the buyer can choose to ship the item.

<b>Character limit</b>	N/A
<b>Type</b>	Text string
<b>Valid Entry</b>	Must be a valid service option value.  For valid service option values, refer to <a href="#">Shipping services field values</a> on page 102.
<b>Field Dependency</b>	Must be accompanied by <i>IntlShippingService-3:Cost</i> .

## IntlShippingService-3:Priority

Defines the display order of the international shipping service options shown in your listing.

For example, if two or more international shipping services are specified, the service with *Priority=1* will be the first shipping option shown in your listing.



**Note:** Each international service priority must be unique; no two international shipping services can have the same *Priority*.

<b>Character limit</b>	N/A
<b>Type</b>	Integer
<b>Valid Entry</b>	Numeric value, like 1, 2, or 3.
<b>Field Dependency</b>	Field and a value are required if more than one international shipping service is specified.

## ShippingService-1:AdditionalCost

Cost to ship additional items when a buyer purchases two or more of the same item.

For example, if a buyer purchases three identical items, the first item ships with the price specified in *ShippingService-1:Cost*, while the remaining two items ship with the value specified in *ShippingService-1:AdditionalCost*.

If no value is provided and *Action=Add*, the value defaults to the amount specified by *ShippingService-1:Cost*.

<b>Character limit</b>	N/A
------------------------	-----



<b>Type</b>	Currency
<b>Valid Entry</b>	Numeric amount, such as 3 . 99
<b>Field Dependency</b>	Do not provide a value when: <ul style="list-style-type: none"> <li>• <i>ShippingService-1:FreeShipping=1</i></li> <li>• <i>ShippingType</i> is set to <i>Calculated</i> for domestic services</li> <li>• <i>*ShippingType</i> on page 76 is set to <i>Freight</i> for domestic services</li> </ul>

## ShippingService-1:Cost

Cost to ship the item with the selected shipping service.

<b>Character limit</b>	N/A
<b>Type</b>	Currency
<b>Valid Entry</b>	Numeric amount, like 0 . 00, 1 . 99.
<b>Field Dependency</b>	This field must accompany <i>ShippingService-1:Option</i> on page 97 regardless of whether <i>ShippingService-1:FreeShipping</i> on page 97 contains a value or not.  Do <i>not</i> enter a value when <i>ShippingService-1:FreeShipping=1</i> for domestic services.  For domestic services, do <i>not</i> enter a value when <i>ShippingType=Freight</i> .  For domestic services, do <i>not</i> enter a value when <i>ShippingType=Calculated</i> .

## ShippingService-1:FreeShipping

Determines whether shipping is free for the first domestic shipping option.



**Note:** The *FreeShipping* field does not apply to additional (or international) shipping services. If you want to offer free shipping for other services, enter a value of 0 . 00 for that service's *Cost* field.

<b>Character limit</b>	N/A
<b>Type</b>	Boolean
<b>Valid Entry</b>	1 or 0 Default is 1.

## ShippingService-1:Option

A domestic shipping service the buyer can choose to ship the item.

<b>Character limit</b>	N/A
<b>Type</b>	Text string

<b>Valid Entry</b>	Must be a valid service option value.  For valid service option values, refer to <a href="#">Shipping services field values</a> on page 102.
<b>Field Dependency</b>	Must be accompanied by <a href="#">ShippingService-1:Cost</a> on page 97.

## ShippingService-1:Priority

Defines the display order of the domestic shipping service options shown in your listing.

For example, if two or more domestic shipping services are specified, the service with *Priority* as 1 will be the first shipping option shown in your listing.



**Note:** Each domestic service priority must be unique; no two domestic shipping services can have the same *Priority*.

<b>Character limit</b>	N/A
<b>Type</b>	Integer
<b>Valid Entry</b>	Numeric value, like 1, 2, or 3.
<b>Field Dependency</b>	Field and a value are required if more than one domestic shipping service is specified.

## ShippingService-1:ShippingSurcharge

Additional cost to buyers who request an item be shipped to Alaska, Hawaii, Puerto Rico, or Guam. When you specify calculated shipping, the surcharge is automatically applied when UPS is used to ship items to these remote areas.

For more information, see [\\*ShippingType](#) on page 76.

<b>Character limit</b>	N/A
<b>Type</b>	Currency
<b>Valid Entry</b>	Numeric amount, such as 3 . 99.
<b>Field Dependency</b>	To avoid a surcharge, leave this field blank – 0 . 00 is <i>not</i> a valid value.

## ShippingService-2:AdditionalCost

For example, if a buyer purchases three identical items, the first item ships with the price specified in *ShippingService-2:Cost*, while the remaining two items ship with the value specified in *ShippingService-2:AdditionalCost*.

If no value is entered (and Action=Add), the value defaults to the *ShippingService-2:Cost* amount.

<b>Character limit</b>	N/A
<b>Type</b>	Currency

<b>Valid Entry</b>	Numeric amount, such as 3 . 99
<b>Field Dependency</b>	

## ShippingService-2:Cost

Cost to ship the item with the selected shipping service.

<b>Character limit</b>	N/A
<b>Type</b>	Currency
<b>Valid Entry</b>	Numeric amount, like 0 . 00, 1 . 99.
<b>Field Dependency</b>	This field must accompany <a href="#">ShippingService-2:Option</a> on page 99. Do <i>not</i> enter a value when <i>ShippingType=Freight</i> for domestic services. Do <i>not</i> enter a value when <i>ShippingType=Calculated</i> for domestic services.

## ShippingService-2:Option

A domestic shipping service the buyer can choose to ship the item.

<b>Character limit</b>	N/A
<b>Type</b>	Text string
<b>Valid Entry</b>	Must be a valid service option value. For valid service option values, refer to <a href="#">Shipping services field values</a> on page 102.
<b>Field Dependency</b>	Must be accompanied by <a href="#">ShippingService-2:Cost</a> on page 99.

## ShippingService-2:Priority

Defines the display order of the domestic shipping service options shown in your listing.

For example, if two or more domestic shipping services are specified, the service with *Priority* as 1 will be the first shipping option shown in your listing.



**Note:** Each domestic service priority must be unique; no two domestic shipping services can have the same *Priority*.

<b>Character limit</b>	N/A
<b>Type</b>	Integer
<b>Valid Entry</b>	Numeric value, like 1, 2, or 3.
<b>Field Dependency</b>	Field and a value are required if more than one domestic shipping service is specified.

## ShippingService-2:ShippingSurcharge

Additional cost to buyers who request an item be shipped to Alaska, Hawaii, Puerto Rico, or Guam. When you specify calculated shipping, the surcharge is automatically applied when UPS is used to ship items to these remote areas.

For more information, see *\*ShippingType* on page 76.

<b>Character limit</b>	N/A
<b>Type</b>	Currency
<b>Valid Entry</b>	Numeric amount, such as 3 . 99 .
<b>Field Dependency</b>	To avoid a surcharge, leave this field blank – 0 . 00 is <i>not</i> a valid value.

## ShippingService-3:AdditionalCost

Cost to ship additional items when a buyer purchases two or more of the same item.

For example, if a buyer purchases three identical items, the first item ships with the price specified in *ShippingService-3:Cost*, while the remaining two items ship with the value specified in *ShippingService-3:AdditionalCost*.

If no value is entered (and *Action=Add*), the value defaults to the *ShippingService-3:Cost* amount.

<b>Character limit</b>	N/A
<b>Type</b>	Currency
<b>Valid Entry</b>	Numeric amount, such as 3 . 99
<b>Field Dependency</b>	

## ShippingService-3:Cost

Cost to ship the item with the selected shipping service.

<b>Character limit</b>	N/A
<b>Type</b>	Currency
<b>Valid Entry</b>	Numeric amount, like 0 . 00, 1 . 99 .
<b>Field Dependency</b>	<p>This field must accompany <i>ShippingService-3:Option</i>.</p> <p>Do <i>not</i> enter a value when <i>ShippingType=Freight</i> for domestic services.</p> <p>Do <i>not</i> enter a value when <i>ShippingType=Calculated</i> for domestic services.</p>

## ShippingService-3:Option

A domestic shipping service the buyer can choose to ship the item.

<b>Character limit</b>	N/A
<b>Type</b>	Text string
<b>Valid Entry</b>	Must be a valid service option value. For valid service option values, refer to <a href="#">Shipping services field values</a> on page 102.
<b>Field Dependency</b>	Must be accompanied by <i>ShippingService-3:Cost</i> .

## ShippingService-3:Priority

Defines the display order of the domestic shipping service options shown in your listing.

For example, if two or more domestic shipping services are specified, the service with *Priority* as 1 will be the first shipping option shown in your listing.



**Note:** Each domestic service priority must be unique; no two domestic shipping services can have the same *Priority*.

<b>Character limit</b>	N/A
<b>Type</b>	Integer
<b>Valid Entry</b>	Numeric value, like 1, 2, or 3.
<b>Field Dependency</b>	Field and a value are required if more than one domestic shipping service is specified.

## ShippingService-3:ShippingSurcharge

Additional cost to buyers who request an item be shipped to Alaska, Hawaii, Puerto Rico, or Guam. When you specify calculated shipping, the surcharge is automatically applied when UPS is used to ship items to these remote areas.

For more information, see [\\*ShippingType](#) on page 76.

<b>Character limit</b>	N/A
<b>Type</b>	Currency
<b>Valid Entry</b>	Numeric amount, such as 3 . 99.
<b>Field Dependency</b>	To avoid a surcharge, leave this field blank – 0 . 00 is <i>not</i> a valid value.

## Shipping services field values

This section explains the shipping service codes supported in the default templates. These values are used in the `ShippingService-n:Option` field of the default templates (where `-n` equals `-1`, `-2`, or `-3`).

### Australia services options

The field values below are for the `ShippingService-n:Option` field that specifies the shipping services used in Australia.

Domestic services	International services
<i>AU_StandardDelivery</i>	<i>AU_AirMailInternational</i>
<i>AU_Regular</i>	<i>AU_AusPostRegisteredPostInternationalPaddedBag500g</i>
<i>AU_RegularParcelWithTracking</i>	<i>AU_AusPostRegisteredPostInternationalPaddedBag1kg</i>
<i>AU_RegularParcelWithTrackingAndSignature</i>	<i>AU_AusPostRegisteredPostInternationalParcel</i>
<i>AU_eBayAusPost500gFlatRateSatchel</i>	<i>AU_ExpeditedInternational</i>
<i>AU_eBayAusPost3kgFlatRateSatchel</i>	<i>AU_ExpressCourierInternational</i>
<i>AU_PrePaidParcelPostSatchels500g</i>	<i>AU_ExpressPostInternational</i>
<i>AU_PrePaidParcelPostSatchels3kg</i>	<i>AU_PrePaidExpressPostInternationalBox5kg</i>
<i>AU_Registered</i>	<i>AU_PrePaidExpressPostInternationalBox10kg</i>
<i>AU_RegisteredParcelPost</i>	<i>AU_PrePaidExpressPostInternationalBox20kg</i>
<i>AU_RegisteredParcelPostPrepaidSatchel500g</i>	<i>AU_PrePaidExpressPostInternationalEnvelopeB4</i>
<i>AU_RegisteredParcelPostPrepaidSatchel3kg</i>	<i>AU_PrePaidExpressPostInternationalEnvelopeC5</i>
<i>AU_Express</i>	<i>AU_PrePaidExpressPostInternationalSatchels2kg</i>
<i>AU_ExpressDelivery</i>	<i>AU_PrePaidExpressPostInternationalSatchels3kg</i>
<i>AU_PrePaidExpressPostSatchel500g</i>	<i>AU_SeaMailInternational</i>
<i>AU_PrePaidExpressPostSatchel3kg</i>	<i>AU_StandardInternational</i>
<i>AU_PrePaidExpressPostSatchel5kg</i>	
<i>AU_PrePaidExpressPostPlatinum500g</i>	
<i>AU_PrePaidExpressPostPlatinum3kg</i>	
<i>AU_AustralianAirExpressFlatRate1kg</i>	
<i>AU_AustralianAirExpressFlatRate3kg</i>	
<i>AU_AustralianAirExpressFlatRate5kg</i>	
<i>AU_AustralianAirExpressMetro15kg</i>	
<i>AU_EconomyDeliveryFromOutsideAU</i>	

Domestic services	International services
<i>AU_ExpeditedDeliveryFromOutsideAU</i>	
<i>AU_StandardDeliveryFromOutsideAU</i>	
<i>AU_Courier</i>	
<i>AU_Pickup</i>	

## Austria services options

The field values below are for the *ShippingService-n:Option* field that specifies the shipping services used in Austria.

Domestic services	International services
<i>AT_COD</i>	<i>AT_SonstigerVersandInternational</i>
<i>AT_ExpressOrCourier</i>	<i>AT_UnversicherterExpressVersandInternational</i>
<i>AT_InsuredDispatch</i>	<i>AT_UnversicherterVersandInternational</i>
<i>AT_InsuredExpressOrCourier</i>	<i>AT_VersicherterExpressVersandInternational</i>
<i>AT_InsuredSpecialDispatch</i>	<i>AT_VersicherterVersandInternational</i>
<i>AT_Pickup</i>	
<i>AT_Sonstige</i>	
<i>AT_SpecialDispatch</i>	
<i>AT_StandardDispatch</i>	
<i>AT_Writing</i>	

## Belgium (French) services options

The field values below are for the *ShippingService-n:Option* field that specifies the shipping services used in Belgium.

Domestic services	International services
<i>BEFR_LaPosteCertifiedShipping</i>	<i>BEFR_DHLInternational</i>
<i>BEFR_LaPosteStandardShipping</i>	<i>BEFR_FedExInternational</i>
<i>BEFR_LaPosteTaxipost24h</i>	<i>BEFR_LaPosteInternational</i>
<i>BEFR_LaPosteTaxipostLLS</i>	<i>BEFR_LivraisonSecurise</i>
<i>BEFR_LaPosteTaxipostSecur</i>	<i>BEFR_OtherInternational</i>
<i>BEFR_LivraisonSecurise</i>	<i>BEFR_PostInternationalRegistered</i>
<i>BEFR_OtherShippingMethods</i>	<i>BEFR_PostInternationalStandard</i>
<i>BEFR_Pickup</i>	<i>BEFR_TNTInternational</i>
<i>BEFR_PointRetraitKiala</i>	<i>BEFR_UPSInternational</i>

## Belgium (Dutch) services options

The field values below are for the *ShippingService-n:Option* field that specifies the shipping services used in Belgium.

Domestic services	International services
<i>BENL_DePostCertifiedShipping</i>	<i>BENL_DHLInternational</i>
<i>BENL_DePostStandardShipping</i>	<i>BENL_FedExInternational</i>
<i>BENL_DePostTaxipost24h</i>	<i>BENL_LaPosteInternational</i>
<i>BENL_DePostTaxipostLLS</i>	<i>BENL_OtherInternational</i>
<i>BENL_DePostTaxipostSecur</i>	<i>BENL_PostInternationalRegistered</i>
<i>BENL_KialaAfhaalpunt</i>	<i>BENL_PostInternationalStandard</i>
<i>BENL_OtherShippingMethods</i>	<i>BENL_TNTInternational</i>
<i>BENL_Pickup</i>	<i>BENL_UPSInternational</i>
<i>BENL_VerzekerdeVerzending</i>	<i>BENL_VerzekerdeVerzendingInternational</i>

## Canada services options

The field values below are for the *ShippingService-n:Option* field that specifies the shipping services used in Canada.

Domestic services	International services
<i>CA_Pickup</i>	<i>CA_ExpeditedInternational</i>
<i>CA_PostLettermail</i>	<i>CA_PostExpeditedParcelUSA</i>
<i>CA_PostPriorityCourier</i>	<i>CA_PostInternationalLetterPost</i>
<i>CA_PostRegularParcel</i>	<i>CA_PostInternationalParcelAir</i>
<i>CA_PostXpresspost</i>	<i>CA_PostInternationalParcelSurface</i>
<i>CA_UPSStandardCanada</i>	<i>CA_PostLightPacketInternational</i>
<i>CA_UPSExpeditedCanada</i>	<i>CA_PostLightPacketUSA</i>
<i>CA_UPSExpressCanada</i>	<i>CA_PostSmallPacketsUSAAir</i>
<i>CA_UPSExpressSaverCanada</i>	<i>CA_PostSmallPacketsUSAGround</i>
<i>CA_EconomyShippingfromoutsideCanada</i>	<i>CA_PostUSALetterPost</i>
<i>CA_ExpeditedShippingfromoutsideCanada</i>	<i>CA_PostXpresspostInternational</i>
<i>CA_StandardShippingfromoutsideCanada</i>	<i>CA_PostXpresspostUSA</i>
<i>CA_CanadaPostPriorityNextAM</i>	<i>CA_PriorityWorldwide</i>
<i>CA_EconomyShipping</i>	<i>CA_SmallPacketsInternationalAir</i>
<i>CA_ExpressShipping</i>	<i>CA_SmallPacketsInternationalGround</i>
<i>CA_StandardShipping</i>	<i>CA_StandardInternational</i>
<i>CA_PostExpeditedParcel</i>	<i>CA_UPS3DaySelectUnitedStates</i>
	<i>CA_UPSExpeditedUnitedStates</i>



Domestic services	International services
	CA_UPSExpressUnitedStates
	CA_UPSStandardUnitedStates
	CA_UPSWorldWideExpedited
	CA_UPSWorldWideExpress

## Canada (French) services options

The field values below are for the *ShippingService-n:Option* field that specifies the shipping services used in French Canada.

Domestic services	International services
QUEBEC_ExpeditiedDelivery	QUEBEC_ExpeditiedInternational
QUEBEC_PostExpeditiedParcel	QUEBEC_OtherInternational
QUEBEC_PostExpeditiedParcelUSA	QUEBEC_PostInternationalLetterPost
QUEBEC_PostLettermail	QUEBEC_PostInternationalParcelAir
QUEBEC_PostPriorityCourier	QUEBEC_PostInternationalParcelSurface
QUEBEC_PostRegularParcel	QUEBEC_PostXpresspostInternational
QUEBEC_PostSmallPacketsUSA	QUEBEC_PurolatorInternational
QUEBEC_PostSmallPacketsUSAAir	QUEBEC_SmallPacketsInternational
QUEBEC_PostSmallPacketsUSAGround	QUEBEC_SmallPacketsInternationalAir
QUEBEC_PostUSALetterPost	QUEBEC_SmallPacketsInternationalGround
QUEBEC_PostXpresspost	QUEBEC_StandardInternational
QUEBEC_PostXpresspostUSA	QUEBEC_UPSWorldWideExpedited
QUEBEC_StandardDelivery	QUEBEC_UPSWorldWideExpress
QUEBEC_UPS3DaySelectUnitedStates	
QUEBEC_UPSExpeditedCanada	
QUEBEC_UPSExpeditedUnitedStates	
QUEBEC_UPSExpressCanada	
QUEBEC_UPSExpressSaverCanada	
QUEBEC_UPSExpressUnitedStates	
QUEBEC_UPSStandardCanada	
QUEBEC_UPSStandardUnitedStates	

## China services options

The field values below are for the *ShippingService-n:Option* field that specifies the shipping services used in China.

Domestic services	International services
<i>CN_ExpressDeliveryOtherCities</i>	<i>CN_ExpeditedInternational</i>
<i>CN_ExpressDeliverySameCity</i>	<i>CN_OtherInternational</i>
<i>CN_FastPostOffice</i>	<i>CN_StandardInternational</i>
<i>CN_PostOfficeExpress</i>	
<i>CN_RegularPackage</i>	

## France services options

The field values below are for the *ShippingService-n:Option* field that specifies the shipping services used in France.

Domestic services	International services
<i>FR_AuteModeDenvoiDeColis</i>	<i>FR_ChronopostClassicInternational</i>
<i>FR_Autre</i>	<i>FR_ChronopostExpressInternational</i>
<i>FR_Chrono10</i>	<i>FR_ChronopostPremiumInternational</i>
<i>FR_Chrono13</i>	<i>FR_DHLInternational</i>
<i>FR_Chrono18</i>	<i>FR_ExpeditedInternational</i>
<i>FR_Chronopost</i>	<i>FR_LaPosteColisEconomiqueInternational</i>
<i>FR_ChronopostChronoRelais</i>	<i>FR_LaPosteColissimoEmballageInternational</i>
<i>FR_ColiposteColissimo</i>	<i>FR_LaPosteColissimoInternational</i>
<i>FR_ColiposteColissimoRecommended</i>	<i>FR_LaPosteInternationalEconomyCourier</i>
<i>FR_Ecopli</i>	<i>FR_LaPosteInternationalPriorityCourier</i>
<i>FR_LaPosteLetterMax</i>	<i>FR_OtherInternational</i>
<i>FR_PostOfficeLetter</i>	<i>FR_StandardInternational</i>
<i>FR_PostOfficeLetterFollowed</i>	<i>FR_UPSExpressInternational</i>
<i>FR_PostOfficeLetterRecommended</i>	<i>FR_UPSStandardInternational</i>
<i>FR_RemiseEnMainPropre</i>	
<i>FR_UPSStandardAgainstRefund</i>	
<i>FR_EconomyDeliveryFromAbroad</i>	
<i>FR_ExpressDeliveryFromAbroad</i>	
<i>FR_StandardDeliveryFromAbroad</i>	

## Germany services options

The field values below are for the *ShippingService-n:Option* field that specifies the shipping services used in Germany.

Domestic services	International services
<i>DE_DHLPackchen</i>	<i>DE_DeutschePostBriefInternational</i>

<b>Domestic services</b>	<b>International services</b>
<i>DE_DHLPaket</i>	<i>DE_DHLPackchenInternational</i>
<i>DE_DPBUecherWarensendung</i>	<i>DE_DHLPaketInternational</i>
<i>DE_DPDCClassic</i>	<i>DE_ExpressInternational</i>
<i>DE_DPDExpress</i>	<i>DE_HermesPaketInternational</i>
<i>DE_DeutschePostBrief</i>	<i>DE_IloxxTransportInternational</i>
<i>DE_eBayHermesPaketShop2ShopKaeufer</i>	<i>DE_PaketInternational</i>
<i>DE_Einschreiben</i>	<i>DE_SonstigeInternational</i>
<i>DE_eBayHermesPaketSperrgutShop2Shop</i>	
<i>DE_Express</i>	
<i>DE_ExpressversandAusDemAusland</i>	
<i>DE_GLSPaket</i>	
<i>DE_HermesPaket</i>	
<i>DE_HermesPackchen</i>	
<i>DE_HermesPaketSperrgut</i>	
<i>DE_IloxxTransport</i>	
<i>DE_Nachname</i>	
<i>DE_Paket</i>	
<i>DE_Pickup</i>	
<i>DE_SonstigeDomestic</i>	
<i>DE_SparversandAusDemAusland</i>	
<i>DE_SpecialDelivery</i>	
<i>DE_StandardversandAusDemAusland</i>	
<i>DE_UPSExpress</i>	
<i>DE_UPSStandard</i>	

## Hong Kong services options

The field values below are for the *ShippingService-n:Option* field that specifies the shipping services used in Hong Kong.

<b>Domestic services</b>	<b>International services</b>
<i>HK_DomesticRegularShipping</i>	<i>HK_InternationalRegularShipping</i>
<i>HK_DomesticSpecialShipping</i>	<i>HK_InternationalSpecialShipping</i>
<i>HK_LocalCourier</i>	
<i>HK_LocalPickUpOnly</i>	

## Ireland services options

The field values below are for the *ShippingService-n:Option* field that specifies the shipping services used in Ireland.

Domestic services	International services
<i>IE_CollectionInPerson</i>	<i>IE_CollectionInPersonInternational</i>
<i>IE_EconomySDSCourier</i>	<i>IE_EconomySDSCourierInternational</i>
<i>IE_EMSSDSCourier</i>	<i>IE_EMSSDSCourierInternational</i>
<i>IE_FirstClassLetterService</i>	<i>IE_InternationalEconomyService</i>
<i>IE_OtherCourier</i>	<i>IE_InternationalPriorityService</i>
<i>IE_RegisteredPost</i>	<i>IE_OtherCourierInternational</i>
<i>IE_SellersStandardRate</i>	<i>IE_SellersStandardRateInternational</i>
<i>IE_SwiftPostNational</i>	<i>IE_SellersStandardRateInternational</i>
	<i>IE_SwiftPostExpressInternational</i>
	<i>IE_SwiftPostInternational</i>

## India services options

The field values below are for the *ShippingService-n:Option* field that specifies the shipping services used in India.

Domestic services	International services
<i>IN_BuyerPicksUpAndPays</i>	<i>IN_ExpeditedInternational</i>
<i>IN_Courier</i>	<i>IN_OtherInternational</i>
<i>IN_Express</i>	<i>IN_StandardInternational</i>
<i>IN_FlatRateCOD</i>	
<i>IN_Regular</i>	

## Italy services options

The field values below are for the *ShippingService-n:Option* field that specifies the shipping services used in Italy.

Domestic services	International services
<i>IT_ExpressCourier</i>	<i>IT_ExpeditedInternational</i>
<i>IT_ExpressPackageMaxi</i>	<i>IT_OtherInternational</i>
<i>IT_InsuredMail</i>	<i>IT_StandardInternational</i>
<i>IT_MailRegisteredLetter</i>	
<i>IT_Pickup</i>	
<i>IT_PriorityMail</i>	

Domestic services	International services
<i>IT_QuickMail</i>	
<i>IT_QuickPackage1</i>	
<i>IT_QuickPackage3</i>	
<i>IT_RegularPackage</i>	
<i>IT_EconomyDeliveryFromAbroad</i>	
<i>IT_ExpressDeliveryFromAbroad</i>	
<i>IT_StandardDeliveryFromAbroad</i>	

## Malaysia services options

The field values below are for the *ShippingService-n:Option* field that specifies the shipping services used in Malaysia.

Domestic services	International services
<i>MY_DomesticNonStandardMail</i>	None
<i>MY_DomesticStandardMail</i>	
<i>MY_LocalCourier</i>	
<i>MY_LocalPickupOnly</i>	

## Netherlands services options

The field values below are for the *ShippingService-n:Option* field that specifies the shipping services used in the Netherlands.

Domestic services	International services
<i>NL_Other</i>	<i>NL_DHLInternational</i>
<i>NL_ParcelPost</i>	<i>NL_DPDGBRInternational</i>
<i>NL_Pickup</i>	<i>NL_ExpeditedInternational</i>
<i>NL_RegisteredMail</i>	<i>NL_FedExInternational</i>
<i>NL_StandardDelivery</i>	<i>NL_GLSBusinessInternational</i>
	<i>NL_OtherInternational</i>
	<i>NL_StandardInternational</i>
	<i>NL_TPGPostTNTInternational</i>
	<i>NL_UPSInternational</i>

## Philippines services options

The field values below are for the *ShippingService-n:Option* field that specifies the shipping services used in the Philippines.

Domestic services	International services
<i>PH_DomesticNonStandardMail</i>	None
<i>PH_DomesticStandardMail</i>	
<i>PH_LocalCourier</i>	
<i>PH_LocalPickupOnly</i>	

## Poland services options

The field values below are for the *ShippingService-n:Option* field that specifies the shipping services used in Poland.

Domestic services	International services
<i>PL_DomesticRegular</i>	<i>PL_DHLInternational</i>
<i>PL_DomesticSpecial</i>	<i>PL_InternationalRegular</i>
	<i>PL_InternationalSpecial</i>
	<i>PL_UPSInternational</i>

## Singapore services options

The field values below are for the *ShippingService-n:Option* field that specifies the shipping services used in Singapore.

Domestic services	International services
<i>SG_DomesticNonStandardMail</i>	None
<i>SG_DomesticSpeedpostIslandwide</i>	
<i>SG_DomesticStandardMail</i>	
<i>SG_LocalCourier</i>	
<i>SG_LocalPickUpOnly</i>	

## Spain services options

The field values below are for the *ShippingService-n:Option* field that specifies the shipping services used in Spain.

Domestic services	International services
<i>ES_CartasInternacionalesDeMas20</i>	<i>ES_CartasPostalInternational</i>
<i>ES_CartasInternacionalesHasta20</i>	<i>ES_EconomyPacketInternational</i>
<i>ES_CartasNacionalesDeMas20</i>	<i>ES_EmsPostalExpressInternational</i>
<i>ES_CartasNacionalesHasta20</i>	<i>ES_ExpeditedInternational</i>
<i>ES_Otros</i>	<i>ES_OtherInternational</i>
<i>ES_PaqueteAzulDeMas2kg</i>	<i>ES_StandardInternational</i>

Domestic services	International services
<i>ES_PaqueteAzulHasta2kg</i>	
<i>ES_PaqueteInternacionalEconomico</i>	
<i>ES_Pickup</i>	
<i>ES_Urgente</i>	

## Switzerland services options

The field values below are for the *ShippingService-n:Option* field that specifies the shipping services used in Switzerland.

Domestic services	International services
<i>CH_COD</i>	<i>CH_EconomySendungenInternational</i>
<i>CH_ExpressOrCourier</i>	<i>CH_PrioritySendungenInternational</i>
<i>CH_InsuredDispatch</i>	<i>CH_SonstigerVersandInternational</i>
<i>CH_InsuredExpressOrCourier</i>	<i>CH_UrgentSendungenInternational</i>
<i>CH_InsuredSpecialDispatch</i>	
<i>CH_Pickup</i>	
<i>CH_Sonstige</i>	
<i>CH_SpecialDispatch</i>	
<i>CH_StandardDispatchAPost</i>	
<i>CH_StandardDispatchBPost</i>	
<i>CH_Writing</i>	

## Taiwan services options

The field values below are for the *ShippingService-n:Option* field that specifies the shipping services used in Taiwan.

Domestic services	International services
<i>TW_COD</i>	<i>TW_CPIInternationalEMS</i>
<i>TW_DwellingMatchCOD</i>	<i>TW_CPIInternationalLetterPost</i>
<i>TW_DwellingMatchPost</i>	<i>TW_CPIInternationalOceanShippingParcel</i>
<i>TW_ExpressMail</i>	<i>TW_CPIInternationalParcelPost</i>
<i>TW_Other</i>	<i>TW_CPIInternationalRegisteredLetterPost</i>
<i>TW_ParcelPost</i>	<i>TW_CPIInternationalRegisteredParcelPost</i>
<i>TW_RegisteredMail</i>	<i>TW_FedExInternationalEconomy</i>
<i>TW_SelfPickup</i>	<i>TW_FedExInternationalPriority</i>
<i>TW_UnregisteredMail</i>	<i>TW_OtherInternational</i>
	<i>TW_UPSWorldwideExpedited</i>

Domestic services	International services
	<i>TW_UPSWorldwideExpress</i>
	<i>TW_UPSWorldwideExpressPlus</i>

## United Kingdom services options

The field values below are for the *ShippingService-n:Option* field that specifies the shipping services used in the United Kingdom.

Domestic services	International services
<i>UK_CollectDropAtStoreDeliveryToDoor</i>	<i>UK_CollectInPersonInternational</i>
<i>UK_CollectInPerson</i>	<i>UK_OtherCourierOrDeliveryInternational</i>
<i>UK_EconomyShippingFromOutside</i>	<i>UK_ParcelForceEuro48International</i>
<i>UK_ExpeditedShippingFromOutside</i>	<i>UK_ParcelForceInternationalDatapost</i>
<i>UK_myHermesDoorToDoorService</i>	<i>UK_ParcelForceInternationalScheduled</i>
<i>UK_OtherCourier</i>	<i>UK_ParcelForceIreland24International</i>
<i>UK_OtherCourier24</i>	<i>UK_RoyalMailAirmailInternational</i>
<i>UK_OtherCourier3Days</i>	<i>UK_RoyalMailAirsureInternational</i>
<i>UK_OtherCourier48</i>	<i>UK_RoyalMailHMForcesMailInternational</i>
<i>UK_OtherCourier5Days</i>	<i>UK_RoyalMailInternationalSignedFor</i>
<i>UK_Parcelforce24</i>	<i>UK_RoyalMailSurfaceMailInternational</i>
<i>UK_Parcelforce48</i>	<i>UK_SellersStandardInternationalRate</i>
<i>UK_RoyalMailFirstClassRecorded</i>	
<i>UK_RoyalMailFirstClassStandard</i>	
<i>UK_RoyalMailSecondClassRecorded</i>	
<i>UK_RoyalMailSecondClassStandard</i>	
<i>UK_RoyalMailSpecialDelivery9am</i>	
<i>UK_RoyalMailSpecialDeliveryNextDay</i>	
<i>UK_RoyalMailStandardParcel</i>	
<i>UK_SellersStandardRate</i>	
<i>UK_StandardShippingFromOutside</i>	

## United States services options

The field values below are for the *ShippingService-n:Option* field that specifies the shipping services used in the United States of America.

In the following table, the value for *Other* designates *economy* shipping.

Domestic services	International services
<i>EconomyShippingFromOutsideUS</i>	<i>ExpeditedInternational</i>



<b>Domestic services</b>	<b>International services</b>
<i>ExpeditedShippingFromOutsideUS</i>	<i>FedExGroundInternationalToCanada</i>
<i>ePacketChina</i>	<i>FedExInternationalEconomy</i>
<i>ePacketHongKong</i>	<i>FedExInternationalPriority</i>
<i>FedEx2Day</i>	<i>OtherInternational</i>
<i>FedExExpressSaver</i>	<i>StandardInternational</i>
<i>FedExHomeDelivery</i>	<i>UPSStandardToCanada</i>
<i>FedExPriorityOvernight</i>	<i>UPSWorldWideExpedited</i>
<i>FedExStandardOvernight</i>	<i>UPSWorldWideExpress</i>
<i>Other</i>	<i>UPSWorldWideExpressPlus</i>
<i>Pickup</i>	<i>UPSWorldwideSaver</i>
<i>ShippingMethodExpress</i>	<i>USPSExpressMailInternational</i>
<i>ShippingMethodOvernight</i>	<i>USPSExpressMailInternationalFlatRateEnvelope</i>
<i>ShippingMethodStandard</i>	<i>USPSExpressMailInternationalLegalFlatRateEnvelope</i>
<i>StandardShippingFromOutsideUS</i>	<i>USPSFirstClassMailInternational</i>
<i>UPS2ndDay</i>	<i>USPSPriorityMailInternational</i>
<i>UPS3rdDay</i>	<i>USPSPriorityMailInternationalFlatRateBox</i>
<i>UPSGround</i>	<i>USPSPriorityMailInternationalFlatRateEnvelope</i>
<i>UPSNextDay</i>	<i>USPSPriorityMailInternationalLargeFlatRateBox</i>
<i>UPSNextDayAir</i>	<i>USPSPriorityMailInternationalLegalFlatRateEnvelope</i>
<i>USPSExpressFlatRateEnvelope</i>	<i>USPSPriorityMailInternationalPaddedFlatRateEnvelope</i>
<i>USPSExpressMail</i>	<i>USPSPriorityMailInternationalSmallFlatRateBox</i>
<i>USPSExpressMailLegalFlatRateEnvelope</i>	
<i>USPSFirstClass</i>	
<i>USPSMedia</i>	
<i>USPSParcel</i>	
<i>USPSPriority</i>	
<i>USPSPriorityFlatRateBox</i>	
<i>USPSPriorityFlatRateEnvelope</i>	
<i>USPSPriorityMailLargeFlatRateBox</i>	
<i>USPSPriorityMailLegalFlatRateEnvelope</i>	
<i>USPSPriorityMailPaddedFlatRateEnvelope</i>	
<i>USPSPriorityMailSmallFlatRateBox</i>	

## Result and report fields

Explains the field definitions used for upload results and various reports.

## Load results report fields

The table below explains the load results field data downloaded from File Exchange.

Load Results Report Fields	
Field Name	Description
<i>Action</i>	Action value for corresponding listing.
<i>ApplicationData</i>	Custom, application-specific data to be associated with the new item.
<i>AuctionLengthFee</i>	eBay fee for 10-day auction for this listing.
<i>BoldFee</i>	eBay fee to boldface the title for the item listing.
<i>BorderFee</i>	eBay fee to display a border around an item in the listing.
<i>BuyItNowFee</i>	eBay fee to add the <i>BuyItNow</i> feature on this listing.
<i>CategoryFeaturedFee</i>	eBay fee for listing the item in the selected category.
<i>CurrencyID</i>	Specifies currency type, such as USD, CAD, GBP, AUD, EUR, CHF, TWD, CNY, INR
<i>CustomLabel</i>	Holds your internal SKU or unique identifier and is a very useful way to index your inventory with eBay listings and associated costs.
<i>EndTime</i>	Time listing will end on eBay site. <b>Type:</b> YYYY-MM-DD HH:MM:SS. Hours are in 24-hour format (for example, 2:00:00pm is shown as 14:00:00) and treated as GMT.
<i>ErrorCode</i>	Code number denoting reason for the listing failure during upload.
<i>ErrorMessage</i>	Text description that corresponds to <i>ErrorCode</i> .
<i>FeaturedFee</i>	eBay fee to list the item at the top of the item listings.
<i>FeaturedGalleryFee</i>	eBay fee to list a fixed-price item for a certain duration.
<i>FixedPriceDurationFee</i>	eBay fee for using the <i>FixedPriceDuration</i> feature on this listing.
<i>GalleryFee</i>	eBay fee to have the item included in the gallery.
<i>GiftIconFee</i>	eBay fee to display the gift icon next to the listing.
<i>HighlightFee</i>	eBay fee to make the listing appear highlighted.
<i>InsertionFee</i>	Basic eBay fee for listing the item. EU residents who sell items on EU sites may be subject to VAT.
<i>InternationalInsertionFee</i>	For sites that don't normally charge insertion fees, a fee for offering shipping to countries other than the country of the listing site.
<i>ItemID</i>	eBay-designated ID number that is given to successful listings only.
<i>LineNumber</i>	Line number of the listing from your upload file.
<i>ListingDesignerFee</i>	eBay fee to list the item using a Listing Designer layout or theme template.  Using Motors vehicle listings might result in a higher fee.

Load Results Report Fields	
Field Name	Description
<i>ListingFee</i>	Total eBay fee for listing the item, which includes basic fee (InsertionFee) plus any specialty listing features (GalleryFee, HighLightFee, FeaturedFee, ListingDesignerFee, etc.). EU residents who sell items on EU sites may be subject to VAT.
<i>PhotoDisplayFee</i>	eBay fee use of Photo Hosting feature, a slideshow of multiple images.
<i>PhotoFee</i>	eBay fee for associating photos with the listed item.
<i>ProPackBundleFee</i>	Fee for selecting ProPackBundle (at a discount over individually selecting <i>BoldTitle</i> ). Valid only for U.S. and Canadian eBay Motors.
<i>ReserveFee</i>	eBay fee for specifying a reserve price for the auctioned item.
<i>SchedulingFee</i>	eBay fee to schedule a listing for a later date.
<i>StartTime</i>	Time listing went live on eBay site (same as ScheduleTime, if used). Type: YYYY-MM-DD HH:MM:SS. Hours are in 24-hour format (for example, 2:00:00pm is shown as 14:00:00) and treated as GMT.
<i>Status</i>	Specifies success or failure of action for listing. If "Fail," <i>ErrorCode</i> and <i>ErrorMessage</i> fields provide corresponding information.
<i>SubtitleFee</i>	eBay fee to add a subtitle to item listing.

### Active Listings report fields

The table below explains the Active Listings report field data downloaded from File Exchange.

Active Listings Report Fields	
Field Name	Description
<i>Bids</i>	Current number of bids on a listing. Only applies to Chinese and Live Auctions. (Note that the Live Auctions option gives you a snapshot of you're my eBay active listings which includes any Live Auction listings.)
<i>CategoryLeafName</i>	Name of leaf category.
<i>CategoryNumber</i>	Number of the leaf category in which the listing was created.
<i>Condition</i>	Physical condition of the item.
<i>CustomLabel</i>	Value you can assign (such as internal SKU or unique identifier); way to index your inventory with eBay listings and associated costs.
<i>DownloadDate</i>	Date/time the Active Listings file was downloaded; for example, Mar-29-10 13:32:01 PST.
<i>EndDate</i>	Date the listing was ended; for example, Apr-01-10.
<i>ItemID</i>	eBay-generated ID number that is given to successful listings only.
<i>ItemTitle</i>	Title displayed in the listing.
<i>Price</i>	Chinese, Live Auctions = Highest current bid; Fixed Price, Store Inventory = Buy It Now price; Second Chance Offer = Price offered; Ad/Real Estate

Active Listings Report Fields	
Field Name	Description
	= Listed price (Note that the Live Auctions option gives you a snapshot of you're my eBay active listings which includes any Live Auction listings.)
<i>Purchases</i>	Only applies to Store Inventory and Fixed Price. Current number of purchases for a listing. Note that # of purchases does not necessarily = # of items purchased.
<i>QuantityAvailable</i>	Number of items remaining for a particular listing.
<i>SiteListed</i>	eBay site on which the item is listed, denoted by an integer; for example, 0 (U.S.), 100 (eBay Motors), 77 (Germany).
<i>StartDate</i>	Date the listing was created; for example, Mar-25-08.

### Sold Listings report fields

The table below explains the Sold Listings report field data downloaded from File Exchange.

Sold Listings Report Fields	
Field Name	Description
<i>Buyer Address 1</i>	Buyer's primary address.
<i>Buyer Address 2</i>	Buyer's secondary address.
<i>Buyer City</i>	Buyer's city.
<i>Buyer Country</i>	Buyer's country.
<i>Buyer Email</i>	Buyer's email address.
<i>Buyer Fullname</i>	Buyer's first and last name.
<i>Buyer Phone Number</i>	Buyer's phone number.
<i>Buyer State</i>	Buyer's state.
<i>Buyer Zip</i>	Buyer's postal code.
<i>Checkout Date</i>	Date the sales transaction occurred.
<i>CustomLabel</i>	Value you can assign (such as internal SKU or unique identifier); way to index your inventory with eBay listings and associated costs.
<i>Feedback Left</i>	Shows if you sent feedback for the buyer (Yes/No).
<i>Feedback Received</i>	Shows if the buyer gave you feedback (Yes/No).
<i>ItemID</i>	eBay-generated ID number that is given to successful listings only.
<i>ItemTitle</i>	Title displayed in the listing.
<i>Listed On</i>	Site where the listing appeared.
<i>Notes to Yourself</i>	Information about the item (not seen by the buyer).
<i>Order ID</i>	Numeric ID for an order, which has multiple transactions.

Sold Listings Report Fields	
Field Name	Description
<i>Paid on Date</i>	Date the item was paid for.
<i>Payment Method</i>	How the item was paid for.
<i>PayPal Transaction ID</i>	Numeric ID for a PayPal transaction that involves eBay.
<i>ProductIDType</i>	Type of data contained in <i>ProductIDValue</i> such as ISBN, UPC, EAN or eBay-generated Product Identifier.
<i>Product ID Value 1</i>	Value of first ProductIDType.
<i>Product ID Value 2</i>	Value of second ProductIDType, like when two ISBN numbers are used. For example, the ISBN-13 number is shown in Product ID Value 1, and the ISBN-10 number is shown in Product ID Value 2.
<i>Purpose</i>	Unique payment ID for this transaction.
<i>Quantity</i>	Number of item purchased.
<i>Sale Date</i>	Purchased date of the item(s).
<i>Sale Price</i>	The amount the item sold for (not including shipping costs).
<i>Sales Record Number</i>	Numeric ID of the listing after the item sells.
<i>Sales Tax</i>	The tax cost for the item.
<i>Shipped on Date</i>	Date item was sent to the buyer.
<i>Shipping and Handling</i>	Total of shipping and handling costs.
<i>Shipping Service</i>	Carrier used to ship the item.
<i>Sold On</i>	The marketplace where the item was sold, such as eBay.
<i>Total Price</i>	Total cost of the item, including shipping cost.
<i>Total Price</i>	Total cost of the item, including P&P cost.
<i>Transaction ID</i>	Numeric ID for a single transaction.
<i>User ID</i>	Member ID of the buyer.
<i>Variation Details</i>	Lists the variations used in the listing.

## Active Listings report

The following table describes the fields in the Active Listings report, which you can download from File Exchange.

Active Listings Report Fields	
Field Name	Description
<i>Bids</i>	Current number of bids for an active listing.
<i>CategoryLeafName</i>	Name of leaf category.

Active Listings Report Fields	
Field Name	Description
<i>Category Number</i>	Numeric ID of the category in which the item is to be listed.
<i>Condition</i>	The physical condition of the item.
<i>Condition ID</i>	Numeric value used to denote the condition of an item. For example, 1000, 2750, or 3000.
<i>Custom Label</i>	Contains an internal SKU or unique identifier and is a very useful way to index your inventory with eBay listings and associated costs.
<i>Download Date</i>	Date and time at which the file was downloaded. For example, 29-Mar-12 13:32:01 PST.
<i>End Date</i>	Date on which the listing ended; for example, 1-Apr-12.
<i>Item ID</i>	Numeric ID assigned to the item when it is successfully listed. In the Load Results report for the Add action, this is the ItemID that the system has assigned to each successful listing (for other actions, it will be returned if you included it in your upload file).
<i>Item Title</i>	Title displayed in the listing.
<i>Price</i>	One of the following. For: <ul style="list-style-type: none"> <li>• Active auctions, the highest current bid</li> <li>• Fixed Price and Store Inventory items, the Buy It Now price</li> <li>• Second Chance Offers, the price offered</li> <li>• Ad/Real Estate, the listed price</li> </ul>
<i>Private Notes</i>	Any content about the item or the transaction that you provided in your upload file.
<i>Product:EPID</i>	eBay Product ID (EPID) of the item.
<i>Purchases</i>	Applies to Store Inventory and Fixed Price sales only. This is the current number of purchases for a listing. The number of purchases does not necessarily equal the number of items purchased.
<i>QuantityAvailable</i>	Number of items remaining for a specific listing.
<i>Site Listed</i>	The eBay site on which the item is listed, denoted by an integer. For example, 0 (U.S.), 100 (eBay Motors), or 77 (Germany).
<i>Start Date</i>	Date on which the listing was created. For example, 25-Mar-12.
<i>Type</i>	Numeric ID for the type of auction. For example, 1 is Auction, 7 is Store Fixed Price, 9 is Basic Fixed Price, and 13 is Lead Generation.
<i>Variation Details</i>	Provides the variations used in the listing.

## Awaiting Payment report

The following table describes the fields in the Awaiting Payment report, which you can download from File Exchange.

<b>Awaiting Payment Report Fields</b>	
<b>Field Name</b>	<b>Description</b>
<i>Buyer Address 1</i>	Physical address of the buyer, typically a post office box, street address, or house name.
<i>Buyer Address 2</i>	Supplement physical address of the buyer such as an apartment or suite number.
<i>Buyer City</i>	City in which the buyer resides.
<i>Buyer Country</i>	Country in which the buyer resides.
<i>Buyer Email</i>	eMail address of the buyer.
<i>Buyer Fullname</i>	Name of the buyer.
<i>Buyer Phone Number</i>	(US only) Phone number of the buyer.
<i>Buyer State</i>	State in which the buyer resides.
<i>Buyer Zip</i>	ZIP code or postal code for the area in which the buyer resides.
<i>Checkout Date</i>	Date on which the buyer set up a payment.
<i>Custom Label</i>	Contains an internal SKU or unique identifier and is a very useful way to index your inventory with eBay listings and associated costs.
<i>Feedback Left</i>	Indicates that feedback was created for the seller.
<i>Feedback Received</i>	Indicates that the feedback was received from the buyer.
<i>Insurance</i>	Amount of insurance (if applicable) to be paid for by the buyer.
<i>Item ID</i>	Numeric ID assigned to the item when it is successfully listed. In the Load Results report for the Add action, this is the ItemID that the system has assigned to each successful listing (for other actions, it will be returned if you included it in your upload file).
<i>Item Title</i>	Title displayed in the listing.
<i>Listed On</i>	Date on which the item was listed.
<i>Notes to Yourself</i>	Details provided by the seller about the transaction.
<i>Order ID</i>	Numeric ID of the listing assigned when the order is placed.
<i>Paid on Date</i>	Date on which the buyer paid for the item.
<i>Payment Method</i>	Means by which the buyer is to remit payment.
<i>PayPal Transaction ID</i>	If payment is remitted with PayPal, this value is the transaction ID number assigned by PayPal.
<i>Private Notes</i>	Any content about the item or the transaction that you provided in your upload file.
<i>Product:EPID</i>	eBay Product ID (EPID) of the item.
<i>Quantity</i>	Number of units of a specific item available for purchase.
<i>Sale Date</i>	Date on which the sale took place.
<i>Sale Price</i>	The amount the item sold for, not including shipping and handling.
<i>Sales Record Number</i>	Numeric ID of the listing assigned after the item sells.

Awaiting Payment Report Fields	
Field Name	Description
<i>Sales Tax</i>	Amount of sales tax (if applicable) to be paid for by the buyer.
<i>Shipped on Date</i>	Date on which the seller shipped the item.
<i>Shipping and Handling</i>	Total costs charged to the customer to prepare and ship the item.
<i>Shipping Service</i>	Means by which the item was shipped.
<i>Sold On</i>	Site on which the item was sold (for example, eBay, Half.com, or WofG.com).
<i>Total Price</i>	Total cost of the item, including shipping and handling (as well as sales tax, and insurance if applicable).
<i>Transaction ID</i>	Numeric ID for a single transaction.
<i>User Id</i>	User Id of the buyer.
<i>Variation Details</i>	Provides the variations used in the listing.

## Load Response Results report

The following table describes the fields in the Load Response Results report, which you can download from File Exchange.

Load Response Results Report Fields	
Field Name	Description
<i>Action</i>	Action value for a corresponding listing.
<i>ApplicationData</i>	Custom, application-specific data to be associated with the new item.
<i>AuctionLengthFee</i>	eBay fee for 10-day auction for this listing.
<i>BoldFee</i>	eBay fee to display the title of a listing in bold type.
<i>BorderFee</i>	eBay fee to display a border around an item in the listing.
<i>BuyItNowFee</i>	eBay fee to add the BuyItNow feature on this listing.
<i>CategoryFeaturedFee</i>	eBay fee for listing the item in a selected category.
<i>CurrencyID</i>	Specifies currency type, such as USD, CAD, GBP, AUD, EUR, CHF, TWD, CNY, and INR.
<i>Custom Label</i>	Contains an internal SKU or unique identifier and is a very useful way to index your inventory with eBay listings and associated costs.
<i>EndTime</i>	Time at which the listing will end on eBay. Type: YYYY-MM-DD HH:MM:SS. Hours are displayed in 24-hour format (for example, 2:00:00pm is shown as 14:00:00) and treated as GMT.
<i>ErrorCode</i>	Code number denoting reason for the listing failure during upload.
<i>ErrorMessage</i>	Text description that corresponds to <i>ErrorCode</i> .



Load Response Results Report Fields	
Field Name	Description
<i>FeaturedFee</i>	eBay fee to list the item at the top of the item listings.
<i>FeaturedGalleryFee</i>	eBay fee to list a fixed-price item for a certain duration.
<i>FixedPriceDurationFee</i>	eBay fee to list a fixed-price item for a certain duration.
<i>GalleryFee</i>	eBay fee to have the item included in the gallery.
<i>GiftIconFee</i>	eBay fee to display the gift icon next to the listing.
<i>HighlightFee</i>	eBay fee to make the listing appear highlighted.
<i>InsertionFee</i>	Basic eBay fee for listing the item. EU residents who sell items on EU sites may be subject to VAT.
<i>InternationalInsertionFee</i>	For sites that don't normally charge insertion fees, a fee for offering shipping to countries other than the country of the listing site.
<i>Item ID</i>	Numeric ID assigned to the item when it is successfully listed. In the Load Results report for the Add action, this is the ItemID that the system has assigned to each successful listing (for other actions, it will be returned if you included it in your upload file).
<i>LineNumber</i>	Line number of the listing from your upload file.
<i>ListingDesignerFee</i>	For sites that don't normally charge insertion fees, a fee for offering shipping to countries other than the country of the listing site.
<i>ListingFee</i>	Total eBay fee for listing the item, which includes basic fee (InsertionFee) plus any specialty listing features (GalleryFee, HighLightFee, FeaturedFee, ListingFee, and so forth). EU residents who sell items on EU sites may be subject to VAT.
<i>PhotoDisplayFee</i>	eBay fee to use the Photo Hosting feature, a slide show of multiple images.
<i>PhotoFee</i>	eBay fee for associating photos with the listed item.
<i>ProPackBundleFee</i>	Fee for selecting ProPackBundle (at a discount over individually selecting BoldTitle). Valid only for U.S. and Canadian eBay Motors.
<i>ReserveFee</i>	eBay fee for specifying a reserve price for the auctioned item.
<i>SchedulingFee</i>	eBay fee to schedule a listing for a later date.
<i>StartTime</i>	Time listing went live on eBay site (same as ScheduleTime, if used). Type: YYYY-MM-DD HH:MM:SS. Hours are in 24-hour format (for example, 2:00:00pm is shown as 14:00:00) and treated as GMT.
<i>Status</i>	<i>(Awaiting Payment, Paid Not Shipped)</i> Specifies the status of the purchase; should be Refunded or Shipped, depending on the purpose of the uploaded file.  <i>(Unsold Items)</i> Indicates the success or failure of an action in a listing. If "Fail," ErrorCode and ErrorMessage fields provide corresponding information.
<i>SubtitleFee</i>	eBay fee to add a subtitle to item listing.

## Global Trade Item Number report

Use this section to learn about the fields contained in the Global Trade Item Number report.

### Creating a Global Trade Item Number report

Global Trade Item Numbers are integral to worldwide e-commerce because Internet search engines use Global Trade Item Numbers to find products. Examples of Global Trade Item Numbers include bar codes, Universal Product Codes (UPC), International Standard Book Numbers (ISBN), and European Article Numbers (EAN). For more information about these product identifiers, see [Using product identifiers](#) on page 22.

When you associate Global Trade Item Numbers with your listings, you ensure that your listings are identified in searches performed by potential buyers. Run this report to view - in one place - all the Global Trade Item Numbers associated with your listings. For example:

	ItemID	Product:UPC	Product:ISBN	Product:EAN	Product:MPN	Product:EPID
iPhone 4s White 16GB	327095898004	885909459858			MC920LL/A	EPID30971438
iPad 2 32GB 3G	280724702242	885909457625		0885909464845	MC774LL/A	EPID14309738
Garvin Nuvi 255W	400752507118	753759077600			010-00718-20	
Canon EOS 60D 18MP DSLR	250924892746	452426640795			4460B003	EPID09731438

To create a Global Trade Item Number report:

1. Using a web browser, go to the [Create a Download Request](#) page.
2. Under *Listing and Records*, select **Active**.
3. Verify your eBay account email address.
4. Under *Download Format*, select **File Exchange** and then select **Add Unique Identifiers (UPC/EAN/ISBN/Brand/MPN)**.
5. Under *Date Range*, select either **All Active Listings** or **Active Listings Closing** and then use the date fields to define the desired date range you want to view.
6. Click **Save**. Make a note of the reference number displayed on the Create a Download Request: Success page, which identifies the report you just requested.
7. In the File Exchange navigation bar, click **Completed Downloads**. Your request is displayed on this page. Until it is complete, the request is designated as "in progress."
8. To view the report when it is complete, click the respective **Download** link.
9. When prompted, open the file. Be sure to save the file on your computer.
10. When using Microsoft Excel, you may need to widen the ItemID column to view entire value. To do so, click the right-mouse button and select Format Cells. Move the cursor to the ItemID column and in the Format Cells window under Category, select **Number**. Set Decimal Places to 0 (zero) and, finally, click **OK**.

### Describing the Global Trade Item Number report fields

The following table describes the fields in the Global Trade Item Number report:

Field Name	Description
<i>Action</i>	Action value for a corresponding listing.
<i>Item ID</i>	Numeric ID assigned to the item when it is successfully listed. In the Load Results report for the Add action, this is the ItemID that the system has assigned to each successful listing (for other actions, it will be returned if you included it in your upload file).
<i>Product:UPC</i>	Universal Product Code (UPC) of the item.
<i>Product:ISBN</i>	International Standard Book Number (ISBN) of the item.
<i>Product:EAN</i>	European Article Number (EAN) of the item.
<i>Product:EPID</i>	eBay Product ID (EPID) of the item.
<i>Product:MPN</i>	Manufacturer's Part Number (MPN) of the item.
<i>Product:IncludePreFilledInformation</i>	Indicates that the listing contains pre-filled information.
<i>Condition ID</i>	Numeric value used to denote the condition of an item. For example, 1000, 2750, or 3000.

## Paid and Awaiting Shipment report

The following table describes the fields in the Paid and Awaiting Shipment report, which you can download from

Paid and Awaiting Shipment Report Fields	
Field Name	Description
<i>Buyer Address 1</i>	Physical address of the buyer, typically a post office box, street address, or house name.
<i>Buyer Address 2</i>	Supplement physical address of the buyer such as an apartment or suite number.
<i>Buyer City</i>	City in which the buyer resides.
<i>Buyer Country</i>	Country in which the buyer resides.
<i>Buyer Email</i>	eMail address of the buyer.
<i>Buyer Fullname</i>	Name of the buyer.
<i>Buyer Phone Number</i>	(US only) Phone number of the buyer.
<i>Buyer State</i>	State in which the buyer resides.
<i>Buyer Zip</i>	ZIP code or postal code for the area in which the buyer resides.
<i>Checkout Date</i>	Date on which the buyer set up a payment.
<i>Custom Label</i>	Contains an internal SKU or unique identifier and is a very useful way to index your inventory with eBay listings and associated costs.
<i>Feedback Left</i>	Indicates that feedback was created for the seller.
<i>Feedback Received</i>	Indicates that the feedback was received from the buyer.
<i>Insurance</i>	Amount of insurance (if applicable) to be paid for by the buyer.

<b>Paid and Awaiting Shipment Report Fields</b>	
<b>Field Name</b>	<b>Description</b>
<i>Item ID</i>	Numeric ID assigned to the item when it is successfully listed. In the Load Results report for the Add action, this is the ItemID that the system has assigned to each successful listing (for other actions, it will be returned if you included it in your upload file).
<i>Item Title</i>	Title displayed in the listing.
<i>Listed On</i>	Date on which the item was listed.
<i>Notes to Yourself</i>	Details provided by the seller about the transaction.
<i>Order ID</i>	Numeric ID of the listing assigned when the order is placed.
<i>Paid on Date</i>	Date on which the buyer paid for the item.
<i>Payment Method</i>	Means by which the buyer is to remit payment.
<i>PayPal Transaction ID</i>	If payment is remitted with PayPal, this value is the transaction ID number assigned by PayPal.
<i>Private Notes</i>	Any content about the item or the transaction that you provided in your upload file.
<i>Product:EPID</i>	eBay Product ID (EPID) of the item.
<i>Quantity</i>	Number of units of a specific item available for purchase.
<i>Sale Date</i>	Date on which the sale took place.
<i>Sale Price</i>	The amount the item sold for, not including shipping and handling.
<i>Sales Record Number</i>	Numeric ID of the listing assigned after the item sells.
<i>Sales Tax</i>	Amount of sales tax (if applicable) to be paid for by the buyer.
<i>Shipped on Date</i>	Date on which the seller shipped the item.
<i>Shipping and Handling</i>	Total costs charged to the customer to prepare and ship the item.
<i>Shipping Service</i>	Means by which the item was shipped.
<i>Sold On</i>	Site on which the item was sold (for example, eBay, Half.com, or WofG.com).
<i>Total Price</i>	Total cost of the item, including shipping and handling (as well as sales tax, and insurance if applicable).
<i>Transaction ID</i>	Numeric ID for a single transaction.
<i>User Id</i>	User Id of the buyer.
<i>Variation Details</i>	Provides the variations used in the listing.

## Paid and Shipped Items report

The following table describes the fields in the Paid and Shipped Items report, which you can download from File Exchange.

<b>Paid and Shipped Items Report Fields</b>	
<b>Field Name</b>	<b>Description</b>
<i>Buyer Address 1</i>	Physical address of the buyer, typically a post office box, street address, or house name.
<i>Buyer Address 2</i>	Supplement physical address of the buyer such as an apartment or suite number.
<i>Buyer City</i>	City in which the buyer resides.
<i>Buyer Country</i>	Country in which the buyer resides.
<i>Buyer Email</i>	eMail address of the buyer.
<i>Buyer Fullname</i>	Name of the buyer.
<i>Buyer Phone Number</i>	(US only) Phone number of the buyer.
<i>Buyer State</i>	State in which the buyer resides.
<i>Buyer Zip</i>	ZIP code or postal code for the area in which the buyer resides.
<i>Checkout Date</i>	Date on which the buyer set up a payment.
<i>Custom Label</i>	Contains an internal SKU or unique identifier and is a very useful way to index your inventory with eBay listings and associated costs.
<i>Feedback Left</i>	Indicates that feedback was created for the seller.
<i>Feedback Received</i>	Indicates that the feedback was received from the buyer.
<i>Insurance</i>	Amount of insurance (if applicable) to be paid for by the buyer.
<i>Item ID</i>	Numeric ID assigned to the item when it is successfully listed. In the Load Results report for the Add action, this is the ItemID that the system has assigned to each successful listing (for other actions, it will be returned if you included it in your upload file).
<i>Item Title</i>	Title displayed in the listing.
<i>Listed On</i>	Date on which the item was listed.
<i>Notes to Yourself</i>	Details provided by the seller about the transaction.
<i>Order ID</i>	Numeric ID of the listing assigned when the order is placed.
<i>Paid on Date</i>	Date on which the buyer paid for the item.
<i>Payment Method</i>	Means by which the buyer is to remit payment.
<i>PayPal Transaction ID</i>	If payment is remitted with PayPal, this value is the transaction ID number assigned by PayPal.
<i>Private Notes</i>	Any content about the item or the transaction that you provided in your upload file.
<i>Product:EPID</i>	eBay Product ID (EPID) of the item.
<i>Quantity</i>	Number of units of a specific item available for purchase.
<i>Sale Date</i>	Date on which the sale took place.
<i>Sale Price</i>	The amount the item sold for, not including shipping and handling.
<i>Sales Record Number</i>	Numeric ID of the listing assigned after the item sells.
<i>Sales Tax</i>	Amount of sales tax (if applicable) to be paid for by the buyer.

Paid and Shipped Items Report Fields	
Field Name	Description
<i>Shipped on Date</i>	Date on which the seller shipped the item.
<i>Shipping and Handling</i>	Total costs charged to the customer to prepare and ship the item.
<i>Shipping Service</i>	Means by which the item was shipped.
<i>Sold On</i>	Site on which the item was sold (for example, eBay, Half.com, or WofG.com).
<i>Total Price</i>	Total cost of the item, including shipping and handling (as well as sales tax, and insurance if applicable).
<i>Tracking Number</i>	Use a tracking number to identify, trace, and check the status of a shipment as it moves to its destination. Not all sellers track shipments.
<i>Transaction ID</i>	Numeric ID for a single transaction.
<i>User Id</i>	User Id of the buyer.
<i>Variation Details</i>	Provides the variations used in the listing.

## Product Inventory report

The following table describes the fields in the Product Inventory report, which you can download from File Exchange.

Product Inventory Report Fields	
Field Name	Description
<i>Action</i>	Action value for a corresponding listing.
<i>CurrencyID</i>	Specifies currency type, such as USD, CAD, GBP, AUD, EUR, CHF, TWD, CNY, and INR.
<i>Folder</i>	Fields that can be used to contain additional information about an item.
<i>GroupProductID</i>	ID assigned to a collection of similar products.
<i>ProductName</i>	The name of the product.
<i>Root Folder</i>	Used to described the topmost category for the item.
<i>Unit Cost</i>	Amount paid by the seller to purchase the item.

## Sold Listings report

The following table describes the fields in the Sold Listings report, which you can download from File Exchange.

Sold Listings Report Fields	
Field Name	Description
<i>Buyer Address 1</i>	Physical address of the buyer, typically a post office box, street address, or house name.

<b>Sold Listings Report Fields</b>	
<b>Field Name</b>	<b>Description</b>
<i>Buyer Address 2</i>	Supplement physical address of the buyer such as an apartment or suite number.
<i>Buyer City</i>	City in which the buyer resides.
<i>Buyer Country</i>	Country in which the buyer resides.
<i>Buyer Email</i>	eMail address of the buyer.
<i>Buyer Fullname</i>	Name of the buyer.
<i>Buyer Phone Number</i>	(US only) Phone number of the buyer.
<i>Buyer State</i>	State in which the buyer resides.
<i>Buyer Zip</i>	ZIP code or postal code for the area in which the buyer resides.
<i>Checkout Date</i>	Date on which the buyer set up a payment.
<i>Custom Label</i>	Contains an internal SKU or unique identifier and is a very useful way to index your inventory with eBay listings and associated costs.
<i>EndTime</i>	Time at which the listing will end on eBay. Type: YYYY-MM-DD HH:MM:SS. Hours are displayed in 24-hour format (for example, 2:00:00pm is shown as 14:00:00) and treated as GMT.
<i>Feedback Left</i>	Indicates that feedback was created for the seller.
<i>Feedback Received</i>	Indicates that the feedback was received from the buyer.
<i>Insurance</i>	Amount of insurance (if applicable) to be paid for by the buyer.
<i>Item ID</i>	Numeric ID assigned to the item when it is successfully listed. In the Load Results report for the Add action, this is the ItemID that the system has assigned to each successful listing (for other actions, it will be returned if you included it in your upload file).
<i>Item Title</i>	Title displayed in the listing.
<i>Listed On</i>	Date on which the item was listed.
<i>Notes to Yourself</i>	Details provided by the seller about the transaction.
<i>Order ID</i>	Numeric ID of the listing assigned when the order is placed.
<i>Paid on Date</i>	Date on which the buyer paid for the item.
<i>Payment Method</i>	Means by which the buyer is to remit payment.
<i>PayPal Transaction ID</i>	If payment is remitted with PayPal, this value is the transaction ID number assigned by PayPal.
<i>Private Notes</i>	Any content about the item or the transaction that you provided in your upload file.
<i>Product:EPID</i>	eBay Product ID (EPID) of the item.
<i>Quantity</i>	Number of units of a specific item available for purchase.
<i>Sale Date</i>	Date on which the sale took place.
<i>Sale Price</i>	The amount the item sold for, not including shipping and handling.

Sold Listings Report Fields	
Field Name	Description
<i>Sales Record Number</i>	Numeric ID of the listing assigned after the item sells.
<i>Sales Tax</i>	Amount of sales tax (if applicable) to be paid for by the buyer.
<i>Shipped on Date</i>	Date on which the seller shipped the item.
<i>Shipping and Handling</i>	Total costs charged to the customer to prepare and ship the item.
<i>Shipping Service</i>	Means by which the item was shipped.
<i>Sold On</i>	Site on which the item was sold (for example, eBay, Half.com, or WofG.com).
<i>StartTime</i>	Time listing went live on eBay site (same as ScheduleTime, if used). Type: YYYY-MM-DD HH:MM:SS. Hours are in 24-hour format (for example, 2:00:00pm is shown as 14:00:00) and treated as GMT.
<i>Total Price</i>	Total cost of the item, including shipping and handling (as well as sales tax, and insurance if applicable).
<i>Tracking Number</i>	Use a tracking number to identify, trace, and check the status of a shipment as it moves to its destination. Not all sellers track shipments.
<i>Transaction ID</i>	Numeric ID for a single transaction.
<i>User Id</i>	User Id of the buyer.
<i>Variation Details</i>	Provides the variations used in the listing.

## Unsold Items report

The following table describes the fields in the Unsold Items report, which you can download from File Exchange.

Unsold Items Report Fields	
Field Name	Description
<i>Bids</i>	Current number of bids for an active listing.
<i>CategoryLeafName</i>	Name of leaf category.
<i>Category Number</i>	Numeric ID of the category in which the item is to be listed.
<i>Condition</i>	The physical condition of the item.
<i>Custom Label</i>	Contains an internal SKU or unique identifier and is a very useful way to index your inventory with eBay listings and associated costs.
<i>Download Date</i>	Date and time at which the file was downloaded. For example, 29-Mar-12 13:32:01 PST.
<i>End Date</i>	Date on which the listing ended; for example, 1-Apr-12.
<i>High Bid</i>	Highest bid entered for the item.



Unsold Items Report Fields	
Field Name	Description
<i>Item ID</i>	Numeric ID assigned to the item when it is successfully listed. In the Load Results report for the Add action, this is the ItemID that the system has assigned to each successful listing (for other actions, it will be returned if you included it in your upload file).
<i>Item Title</i>	Title displayed in the listing.
<i>Price</i>	One of the following. For: <ul style="list-style-type: none"> <li>• Active auctions, the highest current bid</li> <li>• Fixed Price and Store Inventory items, the Buy It Now price</li> <li>• Second Chance Offers, the price offered</li> <li>• Ad/Real Estate, the listed price</li> </ul>
<i>Private Notes</i>	Any content about the item or the transaction that you provided in your upload file.
<i>Product:EPID</i>	eBay Product ID (EPID) of the item.
<i>QuantityAvailable</i>	Number of items remaining for a specific listing.
<i>Site Listed</i>	The eBay site on which the item is listed, denoted by an integer. For example, 0 (U.S.), 100 (eBay Motors), or 77 (Germany).
<i>Status</i>	<i>(Awaiting Payment, Paid Not Shipped)</i> Specifies the status of the purchase; should be Refunded or Shipped, depending on the purpose of the uploaded file.  <i>(Unsold Items)</i> Indicates the success or failure of an action in a listing. If "Fail," ErrorCode and ErrorMessage fields provide corresponding information.
<i>Start Date</i>	Date on which the listing was created. For example, 25-Mar-12.
<i>Type</i>	Numeric ID for the type of auction. For example, 1 is Auction, 7 is Store Fixed Price, 9 is Basic Fixed Price, and 13 is Lead Generation.
<i>Watchers</i>	Number of users watching the item.

## Report fields matrix

Each field contained in the reports generated by File Exchange is listed below according to the report (or reports) in which it is used .

Report Fields								
Field Name	Active Listings	Awaiting Payment	Load Response	Paid, Awaiting Shipment	Paid, Shipped	Product Inventory	Sold Listings	Unsold Items
<i>Action</i>			x			x		
<i>ApplicationData</i>			x					
<i>AuctionLengthFee</i>			x					

Report Fields								
Field Name	Active Listings	Awaiting Payment	Load Response	Paid, Awaiting Shipment	Paid, Shipped	Product Inventory	Sold Listings	Unsold Items
<i>Bids</i>	x							x
<i>BoldFee</i>			x					
<i>BorderFee</i>			x					
<i>BuyItNowFee</i>			x					
<i>Buyer Address 1</i>		x		x	x		x	
<i>Buyer Address 2</i>		x		x	x		x	
<i>Buyer City</i>		x		x	x		x	
<i>Buyer Country</i>		x		x	x		x	
<i>Buyer Email</i>		x		x	x		x	
<i>Buyer Fullname</i>		x		x	x		x	
<i>Buyer Phone Number</i>		x		x	x		x	
<i>Buyer State</i>		x		x	x		x	
<i>Buyer Zip</i>		x		x	x		x	
<i>CategoryFeaturedFee</i>			x					
<i>CategoryLeafName</i>	x							x
<i>Category Number</i>	x							x
<i>Checkout Date</i>		x		x	x		x	
<i>Condition</i>	x							x
<i>Condition ID</i>	x							
<i>CurrencyID</i>			x			x		
<i>Custom Label</i>	x	x	x	x	x		x	x
<i>Download Date</i>	x							x
<i>End Date</i>	x							x
<i>EndTime</i>			x				x	
<i>ErrorCode</i>			x					
<i>ErrorMessage</i>			x					
<i>FeaturedFee</i>			x					
<i>FeaturedGalleryFee</i>			x					
<i>Feedback Left</i>		x		x	x		x	
<i>Feedback Received</i>		x		x	x		x	

Report Fields								
Field Name	Active Listings	Awaiting Payment	Load Response	Paid, Awaiting Shipment	Paid, Shipped	Product Inventory	Sold Listings	Unsold Items
<i>FixedPriceDurationFee</i>			x					
<i>GalleryFee</i>			x					
<i>GroupProductID</i>						x		
<i>High Bid</i>								x
<i>HighlightFee</i>			x					
<i>InsertionFee</i>			x					
<i>Insurance</i>		x		x	x		x	
<i>InternationalInsertionFee</i>			x					
<i>Item ID</i>	x	x	x	x	x		x	x
<i>Item Title</i>	x	x		x	x		x	x
<i>LineNumber</i>			x					
<i>Listed On</i>		x		x	x		x	
<i>ListingDesignerFee</i>			x					
<i>ListingFee</i>			x					
<i>Location</i>					x			
<i>Notes to Yourself</i>		x		x	x		x	
<i>Order ID</i>		x		x	x		x	
<i>Paid on Date</i>		x		x	x		x	
<i>Payment Method</i>		x		x	x		x	
<i>PayPal Transaction ID</i>		x		x	x		x	
<i>PhotoDisplayFee</i>			x					
<i>PhotoFee</i>			x					
<i>Price</i>	x							x
<i>Private Notes</i>	x	x		x	x		x	x
<i>ProductName</i>						x		
<i>Product:EPID</i>	x	x		x	x		x	x
<i>ProPackBundleFee</i>			x					
<i>Purchases</i>	x							
<i>QuantityAvailable</i>	x							x
<i>Quantity</i>		x		x	x		x	

Report Fields								
Field Name	Active Listings	Awaiting Payment	Load Response	Paid, Awaiting Shipment	Paid, Shipped	Product Inventory	Sold Listings	Unsold Items
<i>ReserveFee</i>			x					
<i>RootFolder</i>						x		
<i>Sale Date</i>		x		x	x		x	
<i>Sale Price</i>		x		x	x		x	
<i>Sales Record Number</i>		x		x	x		x	
<i>Sales Tax</i>		x		x	x		x	
<i>SchedulingFee</i>			x					
<i>Shipped on Date</i>		x		x	x		x	
<i>Shipping and Handling</i>		x		x	x		x	
<i>Shipping Service</i>		x		x	x		x	
<i>Site Listed</i>	x							x
<i>Sold On</i>		x		x	x		x	
<i>Start Date</i>	x							x
<i>StartTime</i>			x				x	
<i>Status</i>			x					x
<i>SubtitleFee</i>			x					
<i>Total Price</i>		x		x	x		x	
<i>Transaction ID</i>		x		x	x		x	
<i>Type</i>	x							x
<i>Unit Cost</i>						x		
<i>User Id</i>		x		x	x		x	
<i>Variation Details</i>	x	x		x	x		x	
<i>Watchers</i>								x

# Index

## A

- Action field 21
- Action field definition 59
- Action values
  - excess fields 18
  - Info 15
  - using multiple 18
- action-specific required fields 16
- Active Listings report fields 117
- Add action 12
- adding fields
  - auto-accept and -decline 33
  - conditionID 32
  - custom item specifics 31
  - dimension 41
  - international site visibility 34
  - payment information 37
  - return policy information 39
  - shipment tracking numbers 39
  - shipping discounts 37
  - weight 40
- adding new fields
  - custom item specifics 31
  - general 19
  - international site visibility 34
  - shipping discount 38
  - weight and dimensions 40
- AddToItemDescription action 12
- API compatibility level 54
- Australia shipping services option field values 102
- austria shipping services option field values 103
- auto-accept and auto-decline 33
- Awaiting Payment report fields 118

## B

- belgium (dutch) shipping services option field values 104
- belgium (french) shipping services option field values 103
- best offer fields 82
- buyer requirements 35

## C

- Canada (French) shipping services option field values 105
- canada shipping services option field values 104
- case-sensitivity 11
- catalog-supported sites 50
- category, store numbers 33
- cell information 48

- character
  - limits 11
  - types 11
- china shipping services option field values 105
- combined payments 37
- compatibility
  - motorcycles 24
  - vehicles 24
- compatibility fields 24
- conditionID 32
- cost fields 82
- country 53
- country codes 56
- credit card fields 78
- currency 53
- CustomLabel, variation 27

## D

- data
  - entering 21
- deleting a field
  - general info 20
- deleting multiple field values
  - general info 20
- Description field 21
- design fields 59
- dimension fields 41, 72
- discount fields 82
- display fields 59
- domestic shipping rate table 41
- domestic shipping services field values 102
- domestic shipping services fields 91
- download files
  - programmatically 46

## E

- eBay store
  - category numbers 33
- eBay token 46
- End action 12
- entering data 21
- excess fields 18

## F

- feedback fields 59
- field definition
  - Action 59
- field relationships 11
- fields
  - Action 21

fields (*continued*)

- Description 21
- entering data 21
- Title 21

## fields, reports

- Active Listings 117
- Awaiting Payment 118
- Global Trade Item Number 122
- Load Response Results 120
- matrix 129
- Paid and Awaiting Shipment 123
- Paid and Shipped 124
- Product Inventory 126
- Sold Listings 126
- Unsold Items 128

## File Exchange

- finding templates 10

## file format 12

## file revision 44

## file size and content rules 12

## flat-file formats 51

## france shipping services option field values 106

**G**

## germany shipping services option field values 106

## gift fields 72

## Global Trade Item Number report fields 122

**H**

## handling fields 72

## hong kong shipping services option field values 107

## HTTP post request 47

**I**

## india shipping services option field values 108

## Info action 15

## international shipping services field values 102

## international shipping services fields 91

## international site visibility 34

## ireland shipping services option field values 108

## italy shipping services option field values 108

## item specifics, custom 31

**L**

## limits

- characters 11

## Load Response Results report fields 120

## load result report fields 113

**M**

## malaysia shipping services option field values 109

## metadata

- API compatibility level 54

metadata (*continued*)

- cell information 48

- Country 53

- Currency 53

- overriding 48

- SiteID 52

## modify variations 30

## motorcycles

- compatibility 24

## multiple actions in one file 18

**N**

## netherlands shipping services option field values 109

## numbers, store category 33

**O**

## overriding metadata 48

**P**

## package dimension 41

## package fields 72

## package weight 40

## Paid and Awaiting Shipment report fields 123

## Paid and Shipped report fields 124

## parts and compatibility fields 24

## payment fields 78

## payment policy 37

## philippines shipping services option field values 109

## picture fields 59

## PicURL, variation 27

## poland shipping services option field values 110

## pricing fields 82

## product fields 22, 88

## product identifiers 22

## Product Inventory report fields 126

## programmatic instructions to download files 46

## programmatic instructions to upload files 46

**Q**

## Quantity, variation 27

## quotation marks 18

**R**

## rate table

- domestic shipping 41

## region names 54

## Relationship, variation 27

## RelationshipDetails, variation 27

## Relist action 12

## report fields 113

- Active Listings 117

- Awaiting Payment 118

- Global Trade Item Number 122

report fields (*continued*)

- Load Results Response 120
- matrix 129
- Paid and Awaiting Shipment 123
- Paid and Shipped 124
- Product Inventory 126
- Sold Listings 126
- Unsold Items 128
- Report fields matrix 129
- request eBay token 46
- required fields per action 16
- requirements
  - buyers 35
- results fields 113
- return policy 39
- return policy fields 78
- Revise action 12
- revision files 44

**S**

- shipment tracking numbers 39
- shipping discounts 37
- shipping rates
  - domestic 41
- shipping services field values 102
- shipping services fields 91
- shipping services option field values
  - Australia 102
  - austria 103
  - belgium(dutch) 104
  - belgium(french) 103
  - canada 104
  - Canada (French) 105
  - china 105
  - france 106
  - germany 106
  - hong kong 107
  - india 108
  - ireland 108
  - italy 108
  - malaysia 109
  - netherlands 109
  - philippines 109
  - poland 110
  - singapore 110
  - spain 110
  - switzerland 111
  - taiwan 111
  - united kingdom 112
  - united states 112
- singapore shipping services option field values 110
- site ID 52
- site-specific file formats 51
- sites that support catalog templates 50
- smart headers 11, 17
- Sold Listings report fields 126
- spain shipping services option field values 110
- StartPrice, variation 27

- Status action 12
- store category fields 59
- store category numbers 33
- structure
  - template 11
- style fields 59
- supported formats 12
- switzerland shipping services option field values 111

**T**

- tables
  - shipping rates 41
- taiwan shipping services option field values 111
- tax fields 82
- template
  - entering data 21
- templates
  - adding auto-accept and auto-decline fields 33
  - adding conditionID 32
  - adding custom item specific fields 31
  - adding international site visibility fields 34
  - adding new fields 19
  - adding shipment tracking number fields 39
  - adding shipping discount fields 38
  - adding weight and dimension fields 40
  - country codes 56
  - Country metadata 53
  - Currency metadata 53
  - deleting a field 20
  - deleting multiple field values 20
  - file formats per site 51
  - file size and content rules 12
  - finding 10
  - metadata cell information 48
  - modifying 30
  - overriding metadata 48
  - parts and compatibility fields 24
  - product fields 22
  - region names 54
  - required fields per action 16
  - SitID metadata 52
  - sites that support catalog template 50
  - structure 11
  - using quotation marks 18
  - using smart headers 17
  - variation 27
- tips 11
- Title field 21
- token 46
- types
  - characters 11
- typographic conventions 10

**U**

- understanding template structure 11
- united kingdom shipping services option field values 112
- united states shipping services option field values 112

Unsold Items report fields 128  
upgrade fields 59  
upload files  
    programmatically 46  
using Action values 12  
using quotation marks 18  
using smart headers 17

## **V**

variations  
    CustomLabel 27  
    modify 30  
    PicURL 27

variations (*continued*)  
    Quantity 27  
    Relationship 27  
    RelationshipDetails 27  
    StartPrice 27  
Variations 27  
vehicles  
    compatibility 24  
VerifyAdd action 12

## **W**

weight fields 40, 72